

## Hood&amp;Housing

H



サイズ  
16B  
32B

## Rectangular connector-Hoods/Housings Contents

| Size                | Type                                                                                                  | Page             |
|---------------------|-------------------------------------------------------------------------------------------------------|------------------|
| 3A                  | Hoods/Housings(Plastic,Standard,EMC,Corrosion Resistance)                                             | P15-06~P15-16.1  |
| 10A                 | Metal Hoods/Housings                                                                                  | P15-17~P15-18.1  |
| 16A                 | Metal Hoods/Housings                                                                                  | P15-19~P15-20    |
| 32A                 | Metal Hoods/Housings                                                                                  | P15-21~P15-24    |
| 6B                  | Hoods/Housings(Plastic,Metal,Corrosion Resistance )                                                   | P15-25~ P15-38.2 |
| 10B                 | Hoods/Housings(Plastic,Metal,suitable for harsh environment,Corrosion Resistance,Pressure Tight )     | P15-39~P15-69    |
| 16B                 | Hoods/Housings(Plastic,Metal,suitable for harsh environment,EMC,Corrosion Resistance,Pressure Tight ) | P15-70~P15-107.1 |
| 24B                 | Hoods/Housings(Plastic,Metal,suitable for harsh environment,Corrosion Resistance,Pressure Tight )     | P15-108~P15-150  |
| 32B                 | Hoods/Housings(Metal,Pressure Tight )                                                                 | P~P15-159        |
| 48B                 | Hoods/Housings(Metal,Pressure Tight )                                                                 | P15-160~P15-162  |
| HC                  | Metal Hoods/Housings                                                                                  | P15-163~P15-168  |
| Thickened seal part | ( H series BK housing)                                                                                | P15-169~P15-170  |

## Levers for option

|                                                                                     | Identify | Main material       | Description                                                                                      | Designation Example |
|-------------------------------------------------------------------------------------|----------|---------------------|--------------------------------------------------------------------------------------------------|---------------------|
|  | L/SC     | Stainless steel+TPR | high-strength locking, device with rubber cover, Suitable for harsh environment (anti-corrosion) | H24B-SF-1L/SC-M25   |
|  | L/PSE    | PC+Stainless steel  | removable locking device, suitable for general industrial environment                            | H24B-SF-1L/PSE-M25  |

Rectangular connector-Hoods/Housings Contents

the examples of products

|                                                                                   | identify | The definition of Corrosion Class, on the basis of ISO12944 | The neutral salt spray test ISO7253 /h | The examples of typical environments in temperate climates (for reference only)                         | models examples      |
|-----------------------------------------------------------------------------------|----------|-------------------------------------------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------|----------------------|
|  | /480     | C3 High                                                     | 480                                    | The urban and industrial atmospheres, moderate sulfur dioxide pollution, and low salinity coastal areas | W10B-TEH-4B-M32/480  |
|  | /720     | C4 High                                                     | 720                                    | The industrial and coastal areas with moderate salinity                                                 | W10B-TEH-4B-M32/720  |
|  | /1440    | C5 High                                                     | 1440                                   | The industrial areas with high humidity and harsh atmosphere and coastal areas with high salinity       | W10B-TEH-4B-M32/1440 |

\*The metal casings such as the housing and the base of the connector can be corrosive to different degrees. The models in the table are only for the purpose of making the product model naming rules clearer for customers. More models are welcome to consult.


Dear customer:

Thank you very much for your continued trust in our products and your support for our company.

During the course of development, WAIN has always been trying to improve and enrich its products. To meet the customer's need for connectors between IP65 and IP68, we develop brand-new IP67 metal shells. Affected models include 6B、10B、16B、24B、32B、32A (3A、10A、16A and 48B are not included at present) . These new shells can endure harsher environments especially outdoor operating environments, such as tower crane infrastructure、road construction、construction vehicles、outdoor cabinets、mining machinery and so on.

IP67 shells are named W series products, their designations begin with the letter " W ", such as W6B、W10B、W16B、W24B、W32B、W32A. We redesign the appearance、seal flatness and manufacturing technique, while the size remains the same. W series products are compatible with H series products, as well as all standard inserts、modular frames、cable glands and so on.

The differences between W series products and H series products (take 24B for example):




While promoting the W series products, the present H series products are also continued to be supplied, in other words we will supply IP65、IP67、IP68、IP69K products at the same time. ( For specific technical parameters of W series products, please kindly refer to our catalogue). Through redesigning these shells, we wish to demonstrate WAIN's innovative spirit and the ability of independent development. We appreciate your understanding and support in this matter, and we hope that you will like our redesigned shells. We will offer more products and innovations continuously.

Should you have any questions, please do not hesitate to contact us.



Illustration for IP65 or IP67 under different matches between W series shells and H series metal shells  
(take high construction hood+ bulkhead mounted housing for example)



\*For the definition and requirements of IP grade, please kindly refer to IEC 60529-2013

## Technical characteristics

| Size 3A Plastic Hoods & Housings IP65 |                          |
|---------------------------------------|--------------------------|
| Material                              | polycarbonate            |
| Colour                                | light grey (RAL 7032)    |
|                                       | black (RAL 9005)         |
| Locking element                       |                          |
| -Lever type                           | plastic elastic pressing |
| -Material                             | polyamide                |
| Hoods/Housings seal                   | NBR                      |
| Limiting temperatures                 | -40...+125°C             |
| Flammability acc. to UL 94            | V0                       |
| Degree of protection acc.to DIN EN    |                          |
| 60 529 for coupled connector          | IP65                     |

| Size 3A Metal Hoods & Housings IP65 |                                     |
|-------------------------------------|-------------------------------------|
| Material                            | zinc die-cast                       |
| Colour                              | grey                                |
| Locking element                     |                                     |
| -Lever type                         | metal elastic pressing              |
| -Material                           | metal galvanized/<br>nickel plating |
| Hoods/Housings seal                 | NBR                                 |
| Limiting temperatures               | -40...+125°C                        |
| Flammability acc. to UL 94          | V0                                  |
| Degree of protection acc.to DIN EN  |                                     |
| 60 529 for coupled connector        | IP65                                |

| 3A Pressure tight Hoods & Housings IP68/IP69k |                      |
|-----------------------------------------------|----------------------|
| Surface                                       | Epoxy powder coating |
| Material                                      | zinc die-cast        |
| Colour                                        | black or grey        |
| Locking element                               |                      |
| -Lever type                                   | screw locking        |
| -Material                                     | stainless steel      |
| Hoods/Housings seal                           | NBR                  |
| Limiting temperatures                         | -40...+125°C         |
| Flammability acc. to UL 94                    | V0                   |
| Degree of protection acc.to DIN EN            |                      |
| 60 529 for coupled connector                  | IP68/IP69K           |

| EMC Electromagnetic Compatibility Hoods & Housings IP65 |                                      |
|---------------------------------------------------------|--------------------------------------|
| Material                                                | zinc die-cast(3A)                    |
|                                                         | aluminium die-cast(Type B)           |
| Surface                                                 | electrical conductive                |
| Locking element                                         |                                      |
| -Lever type                                             | metal elastic pressing/screw locking |
| -Material                                               | see15-02                             |
| Hoods/Housings seal                                     | NBR                                  |
| Limiting temperatures                                   | -40...+125°C                         |
| Flammability acc. to UL 94                              | V0                                   |
| Degree of protection acc.to DIN EN                      |                                      |
| 60 529 for coupled connector                            | H version IP65 / W version IP67      |

| HC Metal Hoods & Housings IP65     |                                |
|------------------------------------|--------------------------------|
| Surface                            | Epoxy powder coating/nickeling |
| Colour                             | zinc die-cast                  |
| Locking element                    | black/brushed nickel           |
| Locking element                    |                                |
| -Lever type                        | metal elastic pressing         |
| -Material                          | stainless steel                |
| Hoods/Housings seal                | NBR                            |
| Limiting temperatures              | -40...+125°C                   |
| Flammability acc. to UL 94         | V0                             |
| Degree of protection acc.to DIN EN |                                |
| 60 529 for coupled connector       | IP65                           |

| Plastic Hoods & Housings IP65      |                          |
|------------------------------------|--------------------------|
| Material                           | polyamide                |
| Colour                             | RAL 9005 (black)         |
| Locking element                    |                          |
| -Lever type                        | plastic elastic pressing |
| -Material                          | polyamide                |
| Hoods/Housings seal                | NBR                      |
| Limiting temperatures              | -40...+125°C             |
| Flammability acc. to UL 94         | V0                       |
| Degree of protection acc.to DIN EN |                          |
| 60 529 for coupled connector       | IP65                     |

| Metal Hoods & Housings IP65        |                                 |
|------------------------------------|---------------------------------|
| Material                           | aluminium die-cast              |
| Colour                             | grey                            |
| Locking element                    |                                 |
| -Lever type                        | metal elastic pressing          |
| -Material                          | see P15-02                      |
| Hoods/Housings seal                | NBR                             |
| Limiting temperatures              | -40...+125°C                    |
| Flammability acc. to UL 94         | V0                              |
| Degree of protection acc.to DIN EN |                                 |
| 60 529 for coupled connector       | H version IP65 / W version IP67 |

| Hoods/Housings for higher environmental requirements IP65 |                                           |
|-----------------------------------------------------------|-------------------------------------------|
| Material                                                  | zinc die-cast(3A),<br>aluminium die-cast, |
| Colour                                                    | RAL 9005 (black)                          |
| Surface- Top coat                                         | epoxy powder paint                        |
| Locking element                                           |                                           |
| -Lever type                                               | metal elastic pressing                    |
| -Material                                                 | stainless steel                           |
| Hoods/Housings seal                                       | FPM                                       |
| Limiting temperatures                                     | -40...+125°C                              |
| Flammability acc. to UL 94                                | V0                                        |
| Degree of protection acc.to DIN EN                        |                                           |
| 60 529 for coupled connector                              | H version IP65 / W version IP67           |

| Pressure tight Hoods & Housings IP68/IP69k |                                            |
|--------------------------------------------|--------------------------------------------|
| Material                                   | aluminium die-cast,<br>corrosion resistant |
| Colour                                     | black or grey                              |
| Locking element                            |                                            |
| -Lever type                                | screw locking                              |
| -Material                                  | stainless steel                            |
| Hoods/Housings seal                        | NBR                                        |
| Limiting temperatures                      | -40...+125°C                               |
| Flammability acc. to UL 94                 | V0                                         |
| Degree of protection acc.to DIN EN         |                                            |
| 60 529 for coupled connector               | IP68/IP69K                                 |

| HC Plastic Hoods & Housings IP65   |                          |
|------------------------------------|--------------------------|
| Material                           | polycarbonate            |
| Colour                             | RAL 9005 (black)         |
| Locking element                    |                          |
| -Lever type                        | plastic elastic pressing |
| -Material                          | polyamide                |
| Hoods/Housings seal                | NBR                      |
| Limiting temperatures              | -40...+125°C             |
| Flammability acc. to UL 94         | V0                       |
| Degree of protection acc.to DIN EN |                          |
| 60 529 for coupled connector       | IP65                     |


## 16B Plastic hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M32    | H16B.P-SEH-4B-M32 | 117 016 530 5004 |
| M40    | H16B.P-SEH-4B-M40 | 117 016 530 5005 |



## Hoods, top entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M32    | H16B.P-TEH-4B-M32 | 117 016 430 5004 |
| M40    | H16B.P-TEH-4B-M40 | 117 016 430 5005 |



## Hoods, top entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| 2M25   | H16B.P-TEH-4B-2M25 | 117 016 430 5002 |
| 2M32   | H16B.P-TEH-4B-2M32 | 117 016 430 5001 |



## Bulkhead mounted housings




| Thread | Designation  | Order No.        |
|--------|--------------|------------------|
| ---    | H16B.P-BK-2L | 117 016 347 1001 |



## Surface mounted housings, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | H16B.P-SFH-2L-M32  | 117 016 247 5004 |
| 2M32   | H16B.P-SFH-2L-2M32 | 117 016 247 5024 |
| M40    | H16B.P-SFH-2L-M40  | 117 016 247 5005 |
| 2M40   | H16B.P-SFH-2L-2M40 | 117 016 247 5025 |



## Protection covers, for housings




| Connect way | Designation    | Order No.        |
|-------------|----------------|------------------|
| ---         | H16B.P-CV-4B/2 | 117 016 030 8002 |



## Protection covers, for hoods



| Connect way | Designation    | Order No.        |
|-------------|----------------|------------------|
| ---         | H16B.P-CV-2L/1 | 117 016 047 8001 |



## 16B Plastic hoods/housings


Degree of protection: IP65

Remark: SPQ is 1pc

## Hoods, side entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HM16B.P-SEH-4B-M32 | 129 016 530 1501 |
| M40    | HM16B.P-SEH-4B-M40 | 129 016 530 1500 |



## Hoods, top entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HM16B.P-TEH-4B-M32 | 129 016 430 1501 |
| M40    | HM16B.P-TEH-4B-M40 | 129 016 430 1500 |



## Bulkhead mounted housings




| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HM16B.P-BK-2L | 129 016 340 1500 |



## Hoods, side entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HM16B.P-SEH-2L-M40 | 129 016 547 1500 |
| M40    | HM16B.P-SEH-2L-M32 | 129 016 547 1501 |



## Hoods, top entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HM16B.P-TEH-2L-M32 | 129 016 447 1501 |
| M40    | HM16B.P-TEH-2L-M40 | 129 016 447 1500 |



## Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HM16B.P-BK-4B | 129 016 330 1500 |



Degree of protection: IP65




Remark: SPQ is 1pc

Protection covers, for housings




| Connect way | Designation     | Order No.        |
|-------------|-----------------|------------------|
| ---         | HM16B.P-CV-4B/2 | 129 016 030 8500 |



Protection covers, for hoods



| Connect way | Designation     | Order No.        |
|-------------|-----------------|------------------|
| ---         | HM16B.P-CV-2L/1 | 129 016 040 8500 |




## 16B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | H16B-SE-2B-M25  | 111 016 515 1003 |
| M32    | H16B-SE-2B-M32  | 111 016 515 1004 |
| PG21   | H16B-SE-2B-PG21 | 111 016 515 1011 |



## Hoods, side entry, high construction




| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W16B-BEH-2B                         | 111 116 910 5002 |
| M32    | W16B-SEH-2B-M32                     | 111 116 510 5001 |
| M40    | W16B-SEH-2B-M40                     | 111 116 510 5002 |
| PG21   | W16B-SEH-2B-PG21                    | 111 116 510 5003 |
| PG29   | W16B-SEH-2B-PG29                    | 111 116 510 5004 |
|        | with sleeve                         |                  |
| M32    | W16B-SEH-2B-M32 <a href="#">WS</a>  | 111 116 515 5013 |
| PG21   | W16B-SEH-2B-PG21 <a href="#">WS</a> | 111 116 515 5011 |
| PG29   | W16B-SEH-2B-PG29 <a href="#">WS</a> | 111 116 515 5012 |



## Hoods, top entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | H16B-TE-2B-M25  | 111 016 415 1003 |
| M32    | H16B-TE-2B-M32  | 111 016 415 1004 |
| PG21   | H16B-TE-2B-PG21 | 111 016 415 1011 |



## Hoods, top entry, high construction



| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W16B-BEH-2B                         | 111 116 910 5002 |
| M32    | W16B-TEH-2B-M32                     | 111 116 410 5001 |
| M40    | W16B-TEH-2B-M40                     | 111 116 410 5002 |
| PG21   | W16B-TEH-2B-PG21                    | 111 116 410 5003 |
| PG29   | W16B-TEH-2B-PG29                    | 111 116 410 5004 |
|        | with sleeve                         |                  |
| M32    | W16B-TEH-2B-M32 <a href="#">WS</a>  | 111 116 415 5004 |
| PG21   | W16B-TEH-2B-PG21 <a href="#">WS</a> | 111 116 415 5011 |
| PG29   | W16B-TEH-2B-PG29 <a href="#">WS</a> | 111 116 415 5012 |



## 16B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Housings, cable to cable



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | H16B-CCT-1L/SC-M25  | 111 016 721 1003 |
| M32    | H16B-CCT-1L/SC-M32  | 111 016 721 1004 |
| PG21   | H16B-CCT-1L/SC-PG21 | 111 016 721 1011 |

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



| Thread | Designation                      | Order No.        |
|--------|----------------------------------|------------------|
| M32    | W16B-CCTH-1L/SC-M32              | 111 116 721 5001 |
| M40    | W16B-CCTH-1L/SC-M40              | 111 116 721 5002 |
| PG21   | W16B-CCTH-1L/SC-PG21             | 111 116 721 5003 |
| PG29   | W16B-CCTH-1L/SC-PG29 with sleeve | 111 116 721 5004 |
| M32    | W16B-CCTH-1L/SC-M32 WS           | 111 116 721 5008 |
| PG21   | W16B-CCTH-1L/SC-PG21 WS          | 111 116 721 5011 |
| PG29   | W16B-CCTH-1L/SC-PG29 WS          | 111 116 721 5012 |

Please refer to page 15-02 for choosing proper model of lock.




16B Metal hoods/housings

Degree of protection: IP65    Remark: SPQ is 1pc

Bulkhead mounted housings




| Thread                                                        | Designation       | Order No.        |
|---------------------------------------------------------------|-------------------|------------------|
| ---                                                           | H16B-BK-1L/SC     | 111 016 321 1001 |
| with plastic cover                                            |                   |                  |
| ---                                                           | H16B-BK-1L/SC-CV  | 111 016 361 1001 |
| with metal cover                                              |                   |                  |
| ---                                                           | H16B-BK-1L/SC-MCV | 111 016 361 1101 |
| Please refer to page 15-02 for choosing proper model of lock. |                   |                  |



BK hole cover plate



| Applications | Designation | Order No.        |
|--------------|-------------|------------------|
| ---          | 16B-BK/MCV  | 111 016 300 1506 |





## 16B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

## Surface mounted housings



| Thread             | Designation             | Order No.        |
|--------------------|-------------------------|------------------|
| M25                | H16B-SF-1L/SC-M25       | 111 016 221 1003 |
| 2M25               | H16B-SF-1L/SC-2M25      | 111 016 221 1023 |
| PG21               | H16B-SF-1L/SC-PG21      | 111 016 221 1011 |
| 2PG21              | H16B-SF-1L/SC-2PG21     | 111 016 221 1031 |
| with plastic cover |                         |                  |
| M25                | H16B-SF-1L/SC-CV-M25    | 111 016 261 1003 |
| 2M25               | H16B-SF-1L/SC-CV-2M25   | 111 016 261 1023 |
| PG21               | H16B-SF-1L/SC-CV-PG21   | 111 016 261 1011 |
| 2PG21              | H16B-SF-1L/SC-CV-2PG21  | 111 016 261 1031 |
| with metal cover   |                         |                  |
| M25                | H16B-SF-1L/SC-MCV-M25   | 111 016 261 1103 |
| 2M25               | H16B-SF-1L/SC-MCV-2M25  | 111 016 261 1123 |
| PG21               | H16B-SF-1L/SC-MCV-PG21  | 111 016 261 1111 |
| 2PG21              | H16B-SF-1L/SC-MCV-2PG21 | 111 016 261 1131 |

Please refer to page 15-02 for choosing proper model of lock.




## Surface mounted housings, high construction



| Thread             | Designation              | Order No.        |
|--------------------|--------------------------|------------------|
| M32                | H16B-SFH-1L/SC-M32       | 111 016 221 5004 |
| 2M32               | H16B-SFH-1L/SC-2M32      | 111 016 221 5024 |
| PG21               | H16B-SFH-1L/SC-PG21      | 111 016 221 5011 |
| 2PG21              | H16B-SFH-1L/SC-2PG21     | 111 016 221 5031 |
| PG29               | H16B-SFH-1L/SC-PG29      | 111 016 221 5012 |
| 2PG29              | H16B-SFH-1L/SC-2PG29     | 111 016 221 5032 |
| with plastic cover |                          |                  |
| M32                | H16B-SFH-1L/SC-CV-M32    | 111 016 261 5004 |
| 2M32               | H16B-SFH-1L/SC-CV-2M32   | 111 016 261 5024 |
| PG21               | H16B-SFH-1L/SC-CV-PG21   | 111 016 261 5011 |
| 2PG21              | H16B-SFH-1L/SC-CV-2PG21  | 111 016 261 5031 |
| PG29               | H16B-SFH-1L/SC-CV-PG29   | 111 016 261 5012 |
| 2PG29              | H16B-SFH-1L/SC-CV-2PG29  | 111 016 261 5032 |
| with metal cover   |                          |                  |
| M32                | H16B-SFH-1L/SC-MCV-M32   | 111 016 261 5104 |
| 2M32               | H16B-SFH-1L/SC-MCV-2M32  | 111 016 261 5124 |
| PG21               | H16B-SFH-1L/SC-MCV-PG21  | 111 016 261 5111 |
| 2PG21              | H16B-SFH-1L/SC-MCV-2PG21 | 111 016 261 5131 |
| PG29               | H16B-SFH-1L/SC-MCV-PG29  | 111 016 261 5112 |
| 2PG29              | H16B-SFH-1L/SC-MCV-2PG29 | 111 016 261 5132 |

Please refer to page 15-02 for choosing proper model of lock.




## 16B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | H16B-SE-4B-M25  | 111 016 530 1003 |
| M32    | H16B-SE-4B-M32  | 111 016 530 1004 |
| PG21   | H16B-SE-4B-PG21 | 111 016 530 1011 |



## Hoods, side entry, high construction




| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W16B-BEH-4B                         | 111 116 930 5003 |
| M32    | W16B-SEH-4B-M32                     | 111 116 530 5001 |
| M40    | W16B-SEH-4B-M40                     | 111 116 530 5002 |
| PG21   | W16B-SEH-4B-PG21                    | 111 116 530 5003 |
| PG29   | W16B-SEH-4B-PG29                    | 111 116 530 5004 |
|        | with sleeve                         |                  |
| M32    | W16B-SEH-4B-M32 <a href="#">WS</a>  | 111 116 530 5014 |
| PG21   | W16B-SEH-4B-PG21 <a href="#">WS</a> | 111 116 530 5011 |
| PG29   | W16B-SEH-4B-PG29 <a href="#">WS</a> | 111 116 530 5012 |



## Hoods, top entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | H16B-TE-4B-M25  | 111 016 430 1003 |
| M32    | H16B-TE-4B-M32  | 111 016 430 1004 |
| PG21   | H16B-TE-4B-PG21 | 111 016 430 1011 |



## Hoods, top entry, high construction



| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W16B-BEH-4B                         | 111 116 930 5003 |
| M32    | W16B-TEH-4B-M32                     | 111 116 430 5001 |
| M40    | W16B-TEH-4B-M40                     | 111 116 430 5002 |
| PG21   | W16B-TEH-4B-PG21                    | 111 116 430 5003 |
| PG29   | W16B-TEH-4B-PG29                    | 111 116 430 5004 |
|        | with sleeve                         |                  |
| M32    | W16B-TEH-4B-M32 <a href="#">WS</a>  | 111 116 430 5022 |
| PG21   | W16B-TEH-4B-PG21 <a href="#">WS</a> | 111 116 430 5020 |
| PG29   | W16B-TEH-4B-PG29 <a href="#">WS</a> | 111 116 430 5021 |



## 16B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

## Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | H16B-BK-2L/SC | 111 016 341 1001 |

Please refer to page 15-02 for choosing proper model of lock.




## Surface mounted housings



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | H16B-SF-2L/SC-M25   | 111 016 241 1003 |
| 2M25   | H16B-SF-2L/SC-2M25  | 111 016 241 1023 |
| PG21   | H16B-SF-2L/SC-PG21  | 111 016 241 1011 |
| 2PG21  | H16B-SF-2L/SC-2PG21 | 111 016 241 1031 |

Please refer to page 15-02 for choosing proper model of lock.




## Surface mounted housings, high construction



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | H16B-SFH-2L/SC-M25   | 111 016 241 5003 |
| M32    | H16B-SFH-2L/SC-M32   | 111 016 241 5004 |
| 2M32   | H16B-SFH-2L/SC-2M32  | 111 016 241 5024 |
| M40    | H16B-SFH-2L/SC-M40   | 111 016 241 5005 |
| 2M40   | H16B-SFH-2L/SC-2M40  | 111 016 241 5025 |
| PG21   | H16B-SFH-2L/SC-PG21  | 111 016 241 5011 |
| 2PG21  | H16B-SFH-2L/SC-2PG21 | 111 016 241 5031 |
| PG29   | H16B-SFH-2L/SC-PG29  | 111 016 241 5012 |
| 2PG29  | H16B-SFH-2L/SC-2PG29 | 111 016 241 5032 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | H16B-CCT-2L/SC-M25  | 111 016 741 1003 |
| M32    | H16B-CCT-2L/SC-M32  | 111 016 741 1004 |
| PG21   | H16B-CCT-2L/SC-PG21 | 111 016 741 1011 |

Please refer to page 15-02 for choosing proper model of lock.



## 16B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Housings, cable to cable, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M25    | W16B-CCTH-2L/SC-M25     | 111 116 741 5002 |
| M32    | W16B-CCTH-2L/SC-M32     | 111 116 741 5003 |
| M40    | W16B-CCTH-2L/SC-M40     | 111 116 741 5004 |
| PG21   | W16B-CCTH-2L/SC-PG21    | 111 116 741 5005 |
| PG29   | W16B-CCTH-2L/SC-PG29    | 111 116 741 5006 |
|        | with sleeve             |                  |
| M32    | W16B-CCTH-2L/SC-M32 WS  | 111 116 741 5013 |
| PG21   | W16B-CCTH-2L/SC-PG21 WS | 111 116 741 5011 |
| PG29   | W16B-CCTH-2L/SC-PG29 WS | 111 116 741 5012 |


Please refer to page 15-02 for choosing proper model of lock.



Protection covers, plastic




| Thread | Applications | Designation | Order No.        |
|--------|--------------|-------------|------------------|
| ---    | for hoods    | H16B-CV-4C  | 111 016 090 8009 |



Protection covers, plastic



| Connect way | Applications                                       | Designation  | Order No.        |
|-------------|----------------------------------------------------|--------------|------------------|
|             | for Housings, cable to cable                       | H16B-CV-4B/1 | 111 016 030 8001 |
|             | for Housings, bulkhead mounting / surface mounting | H16B-CV-4B/2 | 111 016 030 8002 |




Housings, cable to cable ,high construction, Under-shell through-board installation



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | W16B-CCTH/BK-2L/SC-M32  | 111 116 741 5511 |
| M40    | W16B-CCTH/BK-2L/SC-M40  | 111 116 741 5513 |
| PG21   | W16B-CCTH/BK-2L/SC-PG21 | 111 116 741 5514 |
| PG29   | W16B-CCTH/BK-2L/SC-PG29 | 111 116 741 5515 |

Please refer to page 15-02 for choosing proper model of lock.



## 16B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M25    | H16B-SE-2L/SC-M25  | 111 016 541 1003 |
| M32    | H16B-SE-2L/SC-M32  | 111 016 541 1004 |
| PG21   | H16B-SE-2L/SC-PG21 | 111 016 541 1011 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, side entry, high construction



| Thread | Designation            | Order No.        |
|--------|------------------------|------------------|
| M32    | W16B-SEH-2L/SC-M32     | 111 116 541 5001 |
| M40    | W16B-SEH-2L/SC-M40     | 111 116 541 5002 |
| PG21   | W16B-SEH-2L/SC-PG21    | 111 116 541 5003 |
| PG29   | W16B-SEH-2L/SC-PG29    | 111 116 541 5004 |
|        | with sleeve            |                  |
| M32    | W16B-SEH-2L/SC-M32 WS  | 111 116 541 5005 |
| PG21   | W16B-SEH-2L/SC-PG21 WS | 111 116 541 5011 |
| PG29   | W16B-SEH-2L/SC-PG29 WS | 111 116 541 5006 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, top entry



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M25    | H16B-TE-2L/SC-M25  | 111 016 441 1003 |
| M32    | H16B-TE-2L/SC-M32  | 111 016 441 1004 |
| PG21   | H16B-TE-2L/SC-PG21 | 111 016 441 1011 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, top entry, high construction



| Thread | Designation            | Order No.        |
|--------|------------------------|------------------|
| M32    | W16B-TEH-2L/SC-M32     | 111 116 441 5001 |
| M40    | W16B-TEH-2L/SC-M40     | 111 116 441 5002 |
| PG21   | W16B-TEH-2L/SC-PG21    | 111 116 441 5003 |
| PG29   | W16B-TEH-2L/SC-PG29    | 111 116 441 5004 |
|        | with sleeve            |                  |
| M32    | W16B-TEH-2L/SC-M32 WS  | 111 116 441 5009 |
| PG21   | W16B-TEH-2L/SC-PG21 WS | 111 116 441 5011 |
| PG29   | W16B-TEH-2L/SC-PG29 WS | 111 116 441 5012 |


Please refer to page 15-02 for choosing proper model of lock.



## Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | H16B-BK-4B         | 111 016 330 1001 |
|        | with plastic cover |                  |
| ---    | H16B-BK-4B-CV      | 111 016 370 1001 |
|        | with metal cover   |                  |
| ---    | H16B-BK-4B-MCV     | 111 016 370 1101 |




## 16B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Surface mounted housings




| Thread             | Designation          | Order No.        |
|--------------------|----------------------|------------------|
| M25                | H16B-SF-4B-M25       | 111 016 230 1003 |
| 2M25               | H16B-SF-4B-2M25      | 111 016 230 1023 |
| PG21               | H16B-SF-4B-PG21      | 111 016 230 1011 |
| 2PG21              | H16B-SF-4B-2PG21     | 111 016 230 1031 |
| with plastic cover |                      |                  |
| M25                | H16B-SF-4B-CV-M25    | 111 016 270 1003 |
| 2M25               | H16B-SF-4B-CV-2M25   | 111 016 270 1023 |
| PG21               | H16B-SF-4B-CV-PG21   | 111 016 270 1011 |
| 2PG21              | H16B-SF-4B-CV-2PG21  | 111 016 270 1031 |
| with metal cover   |                      |                  |
| M25                | H16B-SF-4B-MCV-M25   | 111 016 270 1103 |
| 2M25               | H16B-SF-4B-MCV-2M25  | 111 016 270 1123 |
| PG21               | H16B-SF-4B-MCV-PG21  | 111 016 270 1111 |
| 2PG21              | H16B-SF-4B-MCV-2PG21 | 111 016 270 1131 |



## Surface mounted housings, high construction




| Thread             | Designation           | Order No.        |
|--------------------|-----------------------|------------------|
| M32                | H16B-SFH-4B-M32       | 111 016 230 5004 |
| 2M32               | H16B-SFH-4B-2M32      | 111 016 230 5024 |
| PG21               | H16B-SFH-4B-PG21      | 111 016 230 5011 |
| 2PG21              | H16B-SFH-4B-2PG21     | 111 016 230 5031 |
| PG29               | H16B-SFH-4B-PG29      | 111 016 230 5012 |
| 2PG29              | H16B-SFH-4B-2PG29     | 111 016 230 5032 |
| with plastic cover |                       |                  |
| M32                | H16B-SFH-4B-CV-M32    | 111 016 270 5004 |
| 2M32               | H16B-SFH-4B-CV-2M32   | 111 016 270 5024 |
| PG21               | H16B-SFH-4B-CV-PG21   | 111 016 270 5011 |
| 2PG21              | H16B-SFH-4B-CV-2PG21  | 111 016 270 5031 |
| PG29               | H16B-SFH-4B-CV-PG29   | 111 016 270 5012 |
| 2PG29              | H16B-SFH-4B-CV-2PG29  | 111 016 270 5032 |
| with metal cover   |                       |                  |
| M32                | H16B-SFH-4B-MCV-M32   | 111 016 270 5104 |
| 2M32               | H16B-SFH-4B-MCV-2M32  | 111 016 270 5124 |
| PG21               | H16B-SFH-4B-MCV-PG21  | 111 016 270 5111 |
| 2PG21              | H16B-SFH-4B-MCV-2PG21 | 111 016 270 5131 |
| PG29               | H16B-SFH-4B-MCV-PG29  | 111 016 270 5112 |
| 2PG29              | H16B-SFH-4B-MCV-2PG29 | 111 016 270 5132 |



## Protection covers, metal



| Connect way | Applications                  | Designation    | Order No.        |
|-------------|-------------------------------|----------------|------------------|
|             | for hoods                     | H16B-MCV-4B/1S | 111 016 030 8103 |
|             | for housings, without sealing | H16B-MCV-4B/2  | 111 016 030 8102 |




## Protection covers, metal



| Connect way | Applications  | Designation       | Order No.        |
|-------------|---------------|-------------------|------------------|
|             | for hoods     | H16B-MCV-2L/SC.1S | 111 016 041 8101 |
|             | for housings, | H16B-MCV-2L/SC.2  | 111 016 041 8102 |

Please refer to page 15-02 for choosing proper model of lock.



## 16B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Protection covers, metal



| Connect way | Applications | Designation | Order No. |
|-------------|--------------|-------------|-----------|
|-------------|--------------|-------------|-----------|




for hoods

H16B-MCV-1L/SC.1S

111 016 021 8001

Please refer to page 15-02 for choosing proper model of lock.



## Protection covers(IP5X)



Remark: SPQ is 10pcs


| Thread | Applications | Designation | Order No. |
|--------|--------------|-------------|-----------|
|--------|--------------|-------------|-----------|

---

for housings

H16B-CV/C

111 016 000 8002



## Hoods, side entry, high construction



| Thread | Designation | Order No. |
|--------|-------------|-----------|
|--------|-------------|-----------|

M25

W16B-SEH-1L/C-M25

111 116 550 5001

M32

W16B-SEH-1L/C-M32

111 116 550 5002

PG21

W16B-SEH-1L/C-PG21

111 116 550 5003

PG29

W16B-SEH-1L/C-PG29  
with sleeve

111 116 550 5004

M32

W16B-SEH-1L/C-M32 [WS](#)

111 116 555 5004

PG21


W16B-SEH-1L/C-PG21 [WS](#)

111 116 555 5001

PG29

W16B-SEH-1L/C-PG29 [WS](#)

111 116 555 5002



## Bulkhead mounted housings




| Thread | Designation | Order No. |
|--------|-------------|-----------|
|--------|-------------|-----------|

---

H16B-BK-2B/C

111 016 355 1001



## stainless steel hoods/housings

Degree of protection: IP67

## Hoods, side entry, high construction




| Thread | Designation | Order No. |
|--------|-------------|-----------|
|--------|-------------|-----------|

PG29

W16B.S-SEH-4B-PG29

111 116 530 5528



## Bulkhead mounted housings




| Thread | Designation | Order No. |
|--------|-------------|-----------|
|--------|-------------|-----------|

---

W16B.S-BK-2L/SCN

111 116 341 1006



# 16B Metal hoods/housings


## -Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65 Remark: SPQ is 1pc

### Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | H16B-MSE-4B-M25  | 112 016 530 1003 |
| M32    | H16B-MSE-4B-M32  | 112 016 530 1004 |
| PG21   | H16B-MSE-4B-PG21 | 112 016 530 1011 |



### Hoods, side entry, high construction




| Thread | Designation                                            | Order No.        |
|--------|--------------------------------------------------------|------------------|
| M32    | W16B-MSEH-4B-M32                                       | 112 116 530 5005 |
| M40    | W16B-MSEH-4B-M40                                       | 112 116 530 5006 |
| PG21   | W16B-MSEH-4B-PG21                                      | 112 116 530 5011 |
| PG29   | W16B-MSEH-4B-PG29                                      | 112 116 530 5007 |
|        | with sleeve                                            |                  |
| M32    | W16B-MSEH-4B-M32 <span style="color: blue;">WS</span>  | 112 116 530 5004 |
| PG21   | W16B-MSEH-4B-PG21 <span style="color: blue;">WS</span> | 112 116 530 5001 |
| PG29   | W16B-MSEH-4B-PG29 <span style="color: blue;">WS</span> | 112 116 530 5012 |



### Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | H16B-MTE-4B-M25  | 112 016 430 1003 |
| M32    | H16B-MTE-4B-M32  | 112 016 430 1004 |
| PG21   | H16B-MTE-4B-PG21 | 112 016 430 1011 |



### Hoods, top entry, high construction




| Thread | Designation                                            | Order No.        |
|--------|--------------------------------------------------------|------------------|
| M32    | W16B-MTEH-4B-M32                                       | 112 116 430 5005 |
| M40    | W16B-MTEH-4B-M40                                       | 112 116 430 5001 |
| PG21   | W16B-MTEH-4B-PG21                                      | 112 116 430 5011 |
| PG29   | W16B-MTEH-4B-PG29                                      | 112 116 430 5006 |
|        | with sleeve                                            |                  |
| M32    | W16B-MTEH-4B-M32 <span style="color: blue;">WS</span>  | 112 116 430 5007 |
| PG21   | W16B-MTEH-4B-PG21 <span style="color: blue;">WS</span> | 112 116 430 5008 |
| PG29   | W16B-MTEH-4B-PG29 <span style="color: blue;">WS</span> | 112 116 430 5012 |



### Bulkhead mounted housings




| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | H16B-MBK-2L/SC | 112 016 341 1001 |



### Surface mounted housings



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | H16B-MSF-2L/SC-M25  | 112 016 241 1003 |
| 2M25   | H16B-MSF-2L/SC-2M25 | 112 016 241 1023 |
| PG21   | H16B-MSF-2L/SC-PG21 | 112 016 241 1011 |





## 16B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65 **Remark: SPQ is 1pc**

Surface mounted housings, high construction




| Thread | Designation           | Order No.        |
|--------|-----------------------|------------------|
| M32    | H16B-MSFH-2L/SC-M32   | 112 016 241 5004 |
| 2M32   | H16B-MSFH-2L/SC-2M32  | 112 016 241 5024 |
| M40    | H16B-MSFH-2L/SC-M40   | 112 016 241 5005 |
| 2M40   | H16B-MSFH-2L/SC-2M40  | 112 016 241 5025 |
| PG21   | H16B-MSFH-2L/SC-PG21  | 112 016 241 5011 |
| 2PG21  | H16B-MSFH-2L/SC-2PG21 | 112 016 241 5031 |
| PG29   | H16B-MSFH-2L/SC-PG29  | 112 016 241 5012 |
| 2PG29  | H16B-MSFH-2L/SC-2PG29 | 112 016 241 5032 |



Housings, cable to cable




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | H16B-MCCT-2L/SC-M25  | 112 016 741 1003 |
| M32    | H16B-MCCT-2L/SC-M32  | 112 010 741 1004 |
| PG21   | H16B-MCCT-2L/SC-PG21 | 112 016 741 1011 |



Protection covers




| Connect way | Applications | Designation    | Order No.        |
|-------------|--------------|----------------|------------------|
|             | for hoods    | H16B-MMCV-4B/1 | 112 016 030 8001 |
|             | for housings | H16B-MMCV-4B/2 | 112 016 030 8002 |



Protection covers



| Connect way | Applications | Designation        | Order No.        |
|-------------|--------------|--------------------|------------------|
|             | for hoods    | H16B-MMCV-2L/SC.1S | 112 016 041 8001 |
|             | for housings | H16B-MMCV-2L/SC.2  | 112 016 041 8002 |




Degree of protection: IP65

Hoods, side entry, high construction




| Thread | Designation                   | Order No.        |
|--------|-------------------------------|------------------|
| M32    | W16B-MSEH-1L/C-M32            | 112 116 550 5005 |
| PG21   | W16B-MSEH-1L/C-PG21           | 112 116 550 5006 |
| PG29   | W16B-MSEH-1L/C-PG29           | 112 116 550 5007 |
|        | with sleeve                   |                  |
| M32    | W16B-MSEH-1L/C-M32 <b>WS</b>  | 112 116 555 5004 |
| PG21   | W16B-MSEH-1L/C-PG21 <b>WS</b> | 112 116 555 5011 |
| PG29   | W16B-MSEH-1L/C-PG29 <b>WS</b> | 112 116 555 5012 |



Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | H16B-MBK-2B/C | 112 016 350 1001 |




## 16B EMC Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | EMC.H16B-SE-4B-M25  | 111 616 535 1501 |
| M32    | EMC.H16B-SE-4B-M32  | 111 616 530 1001 |
| PG21   | EMC.H16B-SE-4B-PG21 | 111 616 535 1011 |



## Hoods, side entry, high construction




| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| ---    | EMC.W16B-BEH-4B         | 111 216 930 5004 |
| M32    | EMC.W16B-SEH-4B-M32     | 111 216 530 5008 |
| M40    | EMC.W16B-SEH-4B-M40     | 111 216 530 5009 |
| PG21   | EMC.W16B-SEH-4B-PG21    | 111 116 535 5014 |
| PG29   | EMC.W16B-SEH-4B-PG29    | 111 216 530 5010 |
|        | with sleeve             |                  |
| M32    | EMC.W16B-SEH-4B-M32 WS  | 111 116 535 5002 |
| PG21   | EMC.W16B-SEH-4B-PG21 WS | 111 216 535 5506 |
| PG29   | EMC.W16B-SEH-4B-PG29 WS | 111 116 535 5003 |



## Hoods, top entry




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | EMC.H16B-TE-4B-M25  | 111 616 435 1003 |
| M32    | EMC.H16B-TE-4B-M32  | 111 616 435 1004 |
| PG21   | EMC.H16B-TE-4B-PG21 | 111 616 435 1011 |



## Hoods, top entry, high construction




| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| ---    | EMC.W16B-BEH-4B         | 111 216 930 5004 |
| M32    | EMC.W16B-TEH-4B-M32     | 111 216 430 5007 |
| M40    | EMC.W16B-TEH-4B-M40     | 111 216 430 5008 |
| PG21   | EMC.W16B-TEH-4B-PG21    | 111 216 430 5012 |
| PG29   | EMC.W16B-TEH-4B-PG29    | 111 216 430 5009 |
|        | with sleeve             |                  |
| M32    | EMC.W16B-TEH-4B-M32 WS  | 111 116 435 5004 |
| PG21   | EMC.W16B-TEH-4B-PG21 WS | 111 216 430 5010 |
| PG29   | EMC.W16B-TEH-4B-PG29 WS | 111 116 435 5002 |



## Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | EMC1.H16B-BK-2L/SC | 111 616 341 1201 |



Please refer to page 15-02 for choosing proper model of lock.

## 16B EMC Metal hoods/housings


Degree of protection: IP65

Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M25    | EMC.H16B-SF-2L/SC-M25   | 111 624 241 1501 |
| 2M25   | EMC.H16B-SF-2L/SC-2M25  | 111 624 241 1502 |
| PG21   | EMC.H16B-SF-2L/SC-PG21  | 111 624 241 1503 |
| 2PG21  | EMC.H16B-SF-2L/SC-2PG21 | 111 624 241 1504 |



## Hoods, side entry, high construction



| Thread | Designation              | Order No.        |
|--------|--------------------------|------------------|
| M32    | EMC.H16B-SFH-2L/SC-M32   | 111 616 241 5500 |
| 2M32   | EMC.H16B-SFH-2L/SC-2M32  | 111 616 241 5501 |
| M40    | EMC.H16B-SFH-2L/SC-M40   | 111 616 241 5502 |
| 2M40   | EMC.H16B-SFH-2L/SC-2M40  | 111 616 241 5503 |
| PG21   | EMC.H16B-SFH-2L/SC-PG21  | 111 616 241 5504 |
| 2PG21  | EMC.H16B-SFH-2L/SC-2PG21 | 111 616 241 5505 |
| PG29   | EMC.H16B-SFH-2L/SC-PG29  | 111 616 241 5506 |
| 2PG29  | EMC.H16B-SFH-2L/SC-2PG29 | 111 616 241 5507 |



## 16B Metal hoods/housings


Degree of protection: IP67

Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | W16B-SE-2B-M25  | 111 116 510 1001 |
| M32    | W16B-SE-2B-M32  | 111 116 510 1002 |
| PG21   | W16B-SE-2B-PG21 | 111 116 510 1003 |



## Hoods, side entry, high construction




| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W16B-BEH-2B                         | 111 116 910 5002 |
| M32    | W16B-SEH-2B-M32                     | 111 116 510 5001 |
| M40    | W16B-SEH-2B-M40                     | 111 116 510 5002 |
| PG21   | W16B-SEH-2B-PG21                    | 111 116 510 5003 |
| PG29   | W16B-SEH-2B-PG29                    | 111 116 510 5004 |
|        | with sleeve                         |                  |
| M32    | W16B-SEH-2B-M32 <a href="#">WS</a>  | 111 116 515 5013 |
| PG21   | W16B-SEH-2B-PG21 <a href="#">WS</a> | 111 116 515 5011 |
| PG29   | W16B-SEH-2B-PG29 <a href="#">WS</a> | 111 116 515 5012 |



## Hoods, top entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | W16B-TE-2B-M25  | 111 116 410 1001 |
| M32    | W16B-TE-2B-M32  | 111 116 410 1002 |
| PG21   | W16B-TE-2B-PG21 | 111 116 410 1003 |



## Hoods, top entry, high construction



| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W16B-BEH-2B                         | 111 116 910 5002 |
| M32    | W16B-TEH-2B-M32                     | 111 116 410 5001 |
| M40    | W16B-TEH-2B-M40                     | 111 116 410 5002 |
| PG21   | W16B-TEH-2B-PG21                    | 111 116 410 5003 |
| PG29   | W16B-TEH-2B-PG29                    | 111 116 410 5004 |
|        | with sleeve                         |                  |
| M32    | W16B-TEH-2B-M32 <a href="#">WS</a>  | 111 116 415 5004 |
| PG21   | W16B-TEH-2B-PG21 <a href="#">WS</a> | 111 116 415 5011 |
| PG29   | W16B-TEH-2B-PG29 <a href="#">WS</a> | 111 116 415 5012 |



## 16B Metal hoods/housings


Degree of protection: IP67 Remark: SPQ is 1pc

## Housings, cable to cable



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | W16B-CCT-1L/SC-M25  | 111 116 721 1002 |
| M32    | W16B-CCT-1L/SC-M32  | 111 116 721 1003 |
| PG21   | W16B-CCT-1L/SC-PG21 | 111 116 721 1004 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | W16B-CCTH-1L/SC-M32     | 111 116 721 5001 |
| M40    | W16B-CCTH-1L/SC-M40     | 111 116 721 5002 |
| PG21   | W16B-CCTH-1L/SC-PG21    | 111 116 721 5003 |
| PG29   | W16B-CCTH-1L/SC-PG29    | 111 116 721 5004 |
|        | with sleeve             |                  |
| M32    | W16B-CCTH-1L/SC-M32 WS  | 111 116 721 5008 |
| PG21   | W16B-CCTH-1L/SC-PG21 WS | 111 116 721 5011 |
| PG29   | W16B-CCTH-1L/SC-PG29 WS | 111 116 721 5012 |

Please refer to page 15-02 for choosing proper model of lock.




## Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | W16B-BK-1L/SC      | 111 116 321 1001 |
|        | with plastic cover |                  |
| ---    | W16B-BK-1L/SC-CV   | 111 116 321 8001 |
|        | with metal cover   |                  |
| ---    | W16B-BK-1L/SC-MCV  | 111 116 321 8002 |

Please refer to page 15-02 for choosing proper model of lock.




## 16B Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | W16B-SE-4B-M25  | 111 116 530 1001 |
| M32    | W16B-SE-4B-M32  | 111 116 530 1002 |
| PG21   | W16B-SE-4B-PG21 | 111 116 530 1003 |



## Hoods, side entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| ---    | W16B-BEH-4B         | 111 116 930 5003 |
| M32    | W16B-SEH-4B-M32     | 111 116 530 5001 |
| M40    | W16B-SEH-4B-M40     | 111 116 530 5002 |
| PG21   | W16B-SEH-4B-PG21    | 111 116 530 5003 |
| PG29   | W16B-SEH-4B-PG29    | 111 116 530 5004 |
|        | with sleeve         |                  |
| M32    | W16B-SEH-4B-M32 WS  | 111 116 530 5014 |
| PG21   | W16B-SEH-4B-PG21 WS | 111 116 530 5011 |
| PG29   | W16B-SEH-4B-PG29 WS | 111 116 530 5012 |



## Hoods, side entry, high construction




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M50    | W16B-SEH-4B-M50  | 111 116 530 5006 |
| PG36   | W16B-SEH-4B-PG36 | 111 116 530 5013 |

Suitable for cable with maximum OD  $\Phi 32\text{mm}$ 

## Hoods, top entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | W16B-TE-4B-M25  | 111 116 430 1001 |
| M32    | W16B-TE-4B-M32  | 111 116 430 1002 |
| PG21   | W16B-TE-4B-PG21 | 111 116 430 1003 |



## Hoods, top entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| ---    | W16B-BEH-4B         | 111 116 930 5003 |
| M32    | W16B-TEH-4B-M32     | 111 116 430 5001 |
| M40    | W16B-TEH-4B-M40     | 111 116 430 5002 |
| PG21   | W16B-TEH-4B-PG21    | 111 116 430 5003 |
| PG29   | W16B-TEH-4B-PG29    | 111 116 430 5004 |
|        | with sleeve         |                  |
| M32    | W16B-TEH-4B-M32 WS  | 111 116 430 5022 |
| PG21   | W16B-TEH-4B-PG21 WS | 111 116 430 5020 |
| PG29   | W16B-TEH-4B-PG29 WS | 111 116 430 5021 |



## Hoods, top entry, high construction



| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M50    | W16B-TEH-4B-M50  | 111 116 430 5006 |
| PG36   | W16B-TEH-4B-PG36 | 111 116 430 5013 |



## 16B Metal hoods/housings


Degree of protection: IP67 Remark: SPQ is 1pc

## Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | W16B-BK-2L/SC | 111 116 341 1002 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | W16B-CCT-2L/SC-M25  | 111 116 741 1001 |
| M32    | W16B-CCT-2L/SC-M32  | 111 116 741 1002 |
| PG21   | W16B-CCT-2L/SC-PG21 | 111 116 741 1003 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M25    | W16B-CCTH-2L/SC-M25     | 111 116 741 5002 |
| M32    | W16B-CCTH-2L/SC-M32     | 111 116 741 5003 |
| M40    | W16B-CCTH-2L/SC-M40     | 111 116 741 5004 |
| PG21   | W16B-CCTH-2L/SC-PG21    | 111 116 741 5005 |
| PG29   | W16B-CCTH-2L/SC-PG29    | 111 116 741 5006 |
|        | with sleeve             |                  |
| M32    | W16B-CCTH-2L/SC-M32 WS  | 111 116 741 5013 |
| PG21   | W16B-CCTH-2L/SC-PG21 WS | 111 116 741 5011 |
| PG29   | W16B-CCTH-2L/SC-PG29 WS | 111 116 741 5012 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable ,high construction, Under-shell through-board installation



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | W16B-CCTH/BK-2L/SC-M32  | 111 116 741 5511 |
| M40    | W16B-CCTH/BK-2L/SC-M40  | 111 116 741 5513 |
| PG21   | W16B-CCTH/BK-2L/SC-PG21 | 111 116 741 5514 |
| PG29   | W16B-CCTH/BK-2L/SC-PG29 | 111 116 741 5515 |

Please refer to page 15-02 for choosing proper model of lock.








## 16B Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

## Hoods, side entry, high construction




| Thread | Designation                                                | Order No.        |
|--------|------------------------------------------------------------|------------------|
| M25    | W16B-SEH-1L/C-M25                                          | 111 116 550 5001 |
| M32    | W16B-SEH-1L/C-M32                                          | 111 116 550 5002 |
| PG21   | W16B-SEH-1L/C-PG21                                         | 111 116 550 5003 |
| PG29   | W16B-SEH-1L/C-PG29                                         | 111 116 550 5004 |
|        | with sleeve                                                |                  |
| M32    | W16B-SEH-1L/C-M32 <span style="color: #0070C0;">WS</span>  | 111 116 555 5004 |
| PG21   | W16B-SEH-1L/C-PG21 <span style="color: #0070C0;">WS</span> | 111 116 555 5001 |
| PG29   | W16B-SEH-1L/C-PG29 <span style="color: #0070C0;">WS</span> | 111 116 555 5002 |



## Bulkhead mounted housings



| Thread | Designation  | Order No.        |
|--------|--------------|------------------|
| ---    | W16B-BK-2B/C | 111 116 350 1001 |



## 16B Metal hoods/housings


Degree of protection: IP67

Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | W16B-MSE-4B-M25  | 112 116 530 1001 |
| M32    | W16B-MSE-4B-M32  | 112 116 530 1003 |
| PG21   | W16B-MSE-4B-PG21 | 112 116 530 1002 |



## Hoods, side entry, high construction




| Thread | Designation                          | Order No.        |
|--------|--------------------------------------|------------------|
| M32    | W16B-MSEH-4B-M32                     | 112 116 530 5005 |
| M40    | W16B-MSEH-4B-M40                     | 112 116 530 5006 |
| PG21   | W16B-MSEH-4B-PG21                    | 112 116 530 5011 |
| PG29   | W16B-MSEH-4B-PG29 with sleeve        | 112 116 530 5007 |
| M32    | W16B-MSEH-4B-M32 <a href="#">WS</a>  | 112 116 530 5004 |
| PG21   | W16B-MSEH-4B-PG21 <a href="#">WS</a> | 112 116 530 5001 |
| PG29   | W16B-MSEH-4B-PG29 <a href="#">WS</a> | 112 116 530 5012 |



## Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | W16B-MTE-4B-M25  | 112 116 430 1001 |
| M32    | W16B-MTE-4B-M32  | 112 116 430 1003 |
| PG21   | W16B-MTE-4B-PG21 | 112 116 430 1002 |



## Hoods, top entry, high construction




| Thread | Designation                          | Order No.        |
|--------|--------------------------------------|------------------|
| M32    | W16B-MTEH-4B-M32                     | 112 116 430 5005 |
| M40    | W16B-MTEH-4B-M40                     | 112 116 430 5001 |
| PG21   | W16B-MTEH-4B-PG21                    | 112 116 430 5011 |
| PG29   | W16B-MTEH-4B-PG29 with sleeve        | 112 116 430 5006 |
| M32    | W16B-MTEH-4B-M32 <a href="#">WS</a>  | 112 116 430 5007 |
| PG21   | W16B-MTEH-4B-PG21 <a href="#">WS</a> | 112 116 430 5008 |
| PG29   | W16B-MTEH-4B-PG29 <a href="#">WS</a> | 112 116 430 5012 |



## Bulkhead mounted housings



| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | W16B-MBK-2L/SC | 112 116 341 1001 |



## 16B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP67 Remark: SPQ is 1pc

### Housings, cable to cable




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | W16B-MCCT-2L/SC-M25  | 112 116 741 1002 |
| M32    | W16B-MCCT-2L/SC-M32  | 112 116 741 1003 |
| PG21   | W16B-MCCT-2L/SC-PG21 | 112 116 741 1001 |



### Housings, cable to cable, high construction



| Thread | Designation                              | Order No.        |
|--------|------------------------------------------|------------------|
| M32    | W16B-MCCTH-2L/SC-M32                     | 112 116 741 5004 |
| M40    | W16B-MCCTH-2L/SC-M40                     | 112 116 741 5005 |
| PG21   | W16B-MCCTH-2L/SC-PG21                    | 112 116 741 5011 |
| PG29   | W16B-MCCTH-2L/SC-PG29                    | 112 116 741 5012 |
|        | with sleeve                              |                  |
| M32    | W16B-MCCTH-2L/SC-M32 <a href="#">WS</a>  | 112 116 741 5001 |
| PG21   | W16B-MCCTH-2L/SC-PG21 <a href="#">WS</a> | 112 116 741 5002 |
| PG29   | W16B-MCCTH-2L/SC-PG29 <a href="#">WS</a> | 112 116 741 5003 |




## Degree of protection: IP67

### Hoods, side entry, high construction




| Thread | Designation                            | Order No.        |
|--------|----------------------------------------|------------------|
| M32    | W16B-MSEH-1L/C-M32                     | 112 116 550 5005 |
| PG21   | W16B-MSEH-1L/C-PG21                    | 112 116 550 5006 |
| PG29   | W16B-MSEH-1L/C-PG29                    | 112 116 550 5007 |
|        | with sleeve                            |                  |
| M32    | W16B-MSEH-1L/C-M32 <a href="#">WS</a>  | 112 116 555 5004 |
| PG21   | W16B-MSEH-1L/C-PG21 <a href="#">WS</a> | 112 116 555 5011 |
| PG29   | W16B-MSEH-1L/C-PG29 <a href="#">WS</a> | 112 116 555 5012 |



### Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | W16B-MBK-2B/C | 112 116 350 1001 |




## 16B EMC Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | EMC.W16B-SE-4B-M25  | 111 216 530 1001 |
| M32    | EMC.W16B-SE-4B-M32  | 111 216 530 1002 |
| PG21   | EMC.W16B-SE-4B-PG21 | 111 216 530 1003 |



## Hoods, side entry, high construction




| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| ---    | EMC.W16B-BEH-4B         | 111 216 930 5004 |
| M32    | EMC.W16B-SEH-4B-M32     | 111 216 530 5008 |
| M40    | EMC.W16B-SEH-4B-M40     | 111 216 530 5009 |
| PG21   | EMC.W16B-SEH-4B-PG21    | 111 116 535 5014 |
| PG29   | EMC.W16B-SEH-4B-PG29    | 111 216 530 5010 |
|        | with sleeve             |                  |
| M32    | EMC.W16B-SEH-4B-M32 WS  | 111 116 535 5002 |
| PG21   | EMC.W16B-SEH-4B-PG21 WS | 111 216 535 5506 |
| PG29   | EMC.W16B-SEH-4B-PG29 WS | 111 116 535 5003 |



## Hoods, top entry




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | EMC.W16B-TE-4B-M25  | 111 216 430 1001 |
| M32    | EMC.W16B-TE-4B-M32  | 111 216 430 1002 |
| PG21   | EMC.W16B-TE-4B-PG21 | 111 216 430 1003 |



## Hoods, top entry, high construction




| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| ---    | EMC.W16B-BEH-4B         | 111 216 930 5004 |
| M32    | EMC.W16B-TEH-4B-M32     | 111 216 430 5007 |
| M40    | EMC.W16B-TEH-4B-M40     | 111 216 430 5008 |
| PG21   | EMC.W16B-TEH-4B-PG21    | 111 216 430 5012 |
| PG29   | EMC.W16B-TEH-4B-PG29    | 111 216 430 5009 |
|        | with sleeve             |                  |
| M32    | EMC.W16B-TEH-4B-M32 WS  | 111 116 435 5004 |
| PG21   | EMC.W16B-TEH-4B-PG21 WS | 111 216 430 5010 |
| PG29   | EMC.W16B-TEH-4B-PG29 WS | 111 116 435 5002 |



## Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | EMC1.W16B-BK-2L/SC | 111 116 341 1001 |



Please refer to page 15-02 for choosing proper model of lock.

## 16B Pressure tight hoods/housings


Degree of protection: IP68/IP69K Remark: SPQ is 1pc

W version


## Hoods, side entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M25    | HP16B-SEH-2S-M25  | 115 016 520 5003 |
| M32    | HP16B-SEH-2S-M32  | 115 016 520 5104 |
| M40    | HP16B-SEH-2S-M40  | 115 016 520 5105 |
| PG21   | HP16B-SEH-2S-PG21 | 115 016 520 5111 |
| PG29   | HP16B-SEH-2S-PG29 | 115 016 520 5112 |



## Hoods, top entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M25    | HP16B-TEH-2S-M25  | 115 016 420 5103 |
| M32    | HP16B-TEH-2S-M32  | 115 016 420 5104 |
| M40    | HP16B-TEH-2S-M40  | 115 016 420 5105 |
| M50    | HP16B-TEH-2S-M50  | 115 016 420 5106 |
| PG21   | HP16B-TEH-2S-PG21 | 115 016 420 5111 |
| PG29   | HP16B-TEH-2S-PG29 | 115 016 420 5112 |



## Surface mounted housings




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M25    | HP16B-SFH-2H-M25  | 115 016 220 5003 |
| M32    | HP16B-SFH-2H-M32  | 115 016 220 5004 |
| M40    | HP16B-SFH-2H-M40  | 115 016 220 5005 |
| PG21   | HP16B-SFH-2H-PG21 | 115 016 220 5011 |
| PG29   | HP16B-SFH-2H-PG29 | 115 016 220 5012 |



## Bulkhead mounted housings




| Thread | Designation | Order No.        |
|--------|-------------|------------------|
| ---    | HP16B-BK-2H | 115 016 320 1001 |



## Bulkhead mounted housings




| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HP16B-BK/S-2H | 115 016 320 1004 |



## Protection covers, plastic




| Describe for housings | Designation   | Order No.        |
|-----------------------|---------------|------------------|
|                       | HP16B-CV-2S/2 | 115 016 020 8002 |



## Protection covers, plastic



| Describe for hoods | Designation   | Order No.        |
|--------------------|---------------|------------------|
|                    | HP16B-CV-2H/1 | 115 016 020 8500 |



## 16B Pressure tight hoods/housings

Degree of protection: IP68/IP69K


Remark: SPQ is 1pc

H version

## Hoods, side entry, high construction




| Thread         | Designation         | Order No.        |
|----------------|---------------------|------------------|
| Screw locking  |                     |                  |
| M25            | HP16B/H-SEH-2S-M25  | 113 616 520 5003 |
| M32            | HP16B/H-SEH-2S-M32  | 113 616 520 5004 |
| M40            | HP16B/H-SEH-2S-M40  | 113 616 520 5005 |
| M50            | HP16B/H-SEH-2S-M50  | 113 616 520 5006 |
| PG21           | HP16B/H-SEH-2S-PG21 | 113 616 520 5011 |
| PG29           | HP16B/H-SEH-2S-PG29 | 113 616 520 5012 |
| PG36           | HP16B/H-SEH-2S-PG36 | 113 616 520 5013 |
| Toggle locking |                     |                  |
| M25            | HP16B/H-SEH-2T-M25  | 113 616 540 5003 |
| M32            | HP16B/H-SEH-2T-M32  | 113 616 540 5004 |
| M40            | HP16B/H-SEH-2T-M40  | 113 616 540 5005 |
| M50            | HP16B/H-SEH-2T-M50  | 113 616 540 5006 |
| PG21           | HP16B/H-SEH-2T-PG21 | 113 616 540 5011 |
| PG29           | HP16B/H-SEH-2T-PG29 | 113 616 540 5012 |
| PG36           | HP16B/H-SEH-2T-PG36 | 113 616 540 5013 |



## Hoods, top entry, high construction




| Thread         | Designation          | Order No.        |
|----------------|----------------------|------------------|
| Screw locking  |                      |                  |
| M25            | HP16B/H-TEH-2S-M25   | 113 616 420 5003 |
| 2M25           | HP16B/H-TEH-2S-2M25  | 113 616 420 5023 |
| M32            | HP16B/H-TEH-2S-M32   | 113 616 420 5004 |
| M40            | HP16B/H-TEH-2S-M40   | 113 616 420 5005 |
| M50            | HP16B/H-TEH-2S-M50   | 113 616 420 5006 |
| PG21           | HP16B/H-TEH-2S-PG21  | 113 616 420 5011 |
| 2PG21          | HP16B/H-TEH-2S-2PG21 | 113 616 420 5031 |
| PG29           | HP16B/H-TEH-2S-PG29  | 113 616 420 5012 |
| PG36           | HP16B/H-TEH-2S-PG36  | 113 616 420 5013 |
| Toggle locking |                      |                  |
| M25            | HP16B/H-TEH-2T-M25   | 113 616 440 5003 |
| 2M25           | HP16B/H-TEH-2T-2M25  | 113 616 440 5023 |
| M32            | HP16B/H-TEH-2T-M32   | 113 616 440 5004 |
| M40            | HP16B/H-TEH-2T-M40   | 113 616 440 5005 |
| M50            | HP16B/H-TEH-2T-M50   | 113 616 440 5006 |
| PG21           | HP16B/H-TEH-2T-PG21  | 113 616 440 5011 |
| 2PG21          | HP16B/H-TEH-2T-2PG21 | 113 616 440 5031 |
| PG29           | HP16B/H-TEH-2T-PG29  | 113 616 440 5012 |
| PG36           | HP16B/H-TEH-2T-PG36  | 113 616 440 5013 |



## Surface mounted housings, high construction



| Thread         | Designation         | Order No.        |
|----------------|---------------------|------------------|
| Screw locking  |                     |                  |
| M25            | HP16B/H-SFH-2H-M25  | 113 616 220 5003 |
| M32            | HP16B/H-SFH-2H-M32  | 113 616 220 5004 |
| M40            | HP16B/H-SFH-2H-M40  | 113 016 220 5002 |
| M40            | HP16B/H-SFH-2H-2M40 | 113 616 220 5025 |
| PG21           | HP16B/H-SFH-2H-PG21 | 113 616 220 5011 |
| PG29           | HP16B/H-SFH-2H-PG29 | 113 616 220 5012 |
| PG36           | HP16B/H-SFH-2H-PG36 | 113 616 220 5013 |
| Toggle locking |                     |                  |
| M25            | HP16B/H-SFH-2T-M25  | 113 616 240 5003 |
| M32            | HP16B/H-SFH-2T-M32  | 113 616 240 5004 |
| M40            | HP16B/H-SFH-2T-M40  | 113 616 240 5005 |
| 2M40           | HP16B/H-SFH-2T-2M40 | 113 616 240 5025 |
| PG21           | HP16B/H-SFH-2T-PG21 | 113 616 240 5011 |
| PG29           | HP16B/H-SFH-2T-PG29 | 113 616 240 5012 |
| PG36           | HP16B/H-SFH-2T-PG36 | 113 616 240 5013 |



## 16B Pressure tight hoods/housings


Degree of protection: IP68/IP69K Remark: SPQ is 1pc

H version

## Bulkhead mounted housings




| Thread           | Designation       | Order No.        |
|------------------|-------------------|------------------|
| ---              | Screw locking     | 113 616 320 1001 |
|                  | HP16B/H-BK-2H     |                  |
| ---              | Toggle locking    | 113 616 340 1001 |
|                  | HP16B/H-BK-2T     |                  |
| with metal cover |                   |                  |
| ---              | Screw locking     | 113 616 360 1001 |
|                  | HP16B/H-BK-2H-MCV |                  |
| ---              | Toggle locking    | 113 616 370 1001 |
|                  | HP16B/H-BK-2T-MCV |                  |



## Protection covers, for housings




| Connect way | Designation    | Order No.        |
|-------------|----------------|------------------|
|             | Screw locking  | 113 616 020 8101 |
|             | HP16B/H-MCV-2S |                  |
|             | Toggle locking | 113 616 040 8103 |
|             | HP16B/H-MCV-2T |                  |



## Protection covers, for hoods



| Connect way | Designation      | Order No.        |
|-------------|------------------|------------------|
|             | Screw locking    | 113 616 020 8111 |
|             | HP16B/H-MCV-2H/1 |                  |
|             | Toggle locking   | 113 616 040 8101 |
|             | HP16B/H-MCV-2T/1 |                  |




## Protection covers, for housings(IP5X)

Remark: SPQ is 1pc



| Connect way | Designation  | Order No.        |
|-------------|--------------|------------------|
| ---         | HP16B/H-CV/C | 113 016 900 8001 |




## Hoods, side entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M40    | HP16B/H-SEH-2S-1L/C-M40 | 113 616 520 5507 |


Other outlet hole threads available



## Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | HP16B/H-BK-2H-2B/C | 113 616 320 1500 |








## 16B Pressure tight hoods/housings

Degree of protection: IP68/IP69K Remark: SPQ is 1pc

## Hoods, side entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M32    | HC16B-SEH-2S-M32  | 114 016 520 5004 |
| M40    | HC16B-SEH-2S-M40  | 114 016 520 5005 |
| PG21   | HC16B-SEH-2S-PG21 | 114 016 520 5011 |
| PG29   | HC16B-SEH-2S-PG29 | 114 016 520 5012 |



## Hoods, top entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M32    | HC16B-TEH-2S-M32  | 114 016 420 5004 |
| M40    | HC16B-TEH-2S-M40  | 114 016 420 5005 |
| PG21   | HC16B-TEH-2S-PG21 | 114 016 420 5011 |
| PG29   | HC16B-TEH-2S-PG29 | 114 016 420 5012 |



## Mounting flange




| Applications            | Designation | Order No.        |
|-------------------------|-------------|------------------|
| for integral type hoods | APT-C       | 114 000 000 1001 |




## Protection covers, plastic

Degree of protection: IP65



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HC16B-CV-2S/2 | 130 016 020 8001 |




## 16B Pressure tight hoods/housings

Degree of protection: IP68/IP69K Remark: SPQ is 1pc

## Hoods, top entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | EMC.W16B-TEH-4S-M32  | 111 116 430 5010 |
| M40    | EMC.W16B-TEH-4S-M40  | 111 116 430 5011 |
| PG21   | EMC.W16B-TEH-4S-PG21 | 111 116 430 5012 |
| PG29   | EMC.W16B-TEH-4S-PG29 | 111 216 430 5002 |



## Hoods, top entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | EMC.W16B-SEH-4S-M32  | 111 216 530 5002 |
| M40    | EMC.W16B-SEH-4S-M40  | 111 216 530 5003 |
| PG21   | EMC.W16B-SEH-4S-PG21 | 111 216 530 5004 |
| PG29   | EMC.W16B-SEH-4S-PG29 | 111 216 530 5005 |



## Bulkhead mounted housings



| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | EMC.W16B-BK-4H | 111 216 330 1001 |




## Protection covers, plastic

Remark: SPQ is 1pc

## Degree of protection: IP20




| Applications    | Designation   | Order No.        |
|-----------------|---------------|------------------|
| cover for hoods | H16B-CV/2C-4H | 111 116 000 1502 |



## Degree of protection: IP20



| Applications       | Designation   | Order No.        |
|--------------------|---------------|------------------|
| cover for housings | H16B-CV/1C-4S | 111 116 000 1503 |




# 16B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | HV16B-SE-2B-M25  | 124 016 515 1003 |
| PG21   | HV16B-SE-2B-PG21 | 124 016 515 1011 |



## Hoods, side entry, high construction




| Thread | Designation                                               | Order No.        |
|--------|-----------------------------------------------------------|------------------|
| M32    | WV16B-SEH-2B-M32                                          | 124 116 510 5001 |
| M40    | WV16B-SEH-2B-M40                                          | 124 116 510 5002 |
| PG21   | WV16B-SEH-2B-PG21                                         | 124 116 510 5003 |
| PG29   | WV16B-SEH-2B-PG29                                         | 124 116 510 5004 |
|        | with sleeve                                               |                  |
| M32    | WV16B-SEH-2B-M32 <span style="color: #0070C0;">WS</span>  | 124 116 515 5004 |
| PG21   | WV16B-SEH-2B-PG21 <span style="color: #0070C0;">WS</span> | 124 116 515 5011 |
| PG29   | WV16B-SEH-2B-PG29 <span style="color: #0070C0;">WS</span> | 124 116 515 5012 |



## Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | HV16B-TE-2B-M25  | 124 016 415 1003 |
| M32    | HV16B-TE-2B-M32  | 124 016 415 1004 |
| PG21   | HV16B-TE-2B-PG21 | 124 016 415 1011 |



## Hoods, top entry, high construction



| Thread | Designation                                               | Order No.        |
|--------|-----------------------------------------------------------|------------------|
| M32    | WV16B-TEH-2B-M32                                          | 124 116 410 5001 |
| M40    | WV16B-TEH-2B-M40                                          | 124 116 410 5002 |
| PG21   | WV16B-TEH-2B-PG21                                         | 124 116 410 5003 |
| PG29   | WV16B-TEH-2B-PG29                                         | 124 116 410 5004 |
|        | with sleeve                                               |                  |
| M32    | WV16B-TEH-2B-M32 <span style="color: #0070C0;">WS</span>  | 124 116 415 5004 |
| PG21   | WV16B-TEH-2B-PG21 <span style="color: #0070C0;">WS</span> | 124 116 415 5011 |
| PG29   | WV16B-TEH-2B-PG29 <span style="color: #0070C0;">WS</span> | 124 116 415 5012 |




## Housings, cable to cable



| Thread | Designation                                                 | Order No.        |
|--------|-------------------------------------------------------------|------------------|
| M25    | HV16B-CCT-1L/ <span style="color: #E67E22;">SC</span> -M25  | 124 016 721 1003 |
| PG21   | HV16B-CCT-1L/ <span style="color: #E67E22;">SC</span> -PG21 | 124 016 721 1011 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable, high construction



| Thread | Designation                                                                                          | Order No.        |
|--------|------------------------------------------------------------------------------------------------------|------------------|
| M32    | WV16B-CCTH-1L/ <span style="color: #E67E22;">SC</span> -M32                                          | 124 116 721 5001 |
| M40    | WV16B-CCTH-1L/ <span style="color: #E67E22;">SC</span> -M40                                          | 124 116 721 5002 |
| PG21   | WV16B-CCTH-1L/ <span style="color: #E67E22;">SC</span> -PG21                                         | 124 116 721 5003 |
| PG29   | WV16B-CCTH-1L/ <span style="color: #E67E22;">SC</span> -PG29                                         | 124 116 721 5004 |
|        | with sleeve                                                                                          |                  |
| M32    | WV16B-CCTH-1L/ <span style="color: #E67E22;">SC</span> -M32 <span style="color: #0070C0;">WS</span>  | 124 116 721 5005 |
| PG21   | WV16B-CCTH-1L/ <span style="color: #E67E22;">SC</span> -PG21 <span style="color: #0070C0;">WS</span> | 124 116 721 5011 |
| PG29   | WV16B-CCTH-1L/ <span style="color: #E67E22;">SC</span> -PG29 <span style="color: #0070C0;">WS</span> | 124 116 721 5012 |


Please refer to page 15-02 for choosing proper model of lock.



## 16B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65 Remark: SPQ is 1pc

### Bulkhead mounted housings



| Thread             | Designation        | Order No.        |
|--------------------|--------------------|------------------|
| ---                | HV16B-BK-1L/SC     | 124 016 321 1001 |
| with plastic cover |                    |                  |
| ---                | HV16B-BK-1L/SC-CV  | 124 016 361 1001 |
| with metal cover   |                    |                  |
| ---                | HV16B-BK-1L/SC-MCV | 124 016 361 1101 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings



| Thread             | Designation              | Order No.        |
|--------------------|--------------------------|------------------|
| M25                | HV16B-SF-1L/SC-M25       | 124 016 221 1003 |
| 2M25               | HV16B-SF-1L/SC-2M25      | 124 016 221 1023 |
| PG21               | HV16B-SF-1L/SC-PG21      | 124 016 221 1011 |
| 2PG21              | HV16B-SF-1L/SC-2PG21     | 124 016 221 1031 |
| with plastic cover |                          |                  |
| M25                | HV16B-SF-1L/SC-CV-M25    | 124 016 261 1003 |
| 2M25               | HV16B-SF-1L/SC-CV-2M25   | 124 016 261 1023 |
| PG21               | HV16B-SF-1L/SC-CV-PG21   | 124 016 261 1011 |
| 2PG21              | HV16B-SF-1L/SC-CV-2PG21  | 124 016 261 1031 |
| with metal cover   |                          |                  |
| M25                | HV16B-SF-1L/SC-MCV-M25   | 124 016 261 1103 |
| 2M25               | HV16B-SF-1L/SC-MCV-2M25  | 124 016 261 1123 |
| PG21               | HV16B-SF-1L/SC-MCV-PG21  | 124 016 261 1111 |
| 2PG21              | HV16B-SF-1L/SC-MCV-2PG21 | 124 016 261 1131 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings, high construction



| Thread             | Designation               | Order No.        |
|--------------------|---------------------------|------------------|
| M32                | HV16B-SFH-1L/SC-M32       | 124 016 221 5004 |
| 2M32               | HV16B-SFH-1L/SC-2M32      | 124 016 221 5024 |
| PG21               | HV16B-SFH-1L/SC-PG21      | 124 016 221 5011 |
| 2PG21              | HV16B-SFH-1L/SC-2PG21     | 124 016 221 5031 |
| PG29               | HV16B-SFH-1L/SC-PG29      | 124 016 221 5012 |
| 2PG29              | HV16B-SFH-1L/SC-2PG29     | 124 016 221 5032 |
| with plastic cover |                           |                  |
| M32                | HV16B-SFH-1L/SC-CV-M32    | 124 016 261 5004 |
| 2M32               | HV16B-SFH-1L/SC-CV-2M32   | 124 016 261 5024 |
| PG21               | HV16B-SFH-1L/SC-CV-PG21   | 124 016 261 5011 |
| 2PG21              | HV16B-SFH-1L/SC-CV-2PG21  | 124 016 261 5031 |
| PG29               | HV16B-SFH-1L/SC-CV-PG29   | 124 016 261 5012 |
| 2PG29              | HV16B-SFH-1L/SC-CV-2PG29  | 124 016 261 5032 |
| with metal cover   |                           |                  |
| M32                | HV16B-SFH-1L/SC-MCV-M32   | 124 016 261 5104 |
| 2M32               | HV16B-SFH-1L/SC-MCV-2M32  | 124 016 261 5124 |
| PG21               | HV16B-SFH-1L/SC-MCV-PG21  | 124 016 261 5111 |
| 2PG21              | HV16B-SFH-1L/SC-MCV-2PG21 | 124 016 261 5131 |
| PG29               | HV16B-SFH-1L/SC-MCV-PG29  | 124 016 261 5112 |
| 2PG29              | HV16B-SFH-1L/SC-MCV-2PG29 | 124 016 261 5132 |

Please refer to page 15-02 for choosing proper model of lock.




# 16B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP65      Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | HV16B-SE-4B-M25  | 124 016 530 1003 |
| M32    | HV16B-SE-4B-M32  | 124 016 530 1004 |
| PG21   | HV16B-SE-4B-PG21 | 124 016 530 1011 |



## Hoods, side entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | WV16B-SEH-4B-M32     | 124 116 530 5001 |
| M40    | WV16B-SEH-4B-M40     | 124 116 530 5002 |
| PG21   | WV16B-SEH-4B-PG21    | 124 116 530 5003 |
| PG29   | WV16B-SEH-4B-PG29    | 124 116 530 5004 |
|        | with sleeve          |                  |
| M32    | WV16B-SEH-4B-M32 WS  | 124 116 530 5007 |
| PG21   | WV16B-SEH-4B-PG21 WS | 124 116 530 5011 |
| PG29   | WV16B-SEH-4B-PG29 WS | 124 116 530 5012 |



## Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | HV16B-TE-4B-M25  | 124 016 430 1003 |
| PG21   | HV16B-TE-4B-PG21 | 124 016 430 1011 |



## Hoods, top entry, high construction



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | WV16B-TEH-4B-M32     | 124 116 430 5001 |
| M40    | WV16B-TEH-4B-M40     | 124 116 430 5002 |
| PG21   | WV16B-TEH-4B-PG21    | 124 116 430 5003 |
| PG29   | WV16B-TEH-4B-PG29    | 124 116 430 5004 |
|        | with sleeve          |                  |
| M32    | WV16B-TEH-4B-M32 WS  | 124 116 430 5007 |
| PG21   | WV16B-TEH-4B-PG21 WS | 124 116 430 5011 |
| PG29   | WV16B-TEH-4B-PG29 WS | 124 116 430 5012 |



## 16B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65      Remark: SPQ is 1pc

### Bulkhead mounted housings



| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | HV16B-BK-2L/SC | 124 016 341 1001 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | HV16B-SF-2L/SC-M25   | 124 016 241 1003 |
| 2M25   | HV16B-SF-2L/SC-2M25  | 124 016 241 1023 |
| PG21   | HV16B-SF-2L/SC-PG21  | 124 016 241 1011 |
| 2PG21  | HV16B-SF-2L/SC-2PG21 | 124 016 241 1031 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings, high construction



| Thread | Designation           | Order No.        |
|--------|-----------------------|------------------|
| M32    | HV16B-SFH-2L/SC-M32   | 124 016 241 5004 |
| 2M32   | HV16B-SFH-2L/SC-2M32  | 124 016 241 5024 |
| PG21   | HV16B-SFH-2L/SC-PG21  | 124 016 241 5011 |
| 2PG21  | HV16B-SFH-2L/SC-2PG21 | 124 016 241 5031 |
| PG29   | HV16B-SFH-2L/SC-PG29  | 124 016 241 5012 |
| 2PG29  | HV16B-SFH-2L/SC-2PG29 | 124 016 241 5032 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings, high construction



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | HV16B-CCT-2L/SC-M25  | 124 016 741 1003 |
| PG21   | HV16B-CCT-2L/SC-PG21 | 124 016 741 1011 |

Please refer to page 15-02 for choosing proper model of lock.




## 16B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP65 Remark: SPQ is 1pc

Housings, cable to cable, high construction




| Thread | Designation                                                   | Order No.        |
|--------|---------------------------------------------------------------|------------------|
| M32    | WV16B-CCTH-2L/SC-M32                                          | 124 116 741 5001 |
| M40    | WV16B-CCTH-2L/SC-M40                                          | 124 116 741 5002 |
| PG21   | WV16B-CCTH-2L/SC-PG21                                         | 124 116 741 5003 |
| PG29   | WV16B-CCTH-2L/SC-PG29                                         | 124 116 741 5004 |
|        | with sleeve                                                   |                  |
| M32    | WV16B-CCTH-2L/SC-M32 <span style="color: #00AEEF;">WS</span>  | 124 116 741 5005 |
| PG21   | WV16B-CCTH-2L/SC-PG21 <span style="color: #00AEEF;">WS</span> | 124 116 741 5011 |
| PG29   | WV16B-CCTH-2L/SC-PG29 <span style="color: #00AEEF;">WS</span> | 124 116 741 5012 |



Protection covers, plastic



| Connect way | Applications | Designation | Order No.        |
|-------------|--------------|-------------|------------------|
| ---         | for hoods    | H16B-CV-4C  | 111 016 090 8009 |




Protection covers, plastic



Remark: SPQ is 10pcs

| Connect way                                                                       | Applications                                       | Designation  | Order No.        |
|-----------------------------------------------------------------------------------|----------------------------------------------------|--------------|------------------|
|  | for Housings, cable to cable                       | H16B-CV-4B/1 | 111 016 030 8001 |
|  | for Housings, bulkhead mounting / surface mounting | H16B-CV-4B/2 | 111 016 030 8002 |



# 16B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | HV16B-SE-2L/SC-M25  | 124 016 541 1003 |
| M32    | HV16B-SE-2L/SC-M32  | 124 016 541 1004 |
| PG21   | HV16B-SE-2L/SC-PG21 | 124 016 541 1011 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, side entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | WV16B-SEH-2L/SC-M32     | 124 116 541 5001 |
| M40    | WV16B-SEH-2L/SC-M40     | 124 116 541 5002 |
| PG21   | WV16B-SEH-2L/SC-PG21    | 124 116 541 5003 |
| PG29   | WV16B-SEH-2L/SC-PG29    | 124 116 541 5004 |
|        | with sleeve             |                  |
| M32    | WV16B-SEH-2L/SC-M32 WS  | 124 116 541 5006 |
| PG21   | WV16B-SEH-2L/SC-PG21 WS | 124 116 541 5011 |
| PG29   | WV16B-SEH-2L/SC-PG29 WS | 124 116 541 5012 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, top entry



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | HV16B-TE-2L/SC-M25  | 124 016 441 1003 |
| PG21   | HV16B-TE-2L/SC-PG21 | 124 016 441 1011 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, top entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | WV16B-TEH-2L/SC-M32     | 124 116 441 5001 |
| M40    | WV16B-TEH-2L/SC-M40     | 124 116 441 5002 |
| PG21   | WV16B-TEH-2L/SC-PG21    | 124 116 441 5003 |
| PG29   | WV16B-TEH-2L/SC-PG29    | 124 116 441 5004 |
|        | with sleeve             |                  |
| M32    | WV16B-TEH-2L/SC-M32 WS  | 124 116 441 5005 |
| PG21   | WV16B-TEH-2L/SC-PG21 WS | 124 116 441 5011 |
| PG29   | WV16B-TEH-2L/SC-PG29 WS | 124 116 441 5012 |


Please refer to page 15-02 for choosing proper model of lock.



## Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | HV16B-BK-4B        | 124 016 330 1001 |
|        | with plastic cover |                  |
| ---    | HV16B-BK-4B-CV     | 124 016 370 1001 |
|        | with metal cover   |                  |
| ---    | HV16B-BK-4B-MCV    | 124 016 370 1101 |






## HV16B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP65 **Remark: SPQ is 1pc**

### Surface mounted housings




| Thread             | Designation           | Order No.        |
|--------------------|-----------------------|------------------|
| M25                | HV16B-SF-4B-M25       | 124 016 230 1003 |
| 2M25               | HV16B-SF-4B-2M25      | 124 016 230 1023 |
| PG21               | HV16B-SF-4B-PG21      | 124 016 230 1011 |
| 2PG21              | HV16B-SF-4B-2PG21     | 124 016 230 1031 |
| with plastic cover |                       |                  |
| M25                | HV16B-SF-4B-CV-M25    | 124 016 270 1003 |
| 2M25               | HV16B-SF-4B-CV-2M25   | 124 016 270 1023 |
| PG21               | HV16B-SF-4B-CV-PG21   | 124 016 270 1011 |
| 2PG21              | HV16B-SF-4B-CV-2PG21  | 124 016 270 1031 |
| with metal cover   |                       |                  |
| M25                | HV16B-SF-4B-MCV-M25   | 124 016 270 1103 |
| 2M25               | HV16B-SF-4B-MCV-2M25  | 124 016 270 1123 |
| PG21               | HV16B-SF-4B-MCV-PG21  | 124 016 270 1111 |
| 2PG21              | HV16B-SF-4B-MCV-2PG21 | 124 016 270 1131 |



### Surface mounted housings, high construction




| Thread             | Designation            | Order No.        |
|--------------------|------------------------|------------------|
| M32                | HV16B-SFH-4B-M32       | 124 016 230 5004 |
| 2M32               | HV16B-SFH-4B-2M32      | 124 016 230 5024 |
| PG21               | HV16B-SFH-4B-PG21      | 124 016 230 5011 |
| 2PG21              | HV16B-SFH-4B-2PG21     | 124 016 230 5031 |
| PG29               | HV16B-SFH-4B-PG29      | 124 016 230 5012 |
| 2PG29              | HV16B-SFH-4B-2PG29     | 124 016 230 5032 |
| with plastic cover |                        |                  |
| M32                | HV16B-SFH-4B-CV-M32    | 124 016 270 5004 |
| 2M32               | HV16B-SFH-4B-CV-2M32   | 124 016 270 5024 |
| PG21               | HV16B-SFH-4B-CV-PG21   | 124 016 270 5011 |
| 2PG21              | HV16B-SFH-4B-CV-2PG21  | 124 016 270 5031 |
| PG29               | HV16B-SFH-4B-CV-PG29   | 124 016 270 5012 |
| 2PG29              | HV16B-SFH-4B-CV-2PG29  | 124 016 270 5032 |
| with metal cover   |                        |                  |
| M32                | HV16B-SFH-4B-MCV-M32   | 124 016 270 5104 |
| 2M32               | HV16B-SFH-4B-MCV-2M32  | 124 016 270 5124 |
| PG21               | HV16B-SFH-4B-MCV-PG21  | 124 016 270 5111 |
| 2PG21              | HV16B-SFH-4B-MCV-2PG21 | 124 016 270 5131 |
| PG29               | HV16B-SFH-4B-MCV-PG29  | 124 016 270 5112 |
| 2PG29              | HV16B-SFH-4B-MCV-2PG29 | 124 016 270 5132 |



### Protection covers, metal



| Connect way | Applications                  | Designation    | Order No.        |
|-------------|-------------------------------|----------------|------------------|
|             | for hoods                     | H16B-MCV-4B/1S | 111 016 030 8103 |
|             | for housings, without sealing | H16B-MCV-4B/2  | 111 016 030 8102 |




### Protection covers, metal



| Connect way | Applications | Designation       | Order No.        |
|-------------|--------------|-------------------|------------------|
|             | for hoods    | H16B-MCV-2L/SC.1S | 111 016 041 8101 |
|             | or housings  | H16B-MCV-2L/SC.2  | 111 016 041 8102 |

Please refer to page 15-02 for choosing proper model of lock.




## HV16B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP65 Remark: SPQ is 1pc

### Hoods, side entry, high construction




| Thread | Designation                                              | Order No.        |
|--------|----------------------------------------------------------|------------------|
| M32    | WV16B-SEH-1L/C-M32                                       | 124 116 550 5001 |
| PG21   | WV16B-SEH-1L/C-PG21                                      | 124 116 550 5002 |
| PG29   | WV16B-SEH-1L/C-PG29<br>with sleeve                       | 124 116 550 5003 |
| M32    | WV16B-SEH-1L/C-M32 <span style="color: blue;">WS</span>  | 124 116 555 5004 |
| PG21   | WV16B-SEH-1L/C-PG21 <span style="color: blue;">WS</span> | 124 116 555 5011 |
| PG29   | WV16B-SEH-1L/C-PG29 <span style="color: blue;">WS</span> | 124 116 555 5012 |



### Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HV16B-BK-2B/C | 124 016 355 1001 |




# HV16B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP67      Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | WV16B-SE-2B-M25  | 124 116 510 1001 |
| PG21   | WV16B-SE-2B-PG21 | 124 116 510 1002 |



## Hoods, side entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | WV16B-SEH-2B-M32     | 124 116 510 5001 |
| M40    | WV16B-SEH-2B-M40     | 124 116 510 5002 |
| PG21   | WV16B-SEH-2B-PG21    | 124 116 510 5003 |
| PG29   | WV16B-SEH-2B-PG29    | 124 116 510 5004 |
|        | with sleeve          |                  |
| M32    | WV16B-SEH-2B-M32 WS  | 124 116 515 5004 |
| PG21   | WV16B-SEH-2B-PG21 WS | 124 116 515 5011 |
| PG29   | WV16B-SEH-2B-PG29 WS | 124 116 515 5012 |



## Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | WV16B-TE-2B-M25  | 124 116 410 1001 |
| M32    | WV16B-TE-2B-M32  | 124 116 410 1002 |
| PG21   | WV16B-TE-2B-PG21 | 124 116 410 1003 |



## Hoods, top entry, high construction



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | WV16B-TEH-2B-M32     | 124 116 410 5001 |
| M40    | WV16B-TEH-2B-M40     | 124 116 410 5002 |
| PG21   | WV16B-TEH-2B-PG21    | 124 116 410 5003 |
| PG29   | WV16B-TEH-2B-PG29    | 124 116 410 5004 |
|        | with sleeve          |                  |
| M32    | WV16B-TEH-2B-M32 WS  | 124 116 415 5004 |
| PG21   | WV16B-TEH-2B-PG21 WS | 124 116 415 5011 |
| PG29   | WV16B-TEH-2B-PG29 WS | 124 116 415 5012 |



## HV16B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65      Remark: SPQ is 1pc

### Housings, cable to cable



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | WV16B-CCT-1L/SC-M25  | 124 116 721 1001 |
| PG21   | WV16B-CCT-1L/SC-PG21 | 124 116 721 1002 |

Please refer to page 15-02 for choosing proper model of lock.




### Housings, cable to cable, high construction



| Thread | Designation              | Order No.        |
|--------|--------------------------|------------------|
| M32    | WV16B-CCTH-1L/SC-M32     | 124 116 721 5001 |
| M40    | WV16B-CCTH-1L/SC-M40     | 124 116 721 5002 |
| PG21   | WV16B-CCTH-1L/SC-PG21    | 124 116 721 5003 |
| PG29   | WV16B-CCTH-1L/SC-PG29    | 124 116 721 5004 |
|        | with sleeve              |                  |
| M32    | WV16B-CCTH-1L/SC-M32 WS  | 124 116 721 5005 |
| PG21   | WV16B-CCTH-1L/SC-PG21 WS | 124 116 721 5011 |
| PG29   | WV16B-CCTH-1L/SC-PG29 WS | 124 116 721 5012 |

Please refer to page 15-02 for choosing proper model of lock.




### Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | WV16B-BK-1L/SC     | 124 116 321 1101 |
|        | with plastic cover |                  |
| ---    | WV16B-BK-1L/SC-CV  | 111 116 321 8003 |
|        | with metal cover   |                  |
| ---    | WV16B-BK-1L/SC-MCV | 111 116 321 8004 |

Please refer to page 15-02 for choosing proper model of lock.




# 16B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP67 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | WV16B-SE-4B-M25  | 124 116 530 1001 |
| M32    | WV16B-SE-4B-M32  | 124 116 530 1002 |
| PG21   | WV16B-SE-4B-PG21 | 124 116 530 1003 |



## Hoods, side entry, high construction



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | WV16B-SEH-4B-M32     | 124 116 530 5001 |
| M40    | WV16B-SEH-4B-M40     | 124 116 530 5002 |
| PG21   | WV16B-SEH-4B-PG21    | 124 116 530 5003 |
| PG29   | WV16B-SEH-4B-PG29    | 124 116 530 5004 |
|        | with sleeve          |                  |
| M32    | WV16B-SEH-4B-M32 WS  | 124 116 530 5007 |
| PG21   | WV16B-SEH-4B-PG21 WS | 124 116 530 5011 |
| PG29   | WV16B-SEH-4B-PG29 WS | 124 116 530 5012 |




## Hoods, side entry, high construction



| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M50    | WV16B-SEH-4B-M50  | 124 116 530 5005 |
| PG36   | WV16B-SEH-4B-PG36 | 124 116 530 5006 |


Suitable for cable with maximum OD  $\Phi 32\text{mm}$



## Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | WV16B-TE-4B-M25  | 124 116 430 1001 |
| PG21   | WV16B-TE-4B-PG21 | 124 116 430 1002 |



## Hoods, top entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | WV16B-TEH-4B-M32     | 124 116 430 5001 |
| M40    | WV16B-TEH-4B-M40     | 124 116 430 5002 |
| PG21   | WV16B-TEH-4B-PG21    | 124 116 430 5003 |
| PG29   | WV16B-TEH-4B-PG29    | 124 116 430 5004 |
|        | with sleeve          |                  |
| M32    | WV16B-TEH-4B-M32 WS  | 124 116 430 5007 |
| PG21   | WV16B-TEH-4B-PG21 WS | 124 116 430 5011 |
| PG29   | WV16B-TEH-4B-PG29 WS | 124 116 430 5012 |



## Hoods, top entry, high construction



| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M50    | WV16B-TEH-4B-M50  | 124 116 430 5005 |
| PG36   | WV16B-TEH-4B-PG36 | 124 116 430 5006 |



# 16B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP67 Remark: SPQ is 1pc

## Bulkhead mounted housings



| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | WV16B-BK-2L/SC | 124 116 341 1101 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | WV16B-CCT-2L/SC-M25  | 124 116 741 1001 |
| PG21   | WV16B-CCT-2L/SC-PG21 | 124 116 741 1002 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable, high construction



| Thread | Designation              | Order No.        |
|--------|--------------------------|------------------|
| M32    | WV16B-CCTH-2L/SC-M32     | 124 116 741 5001 |
| M40    | WV16B-CCTH-2L/SC-M40     | 124 116 741 5002 |
| PG21   | WV16B-CCTH-2L/SC-PG21    | 124 116 741 5003 |
| PG29   | WV16B-CCTH-2L/SC-PG29    | 124 116 741 5004 |
|        | with sleeve              |                  |
| M32    | WV16B-CCTH-2L/SC-M32 WS  | 124 116 741 5005 |
| PG21   | WV16B-CCTH-2L/SC-PG21 WS | 124 116 741 5011 |
| PG29   | WV16B-CCTH-2L/SC-PG29 WS | 124 116 741 5012 |

Please refer to page 15-02 for choosing proper model of lock.



## 16B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP67 Remark: SPQ is 1pc

### Hoods, side entry



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | WV16B-SE-2L/SC-M25  | 124 116 541 1001 |
| M32    | WV16B-SE-2L/SC-M32  | 124 116 541 1002 |
| PG21   | WV16B-SE-2L/SC-PG21 | 124 116 541 1003 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, side entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | WV16B-SEH-2L/SC-M32     | 124 116 541 5001 |
| M40    | WV16B-SEH-2L/SC-M40     | 124 116 541 5002 |
| PG21   | WV16B-SEH-2L/SC-PG21    | 124 116 541 5003 |
| PG29   | WV16B-SEH-2L/SC-PG29    | 124 116 541 5004 |
|        | with sleeve             |                  |
| M32    | WV16B-SEH-2L/SC-M32 WS  | 124 116 541 5006 |
| PG21   | WV16B-SEH-2L/SC-PG21 WS | 124 116 541 5011 |
| PG29   | WV16B-SEH-2L/SC-PG29 WS | 124 116 541 5012 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, side entry



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | WV16B-TE-2L/SC-M25  | 124 116 441 1001 |
| PG21   | WV16B-TE-2L/SC-PG21 | 124 116 441 1002 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, side entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | WV16B-TEH-2L/SC-M32     | 124 116 441 5001 |
| M40    | WV16B-TEH-2L/SC-M40     | 124 116 441 5002 |
| PG21   | WV16B-TEH-2L/SC-PG21    | 124 116 441 5003 |
| PG29   | WV16B-TEH-2L/SC-PG29    | 124 116 441 5004 |
|        | with sleeve             |                  |
| M32    | WV16B-TEH-2L/SC-M32 WS  | 124 116 441 5005 |
| PG21   | WV16B-TEH-2L/SC-PG21 WS | 124 116 441 5011 |
| PG29   | WV16B-TEH-2L/SC-PG29 WS | 124 116 441 5012 |

Please refer to page 15-02 for choosing proper model of lock.




## 16B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP67 Remark: SPQ is 1pc

### Bulkhead mounted housings




| Thread | Designation | Order No.        |
|--------|-------------|------------------|
| ---    | WV16B-BK-4B | 124 116 330 1101 |



### Hoods, side entry, high construction




| Thread | Designation                            | Order No.        |
|--------|----------------------------------------|------------------|
| M32    | WV16B-SEH-1L/C-M32                     | 124 116 550 5001 |
| PG21   | WV16B-SEH-1L/C-PG21                    | 124 116 550 5002 |
| PG29   | WV16B-SEH-1L/C-PG29<br>with sleeve     | 124 116 550 5003 |
| M32    | WV16B-SEH-1L/C-M32 <a href="#">WS</a>  | 124 116 555 5004 |
| PG21   | WV16B-SEH-1L/C-PG21 <a href="#">WS</a> | 124 116 555 5011 |
| PG29   | WV16B-SEH-1L/C-PG29 <a href="#">WS</a> | 124 116 555 5012 |



### Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | WV16B-BK-2B/C | 124 116 350 1101 |






## 24B Plastic hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M32    | H24B.P-SEH-4B-M32 | 117 024 530 5004 |
| M40    | H24B.P-SEH-4B-M40 | 117 024 530 5005 |



## Hoods, side entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M50    | H24B.P-SEH-4B-M50 | 117 024 530 5502 |



## Hoods, top entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M32    | H24B.P-TEH-4B-M32 | 117 024 430 5004 |
| M40    | H24B.P-TEH-4B-M40 | 117 024 430 5005 |



## Hoods, top entry, high construction



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| 2M25   | H24B.P-TEH-4B-2M25 | 117 024 430 5002 |
| 2M32   | H24B.P-TEH-4B-2M32 | 117 024 430 5001 |




24B Plastic hoods/housings

Degree of protection: IP65    Remark: SPQ is 1pc

Bulkhead mounted housings




| Connect way | Designation  | Order No.        |
|-------------|--------------|------------------|
| ---         | H24B.P-BK-2L | 117 024 347 1001 |



Surface mounted housings, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | H24B.P-SFH-2L-M32  | 117 024 247 5004 |
| 2M32   | H24B.P-SFH-2L-2M32 | 117 024 247 5024 |
| M40    | H24B.P-SFH-2L-M40  | 117 024 247 5005 |
| 2M40   | H24B.P-SFH-2L-2M40 | 117 024 247 5025 |



Protection covers, for housings




| Connect way | Designation    | Order No.        |
|-------------|----------------|------------------|
| ---         | H24B.P-CV-4B/2 | 117 024 030 8002 |



Protection covers, for hoods



| Connect way | Designation    | Order No.        |
|-------------|----------------|------------------|
| ---         | H24B.P-CV-2L/1 | 117 024 047 8001 |



## 24B Modular type plastic hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Number of modules: 7

## Hoods, side entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HM24B.P-SEH-4B-M32 | 129 024 530 1500 |
| M40    | HM24B.P-SEH-4B-M40 | 129 024 530 5001 |



## Hoods, top entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HM24B.P-TEH-4B-M32 | 129 024 430 1500 |
| M40    | HM24B.P-TEH-4B-M40 | 129 024 430 5001 |



## Hoods, side entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HM24B.P-SEH-2L-M32 | 129 024 547 1500 |
| M40    | HM24B.P-SEH-2L-M40 | 129 024 540 1001 |



## Hoods, top entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HM24B.P-TEH-2L-M32 | 129 024 447 1500 |
| M40    | HM24B.P-TEH-2L-M40 | 129 024 440 1001 |



## Surface mounted housings, high construction



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M32    | HM24B.P-SFH-2L-M32  | 129 024 247 1501 |
| M32    | HM24B.P-SFH-2L-2M32 | 129 024 247 1502 |
| M40    | HM24B.P-SFH-2L-M40  | 129 024 230 5001 |
| M40    | HM24B.P-SFH-2L-2M40 | 129 024 247 1500 |



24B Modular type plastic hoods/housings


Degree of protection: IP65    Remark: SPQ is 1pc

Number of modules: 7

Bulkhead mounted housings




| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HM24B.P-BK-2L | 129 024 340 1001 |



Bulkhead mounted housings




| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HM24B.P-BK-4B | 129 024 330 1001 |



Protection covers, for housings




| Connect way | Designation     | Order No.        |
|-------------|-----------------|------------------|
|             | HM24B.P-CV-4B/2 | 129 024 030 8001 |



Protection covers, for hoods



| Connect way | Designation     | Order No.        |
|-------------|-----------------|------------------|
|             | HM24B.P-CV-2L/1 | 129 024 040 8001 |




## 24B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | H24B-SE-2B-M25  | 111 024 515 1003 |
| M32    | H24B-SE-2B-M32  | 111 024 515 1004 |
| PG21   | H24B-SE-2B-PG21 | 111 024 515 1011 |



## Hoods, side entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| ---    | W24B-BEH-2B         | 111 124 910 5002 |
| M32    | W24B-SEH-2B-M32     | 111 124 510 5001 |
| M40    | W24B-SEH-2B-M40     | 111 124 510 5002 |
| PG21   | W24B-SEH-2B-PG21    | 111 124 510 5003 |
| PG29   | W24B-SEH-2B-PG29    | 111 124 510 5004 |
|        | with sleeve         |                  |
| M32    | W24B-SEH-2B-M32 WS  | 111 124 515 5004 |
| PG21   | W24B-SEH-2B-PG21 WS | 111 124 515 5011 |
| PG29   | W24B-SEH-2B-PG29 WS | 111 124 515 5012 |



## Hoods, top entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | H24B-TE-2B-M25  | 111 024 415 1003 |
| M32    | H24B-TE-2B-M32  | 111 024 415 1004 |
| PG21   | H24B-TE-2B-PG21 | 111 024 415 1011 |
| PG29   | H24B-TE-2B-PG29 | 111 024 415 1012 |



## Hoods, top entry, high construction



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| ---    | W24B-BEH-2B         | 111 124 910 5002 |
| M32    | W24B-TEH-2B-M32     | 111 124 410 5001 |
| M40    | W24B-TEH-2B-M40     | 111 124 410 5002 |
| PG21   | W24B-TEH-2B-PG21    | 111 124 410 5003 |
| PG29   | W24B-TEH-2B-PG29    | 111 124 410 5004 |
|        | with sleeve         |                  |
| M32    | W24B-TEH-2B-M32 WS  | 111 124 415 5004 |
| PG21   | W24B-TEH-2B-PG21 WS | 111 124 415 5011 |
| PG29   | W24B-TEH-2B-PG29 WS | 111 124 415 5012 |




## Housings, cable to cable



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | H24B-CCT-1L/SC-M25  | 111 024 721 1003 |
| M32    | H24B-CCT-1L/SC-M32  | 111 024 721 1004 |
| PG21   | H24B-CCT-1L/SC-PG21 | 111 024 721 1011 |
| PG29   | H24B-CCT-1L/SC-PG29 | 111 024 721 1012 |

Please refer to page 15-02 for choosing proper model of lock.




## Housings, cable to cable, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | W24B-CCTH-1L/SC-M32     | 111 124 721 5002 |
| M40    | W24B-CCTH-1L/SC-M40     | 111 124 721 5003 |
| PG21   | W24B-CCTH-1L/SC-PG21    | 111 124 721 5004 |
| PG29   | W24B-CCTH-1L/SC-PG29    | 111 124 721 5005 |
|        | with sleeve             |                  |
| M32    | W24B-CCTH-1L/SC-M32 WS  | 111 124 721 5006 |
| PG21   | W24B-CCTH-1L/SC-PG21 WS | 111 124 721 5011 |
| PG29   | W24B-CCTH-1L/SC-PG29 WS | 111 124 721 5012 |

Please refer to page 15-02 for choosing proper model of lock.





## 24B Metal hoods/housings


Degree of protection: IP65

Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | H24B-SE-4B-M25  | 111 024 530 1003 |
| M32    | H24B-SE-4B-M32  | 111 024 530 1004 |
| PG21   | H24B-SE-4B-PG21 | 111 024 530 1011 |



## Hoods, side entry, high construction




| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W24B-BEH-4B                         | 111 124 930 5003 |
| M32    | W24B-SEH-4B-M32                     | 111 124 530 5001 |
| M40    | W24B-SEH-4B-M40                     | 111 124 530 5002 |
| PG21   | W24B-SEH-4B-PG21                    | 111 124 530 5003 |
| PG29   | W24B-SEH-4B-PG29                    | 111 124 530 5004 |
|        | with sleeve                         |                  |
| M32    | W24B-SEH-4B-M32 <a href="#">WS</a>  | 111 124 530 5008 |
| PG21   | W24B-SEH-4B-PG21 <a href="#">WS</a> | 111 124 530 5011 |
| PG29   | W24B-SEH-4B-PG29 <a href="#">WS</a> | 111 124 530 5012 |



## Hoods, top entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | H24B-TE-4B-M25  | 111 024 430 1003 |
| M32    | H24B-TE-4B-M32  | 111 024 430 1004 |
| PG21   | H24B-TE-4B-PG21 | 111 024 430 1011 |
| PG29   | H24B-TE-4B-PG29 | 111 024 430 1012 |



## Hoods, top entry, high construction



| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W24B-BEH-4B                         | 111 124 930 5003 |
| M32    | W24B-TEH-4B-M32                     | 111 124 430 5001 |
| M40    | W24B-TEH-4B-M40                     | 111 124 430 5002 |
| PG21   | W24B-TEH-4B-PG21                    | 111 124 430 5003 |
| PG29   | W24B-TEH-4B-PG29                    | 111 124 430 5004 |
| 2M32   | W24B-TEH-4B-2M32                    | 111 124 430 5005 |
|        | with sleeve                         |                  |
| M32    | W24B-TEH-4B-M32 <a href="#">WS</a>  | 111 124 430 5014 |
| PG21   | W24B-TEH-4B-PG21 <a href="#">WS</a> | 111 124 430 5011 |
| PG29   | W24B-TEH-4B-PG29 <a href="#">WS</a> | 111 124 430 5010 |







## 24B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Housings, cable to cable, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | W24B-CCTH-2L/SC-M32     | 111 124 741 5002 |
| M40    | W24B-CCTH-2L/SC-M40     | 111 124 741 5003 |
| PG21   | W24B-CCTH-2L/SC-PG21    | 111 124 741 5004 |
| PG29   | W24B-CCTH-2L/SC-PG29    | 111 124 741 5005 |
|        | with sleeve             |                  |
| M32    | W24B-CCTH-2L/SC-M32 WS  | 111 124 741 5010 |
| PG21   | W24B-CCTH-2L/SC-PG21 WS | 111 124 741 5011 |
| PG29   | W24B-CCTH-2L/SC-PG29 WS | 111 124 741 5012 |

Please refer to page 15-02 for choosing proper model of lock.




Protection covers, plastic



Remark: SPQ is 10pcs

| Connect way | Applications | Designation | Order No.        |
|-------------|--------------|-------------|------------------|
| ---         | for hoods    | H24B-CV-4C  | 111 024 090 8009 |




Protection covers, plastic



Remark: SPQ is 10pcs

| Connect way | Applications                                       | Designation  | Order No.        |
|-------------|----------------------------------------------------|--------------|------------------|
|             | for Housings, cable to cable                       | H24B-CV-4B/1 | 111 024 030 8001 |
|             | for Housings, bulkhead mounting / surface mounting | H24B-CV-4B/2 | 111 024 030 8002 |




Housings, cable to cable, high construction, Under-shell through-board installation



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | W24B-CCTH/BK-2L/SC-M32  | 111 124 741 5503 |
| M40    | W24B-CCTH/BK-2L/SC-M40  | 111 124 741 5507 |
| PG21   | W24B-CCTH/BK-2L/SC-PG21 | 111 124 741 5512 |
| PG29   | W24B-CCTH/BK-2L/SC-PG29 | 111 124 741 5513 |

Please refer to page 15-02 for choosing proper model of lock.



## 24B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M25    | H24B-SE-2L/SC-M25  | 111 024 541 1003 |
| M32    | H24B-SE-2L/SC-M32  | 111 024 541 1004 |
| PG21   | H24B-SE-2L/SC-PG21 | 111 024 541 1011 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, side entry, high construction



| Thread | Designation            | Order No.        |
|--------|------------------------|------------------|
| M32    | W24B-SEH-2L/SC-M32     | 111 124 541 5001 |
| M40    | W24B-SEH-2L/SC-M40     | 111 124 541 5002 |
| PG21   | W24B-SEH-2L/SC-PG21    | 111 124 541 5003 |
| PG29   | W24B-SEH-2L/SC-PG29    | 111 124 541 5004 |
|        | with sleeve            |                  |
| M32    | W24B-SEH-2L/SC-M32 WS  | 111 124 541 5005 |
| PG21   | W24B-SEH-2L/SC-PG21 WS | 111 124 541 5011 |
| PG29   | W24B-SEH-2L/SC-PG29 WS | 111 124 541 5012 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, top entry



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M25    | H24B-TE-2L/SC-M25  | 111 024 441 1003 |
| M32    | H24B-TE-2L/SC-M32  | 111 024 441 1004 |
| PG21   | H24B-TE-2L/SC-PG21 | 111 024 441 1011 |
| PG29   | H24B-TE-2L/SC-PG29 | 111 024 441 1012 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, top entry, high construction



| Thread | Designation            | Order No.        |
|--------|------------------------|------------------|
| M32    | W24B-TEH-2L/SC-M32     | 111 124 441 5001 |
| M40    | W24B-TEH-2L/SC-M40     | 111 124 441 5002 |
| PG21   | W24B-TEH-2L/SC-PG21    | 111 124 441 5003 |
| PG29   | W24B-TEH-2L/SC-PG29    | 111 124 441 5004 |
|        | with sleeve            |                  |
| M32    | W24B-TEH-2L/SC-M32 WS  | 111 124 441 5006 |
| PG21   | W24B-TEH-2L/SC-PG21 WS | 111 124 441 5011 |
| PG29   | W24B-TEH-2L/SC-PG29 WS | 111 124 441 5012 |


Please refer to page 15-02 for choosing proper model of lock.



## Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | H24B-BK-4B         | 111 024 330 1001 |
|        | with plastic cover |                  |
| ---    | H24B-BK-4B-CV      | 111 024 370 1001 |
|        | with metal cover   |                  |
| ---    | H24B-BK-4B-MCV     | 111 024 370 1101 |




## 24B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Surface mounted housings




| Thread             | Designation          | Order No.        |
|--------------------|----------------------|------------------|
| M25                | H24B-SF-4B-M25       | 111 024 230 1003 |
| 2M25               | H24B-SF-4B-2M25      | 111 024 230 1023 |
| PG21               | H24B-SF-4B-PG21      | 111 024 230 1011 |
| 2PG21              | H24B-SF-4B-2PG21     | 111 024 230 1031 |
| with plastic cover |                      |                  |
| M25                | H24B-SF-4B-CV-M25    | 111 024 270 1003 |
| 2M25               | H24B-SF-4B-CV-2M25   | 111 024 270 1023 |
| PG21               | H24B-SF-4B-CV-PG21   | 111 024 270 1011 |
| 2PG21              | H24B-SF-4B-CV-2PG21  | 111 024 270 1031 |
| with metal cover   |                      |                  |
| M25                | H24B-SF-4B-MCV-M25   | 111 024 270 1103 |
| 2M25               | H24B-SF-4B-MCV-2M25  | 111 024 270 1123 |
| PG21               | H24B-SF-4B-MCV-PG21  | 111 024 270 1111 |
| 2PG21              | H24B-SF-4B-MCV-2PG21 | 111 024 270 1131 |



## Surface mounted housings, high construction




| Thread             | Designation           | Order No.        |
|--------------------|-----------------------|------------------|
| M32                | H24B-SFH-4B-M32       | 111 024 230 5004 |
| 2M32               | H24B-SFH-4B-2M32      | 111 024 230 5024 |
| PG21               | H24B-SFH-4B-PG21      | 111 024 230 5011 |
| 2PG21              | H24B-SFH-4B-2PG21     | 111 024 230 5031 |
| PG29               | H24B-SFH-4B-PG29      | 111 024 230 5012 |
| 2PG29              | H24B-SFH-4B-2PG29     | 111 024 230 5032 |
| with plastic cover |                       |                  |
| M32                | H24B-SFH-4B-CV-M32    | 111 024 270 5004 |
| 2M32               | H24B-SFH-4B-CV-2M32   | 111 024 270 5024 |
| PG21               | H24B-SFH-4B-CV-PG21   | 111 024 270 5011 |
| 2PG21              | H24B-SFH-4B-CV-2PG21  | 111 024 270 5031 |
| PG29               | H24B-SFH-4B-CV-PG29   | 111 024 270 5012 |
| 2PG29              | H24B-SFH-4B-CV-2PG29  | 111 024 270 5032 |
| with metal cover   |                       |                  |
| M32                | H24B-SFH-4B-MCV-M32   | 111 024 270 5104 |
| 2M32               | H24B-SFH-4B-MCV-2M32  | 111 024 270 5124 |
| PG21               | H24B-SFH-4B-MCV-PG21  | 111 024 270 5111 |
| 2PG21              | H24B-SFH-4B-MCV-2PG21 | 111 024 270 5131 |
| PG29               | H24B-SFH-4B-MCV-PG29  | 111 024 270 5112 |
| 2PG29              | H24B-SFH-4B-MCV-2PG29 | 111 024 270 5132 |



## Protection covers, metal




| Connect way | Applications                  | Designation    | Order No.        |
|-------------|-------------------------------|----------------|------------------|
|             | for hoods                     | H24B-MCV-4B/1S | 111 024 030 8103 |
|             | for housings, without sealing | H24B-MCV-4B/2  | 111 024 030 8102 |



## Protection covers, metal



| Connect way | Applications | Designation       | Order No.        |
|-------------|--------------|-------------------|------------------|
|             | for hoods    | H24B-MCV-2L/SC.1S | 111 024 041 8101 |
|             | or housings  | H24B-MCV-2L/SC.2  | 111 024 041 8102 |



Please refer to page 15-02 for choosing proper model of lock.

## 24B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Protection covers, metal



| Connect way | Applications | Designation | Order No. |
|-------------|--------------|-------------|-----------|
|-------------|--------------|-------------|-----------|




for hoods

H24B-MCV-1L/SC.1S

111 024 021 1101

Please refer to page 15-02 for choosing proper model of lock.



## Protection covers(IP5X)



Remark: SPQ is 10pcs


| Thread | Applications | Designation | Order No. |
|--------|--------------|-------------|-----------|
|--------|--------------|-------------|-----------|

---

for housings

H24B-CV/C

111 024 000 8004



## Hoods, side entry, high construction



| Thread | Designation | Order No. |
|--------|-------------|-----------|
|--------|-------------|-----------|

M25

W24B-SEH-1L/C-M25

111 124 550 5001

M32

W24B-SEH-1L/C-M32

111 124 550 5002

M40

W24B-SEH-1L/C-M40

111 124 550 5003

PG21

W24B-SEH-1L/C-PG21

111 124 550 5004

PG29

W24B-SEH-1L/C-PG29

111 124 550 5005

with sleeve

M32

W24B-SEH-1L/C-M32 [WS](#)

111 124 555 5004

PG21


W24B-SEH-1L/C-PG21 [WS](#)

111 124 555 5011

PG29

W24B-SEH-1L/C-PG29 [WS](#)

111 124 555 5012



## Bulkhead mounted housings




| Thread | Designation | Order No. |
|--------|-------------|-----------|
|--------|-------------|-----------|

---

H24B-BK-2B/C

111 024 355 1001




## 24B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry, high construction




| Thread | Designation                                             | Order No.        |
|--------|---------------------------------------------------------|------------------|
| M40    | W24B-SEH-1L/B-M40                                       | 111 024 525 5105 |
| PG29   | W24B-SEH-1L/B-PG29<br>with sleeve                       | 111 024 525 5112 |
| M32    | W24B-SEH-1L/B-M32 <span style="color: blue;">WS</span>  | 111 124 529 5005 |
| PG21   | W24B-SEH-1L/B-PG21 <span style="color: blue;">WS</span> | 111 124 529 5004 |
| PG29   | W24B-SEH-1L/B-PG29 <span style="color: blue;">WS</span> | 111 124 525 5112 |



## Bulkhead mounted housings



| Thread | Designation  | Order No.        |
|--------|--------------|------------------|
| ---    | H24B-BK-2B/B | 111 024 315 1101 |



## 24B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65 Remark: SPQ is 1pc

### Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | H24B-MSE-4B-M25  | 112 024 530 1003 |
| M32    | H24B-MSE-4B-M32  | 112 024 530 1004 |
| PG21   | H24B-MSE-4B-PG21 | 112 024 530 1011 |



### Hoods, side entry, high construction




| Thread | Designation                                            | Order No.        |
|--------|--------------------------------------------------------|------------------|
| M32    | W24B-MSEH-4B-M32                                       | 112 124 530 5005 |
| M40    | W24B-MSEH-4B-M40                                       | 112 124 530 5006 |
| PG21   | W24B-MSEH-4B-PG21                                      | 112 124 530 5011 |
| PG29   | W24B-MSEH-4B-PG29                                      | 112 124 530 5007 |
|        | with sleeve                                            |                  |
| M32    | W24B-MSEH-4B-M32 <span style="color: blue;">WS</span>  | 112 124 530 5004 |
| PG21   | W24B-MSEH-4B-PG21 <span style="color: blue;">WS</span> | 112 124 530 5013 |
| PG29   | W24B-MSEH-4B-PG29 <span style="color: blue;">WS</span> | 112 124 530 5012 |



### Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | H24B-MTE-4B-M25  | 112 024 430 1003 |
| M32    | H24B-MTE-4B-M32  | 112 024 430 1004 |
| PG21   | H24B-MTE-4B-PG21 | 112 024 430 1011 |
| PG29   | H24B-MTE-4B-PG29 | 112 024 430 1005 |



### Hoods, top entry, high construction




| Thread | Designation                                            | Order No.        |
|--------|--------------------------------------------------------|------------------|
| M32    | W24B-MTEH-4B-M32                                       | 112 124 430 5006 |
| M40    | W24B-MTEH-4B-M40                                       | 112 124 430 5007 |
| PG21   | W24B-MTEH-4B-PG21                                      | 112 124 430 5011 |
| PG29   | W24B-MTEH-4B-PG29                                      | 112 124 430 5008 |
|        | with sleeve                                            |                  |
| M32    | W24B-MTEH-4B-M32 <span style="color: blue;">WS</span>  | 112 124 430 5004 |
| PG21   | W24B-MTEH-4B-PG21 <span style="color: blue;">WS</span> | 112 124 430 5010 |
| PG29   | W24B-MTEH-4B-PG29 <span style="color: blue;">WS</span> | 112 124 430 5012 |



### Bulkhead mounted housings




| Thread | Designation                                         | Order No.        |
|--------|-----------------------------------------------------|------------------|
| ---    | H24B-MBK-2L/ <span style="color: orange;">SC</span> | 112 024 341 1001 |



### Surface mounted housings



| Thread | Designation                                                | Order No.        |
|--------|------------------------------------------------------------|------------------|
| M25    | H24B-MSF-2L/ <span style="color: orange;">SC</span> -M25   | 112 024 241 1003 |
| 2M25   | H24B-MSF-2L/ <span style="color: orange;">SC</span> -2M25  | 112 024 241 1023 |
| PG21   | H24B-MSF-2L/ <span style="color: orange;">SC</span> -PG21  | 112 024 241 1011 |
| 2PG21  | H24B-MSF-2L/ <span style="color: orange;">SC</span> -2PG21 | 112 024 241 1031 |



## 24B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65 Remark: SPQ is 1pc

Surface mounted housings, high construction




| Thread | Designation           | Order No.        |
|--------|-----------------------|------------------|
| M32    | H24B-MSFH-2L/SC-M32   | 112 024 241 5004 |
| 2M32   | H24B-MSFH-2L/SC-2M32  | 112 024 241 5024 |
| M40    | H24B-MSFH-2L/SC-M40   | 112 024 241 5005 |
| PG21   | H24B-MSFH-2L/SC-PG21  | 112 024 241 5011 |
| 2PG21  | H24B-MSFH-2L/SC-2PG21 | 112 024 241 5031 |
| PG29   | H24B-MSFH-2L/SC-PG29  | 112 024 241 5012 |
| 2PG29  | H24B-MSFH-2L/SC-2PG29 | 112 024 241 5032 |



Protection covers




| Connect way | Applications | Designation    | Order No.        |
|-------------|--------------|----------------|------------------|
|             | for hoods    | H24B-MMCV-4B/1 | 112 024 030 8001 |
|             | for housings | H24B-MMCV-4B/2 | 112 024 030 8002 |



Protection covers



| Connect way | Applications | Designation        | Order No.        |
|-------------|--------------|--------------------|------------------|
|             | for hoods    | H24B-MMCV-2L/SC.1S | 112 024 041 8001 |
|             | for housings | H24B-MMCV-2L/SC.2  | 112 024 041 8002 |




24B Metal hoods/housings  
-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65    Remark: SPQ is 1pc

Hoods, side entry, high construction




| Thread | Designation                            | Order No.        |
|--------|----------------------------------------|------------------|
| M32    | W24B-MSEH-1L/C-M32                     | 112 124 550 5006 |
| PG21   | W24B-MSEH-1L/C-PG21                    | 112 124 555 5011 |
| PG29   | W24B-MSEH-1L/C-PG29                    | 112 124 550 5007 |
|        | with sleeve                            |                  |
| M32    | W24B-MSEH-1L/C-M32 <a href="#">WS</a>  | 112 124 555 5004 |
| PG21   | W24B-MSEH-1L/C-PG21 <a href="#">WS</a> | 112 124 555 5013 |
| PG29   | W24B-MSEH-1L/C-PG29 <a href="#">WS</a> | 112 124 555 5012 |



Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | H24B-MBK-2B/C | 112 024 350 1001 |






## 24B EMC Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | EMC.H24B-SE-4B-M25  | 111 624 530 1005 |
| M32    | EMC.H24B-SE-4B-M32  | 111 624 535 1004 |
| PG21   | EMC.H24B-SE-4B-PG21 | 111 624 503 1501 |



## Hoods, side entry, high construction




| Thread | Designation                             | Order No.        |
|--------|-----------------------------------------|------------------|
| ---    | EMC.W24B-BEH-4B                         | 111 224 930 5004 |
| M32    | EMC.W24B-SEH-4B-M32                     | 111 224 530 5008 |
| M40    | EMC.W24B-SEH-4B-M40                     | 111 224 530 5009 |
| PG21   | EMC.W24B-SEH-4B-PG21                    | 111 224 530 5006 |
| PG29   | EMC.W24B-SEH-4B-PG29                    | 111 224 530 5010 |
|        | with sleeve                             |                  |
| M32    | EMC.W24B-SEH-4B-M32 <a href="#">WS</a>  | 111 124 535 5501 |
| PG21   | EMC.W24B-SEH-4B-PG21 <a href="#">WS</a> | 111 224 535 5001 |
| PG29   | EMC.W24B-SEH-4B-PG29 <a href="#">WS</a> | 111 124 535 5013 |



## Hoods, top entry




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | EMC.H24B-TE-4B-M25  | 111 624 435 1003 |
| M32    | EMC.H24B-TE-4B-M32  | 111 624 435 1004 |
| PG21   | EMC.H24B-TE-4B-PG21 | 111 624 435 1011 |
| PG29   | EMC.H24B-TE-4B-PG29 | 111 624 435 1012 |



## Hoods, top entry, high construction



| Thread | Designation                             | Order No.        |
|--------|-----------------------------------------|------------------|
| ---    | EMC.W24B-BEH-4B                         | 111 224 930 5004 |
| M32    | EMC.W24B-TEH-4B-M32                     | 111 224 430 5009 |
| M40    | EMC.W24B-TEH-4B-M40                     | 111 224 430 5010 |
| PG21   | EMC.W24B-TEH-4B-PG21                    | 111 224 430 5001 |
| PG29   | EMC.W24B-TEH-4B-PG29                    | 111 224 430 5011 |
|        | with sleeve                             |                  |
| M32    | EMC.W24B-TEH-4B-M32 <a href="#">WS</a>  | 111 124 435 5501 |
| PG21   | EMC.W24B-TEH-4B-PG21 <a href="#">WS</a> | 111 124 435 5502 |
| PG29   | EMC.W24B-TEH-4B-PG29 <a href="#">WS</a> | 111 124 435 5015 |




## Bulkhead mounted housings



| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | EMC1.H24B-BK-2L/ <a href="#">SC</a> | 111 624 341 1501 |

Please refer to page 15-02 for choosing proper model of lock.



24B EMC Metal hoods/housings


Degree of protection: IP65

Remark: SPQ is 1pc

Hoods, side entry




| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M25    | EMC.H24B-SF-2L/SC-M25   | 111 616 241 1500 |
| 2M25   | EMC.H24B-SF-2L/SC-2M25  | 111 616 241 1501 |
| PG21   | EMC.H24B-SF-2L/SC-PG21  | 111 616 241 1502 |
| 2PG21  | EMC.H24B-SF-2L/SC-2PG21 | 111 616 241 1503 |




H

Hoods, side entry, high construction



| Thread | Designation              | Order No.        |
|--------|--------------------------|------------------|
| M32    | EMC.H24B-SFH-2L/SC-M32   | 111 624 241 5501 |
| 2M32   | EMC.H24B-SFH-2L/SC-2M32  | 111 624 241 5502 |
| M40    | EMC.H24B-SFH-2L/SC-M40   | 111 624 241 5503 |
| 2M40   | EMC.H24B-SFH-2L/SC-2M40  | 111 624 241 5504 |
| PG21   | EMC.H24B-SFH-2L/SC-PG21  | 111 624 241 5505 |
| 2PG21  | EMC.H24B-SFH-2L/SC-2PG21 | 111 624 241 5506 |
| PG29   | EMC.H24B-SFH-2L/SC-PG29  | 111 624 241 5507 |
| 2PG29  | EMC.H24B-SFH-2L/SC-2PG29 | 111 624 241 5508 |




## 24B Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | W24B-SE-2B-M25  | 111 124 510 1001 |
| M32    | W24B-SE-2B-M32  | 111 124 510 1002 |
| PG21   | W24B-SE-2B-PG21 | 111 124 510 1003 |



## Hoods, side entry, high construction




| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W24B-BEH-2B                         | 111 124 910 5002 |
| M32    | W24B-SEH-2B-M32                     | 111 124 510 5001 |
| M40    | W24B-SEH-2B-M40                     | 111 124 510 5002 |
| PG21   | W24B-SEH-2B-PG21                    | 111 124 510 5003 |
| PG29   | W24B-SEH-2B-PG29                    | 111 124 510 5004 |
|        | with sleeve                         |                  |
| M32    | W24B-SEH-2B-M32 <a href="#">WS</a>  | 111 124 515 5004 |
| PG21   | W24B-SEH-2B-PG21 <a href="#">WS</a> | 111 124 515 5011 |
| PG29   | W24B-SEH-2B-PG29 <a href="#">WS</a> | 111 124 515 5012 |



## Hoods, top entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | W24B-TE-2B-M25  | 111 124 410 1001 |
| M32    | W24B-TE-2B-M32  | 111 124 410 1002 |
| PG21   | W24B-TE-2B-PG21 | 111 124 410 1003 |
| PG29   | W24B-TE-2B-PG29 | 111 124 410 1004 |



## Hoods, top entry, high construction



| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | W24B-BEH-2B                         | 111 124 910 5002 |
| M32    | W24B-TEH-2B-M32                     | 111 124 410 5001 |
| M40    | W24B-TEH-2B-M40                     | 111 124 410 5002 |
| PG21   | W24B-TEH-2B-PG21                    | 111 124 410 5003 |
| PG29   | W24B-TEH-2B-PG29                    | 111 124 410 5004 |
|        | with sleeve                         |                  |
| M32    | W24B-TEH-2B-M32 <a href="#">WS</a>  | 111 124 415 5004 |
| PG21   | W24B-TEH-2B-PG21 <a href="#">WS</a> | 111 124 415 5011 |
| PG29   | W24B-TEH-2B-PG29 <a href="#">WS</a> | 111 124 415 5012 |



Degree of protection: IP67      Remark: SPQ is 1pc


## 24B Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | W24B-SE-4B-M25  | 111 124 530 1001 |
| M32    | W24B-SE-4B-M32  | 111 124 530 1002 |
| PG21   | W24B-SE-4B-PG21 | 111 124 530 1003 |



## Hoods, side entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| ---    | W24B-BEH-4B         | 111 124 930 5003 |
| M32    | W24B-SEH-4B-M32     | 111 124 530 5001 |
| M40    | W24B-SEH-4B-M40     | 111 124 530 5002 |
| PG21   | W24B-SEH-4B-PG21    | 111 124 530 5003 |
| PG29   | W24B-SEH-4B-PG29    | 111 124 530 5004 |
| M32    | W24B-SEH-4B-M32 WS  | 111 124 530 5008 |
| PG21   | W24B-SEH-4B-PG21 WS | 111 124 530 5011 |
| PG29   | W24B-SEH-4B-PG29 WS | 111 124 530 5012 |



## Hoods, side entry, high construction




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M50    | W24B-SEH-4B-M50  | 111 124 530 5006 |
| PG36   | W24B-SEH-4B-PG36 | 111 124 530 5013 |

Suitable for cable with maximum OD  $\Phi 32\text{mm}$ 

## Hoods, top entry




| Thread | Designation     | Order No.        |
|--------|-----------------|------------------|
| M25    | W24B-TE-4B-M25  | 111 124 430 1001 |
| M32    | W24B-TE-4B-M32  | 111 124 430 1002 |
| PG21   | W24B-TE-4B-PG21 | 111 124 430 1003 |
| PG29   | W24B-TE-4B-PG29 | 111 124 430 1004 |




## Hoods, top entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| ---    | W24B-BEH-4B         | 111 124 930 5003 |
| M32    | W24B-TEH-4B-M32     | 111 124 430 5001 |
| M40    | W24B-TEH-4B-M40     | 111 124 430 5002 |
| PG21   | W24B-TEH-4B-PG21    | 111 124 430 5003 |
| PG29   | W24B-TEH-4B-PG29    | 111 124 430 5004 |
| 2M32   | W24B-TEH-4B-2M32    | 111 124 430 5005 |
|        | with sleeve         |                  |
| M32    | W24B-TEH-4B-M32 WS  | 111 124 430 5014 |
| PG21   | W24B-TEH-4B-PG21 WS | 111 124 430 5011 |
| PG29   | W24B-TEH-4B-PG29 WS | 111 124 430 5010 |



## Hoods, top entry, high construction




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M50    | W24B-TEH-4B-M50  | 111 124 430 5006 |
| PG36   | W24B-TEH-4B-PG36 | 111 124 430 5013 |

Suitable for cable with maximum OD  $\Phi 32\text{mm}$ 


24B Metal hoods/housings

Degree of protection: IP67    Remark: SPQ is 1pc

Hoods, top entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M50    | W24B.C-TEH/E-4B-M50 | 111 124 430 5007 |



Hoods, side entry, high construction



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M50    | W24B.C-SEH/E-4B-M50 | 111 124 530 5005 |





## 24B Metal hoods/housings


Degree of protection: IP67 Remark: SPQ is 1pc

## Hoods, side entry



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M25    | W24B-SE-2L/SC-M25  | 111 124 541 1001 |
| M32    | W24B-SE-2L/SC-M32  | 111 124 541 1002 |
| PG21   | W24B-SE-2L/SC-PG21 | 111 124 541 1003 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, side entry, high construction



| Thread | Designation            | Order No.        |
|--------|------------------------|------------------|
| M32    | W24B-SEH-2L/SC-M32     | 111 124 541 5001 |
| M40    | W24B-SEH-2L/SC-M40     | 111 124 541 5002 |
| PG21   | W24B-SEH-2L/SC-PG21    | 111 124 541 5003 |
| PG29   | W24B-SEH-2L/SC-PG29    | 111 124 541 5004 |
|        | with sleeve            |                  |
| M32    | W24B-SEH-2L/SC-M32 WS  | 111 124 541 5005 |
| PG21   | W24B-SEH-2L/SC-PG21 WS | 111 124 541 5011 |
| PG29   | W24B-SEH-2L/SC-PG29 WS | 111 124 541 5012 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, top entry



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M25    | W24B-TE-2L/SC-M25  | 111 124 441 1001 |
| M32    | W24B-TE-2L/SC-M32  | 111 124 441 1002 |
| PG21   | W24B-TE-2L/SC-PG21 | 111 124 441 1003 |
| PG29   | W24B-TE-2L/SC-PG29 | 111 124 441 1004 |

Please refer to page 15-02 for choosing proper model of lock.




## Hoods, top entry, high construction



| Thread | Designation            | Order No.        |
|--------|------------------------|------------------|
| M32    | W24B-TEH-2L/SC-M32     | 111 124 441 5001 |
| M40    | W24B-TEH-2L/SC-M40     | 111 124 441 5002 |
| PG21   | W24B-TEH-2L/SC-PG21    | 111 124 441 5003 |
| PG29   | W24B-TEH-2L/SC-PG29    | 111 124 441 5004 |
|        | with sleeve            |                  |
| M32    | W24B-TEH-2L/SC-M32 WS  | 111 124 441 5006 |
| PG21   | W24B-TEH-2L/SC-PG21 WS | 111 124 441 5011 |
| PG29   | W24B-TEH-2L/SC-PG29 WS | 111 124 441 5012 |


Please refer to page 15-02 for choosing proper model of lock.



## Bulkhead mounted housings



| Thread | Designation | Order No.        |
|--------|-------------|------------------|
| ---    | W24B-BK-4B  | 111 124 330 1001 |








## 24B Metal hoods/housings -Suitable for harsh environment(anti-corrosion)

Degree of protection: IP67 Remark: SPQ is 1pc

### Hoods, side entry




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M25    | W24B-MSEH-4B-M25  | 112 124 530 1001 |
| M32    | W24B-MSEH-4B-M32  | 112 124 530 1004 |
| PG21   | W24B-MSEH-4B-PG21 | 112 124 530 1002 |



### Hoods, side entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | W24B-MSEH-4B-M32     | 112 124 530 5005 |
| M40    | W24B-MSEH-4B-M40     | 112 124 530 5006 |
| PG21   | W24B-MSEH-4B-PG21    | 112 124 530 5011 |
| PG29   | W24B-MSEH-4B-PG29    | 112 124 530 5007 |
|        | with sleeve          |                  |
| M32    | W24B-MSEH-4B-M32 WS  | 112 124 530 5004 |
| PG21   | W24B-MSEH-4B-PG21 WS | 112 124 530 5013 |
| PG29   | W24B-MSEH-4B-PG29 WS | 112 124 530 5012 |



### Hoods, top entry




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M25    | W24B-MTEH-4B-M25  | 112 124 530 1003 |
| M32    | W24B-MTEH-4B-M32  | 112 124 430 1005 |
| PG21   | W24B-MTEH-4B-PG21 | 112 124 430 1004 |
| PG29   | W24B-MTEH-4B-PG29 | 112 124 430 1003 |



### Hoods, top entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | W24B-MTEH-4B-M32     | 112 124 430 5006 |
| M40    | W24B-MTEH-4B-M40     | 112 124 430 5007 |
| PG21   | W24B-MTEH-4B-PG21    | 112 124 430 5011 |
| PG29   | W24B-MTEH-4B-PG29    | 112 124 430 5008 |
|        | with sleeve          |                  |
| M32    | W24B-MTEH-4B-M32 WS  | 112 124 430 5004 |
| PG21   | W24B-MTEH-4B-PG21 WS | 112 124 430 5010 |
| PG29   | W24B-MTEH-4B-PG29 WS | 112 124 430 5012 |



### Bulkhead mounted housings



| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | W24B-MBK-2L/SC | 112 124 311 1001 |




### Housings, cable to cable



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | W24B-MCCT-2L/SC-M25  | 112 124 741 1003 |
| M32    | W24B-MCCT-2L/SC-M32  | 112 124 741 1004 |
| PG21   | W24B-MCCT-2L/SC-PG21 | 112 124 741 1005 |
| PG29   | W24B-MCCT-2L/SC-PG29 | 112 124 741 1006 |

Please refer to page 15-02 for choosing proper model of lock.




### Housings, cable to cable, high construction



| Thread | Designation              | Order No.        |
|--------|--------------------------|------------------|
| M32    | W24B-MCCTH-2L/SC-M32     | 112 124 741 5004 |
| M40    | W24B-MCCTH-2L/SC-M40     | 112 124 741 5005 |
| PG21   | W24B-MCCTH-2L/SC-PG21    | 112 124 741 5011 |
| PG29   | W24B-MCCTH-2L/SC-PG29    | 112 124 741 5012 |
|        | with sleeve              |                  |
| M32    | W24B-MCCTH-2L/SC-M32 WS  | 112 124 741 5003 |
| PG21   | W24B-MCCTH-2L/SC-PG21 WS | 112 124 741 5001 |
| PG29   | W24B-MCCTH-2L/SC-PG29 WS | 112 124 741 5002 |

Please refer to page 15-02 for choosing proper model of lock.



## 24B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP67 Remark: SPQ is 1pc

### Hoods, side entry, high construction




| Thread | Designation                                              | Order No.        |
|--------|----------------------------------------------------------|------------------|
| M32    | W24B-MSEH-1L/C-M32                                       | 112 124 550 5006 |
| PG21   | W24B-MSEH-1L/C-PG21                                      | 112 124 555 5011 |
| PG29   | W24B-MSEH-1L/C-PG29<br>with sleeve                       | 112 124 550 5007 |
| M32    | W24B-MSEH-1L/C-M32 <span style="color: blue;">WS</span>  | 112 124 555 5004 |
| PG21   | W24B-MSEH-1L/C-PG21 <span style="color: blue;">WS</span> | 112 124 555 5013 |
| PG29   | W24B-MSEH-1L/C-PG29 <span style="color: blue;">WS</span> | 112 124 555 5012 |



### Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | W24B-MBK-2B/C | 112 124 350 1001 |




## 24B EMC Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | EMC.W24B-SE-4B-M25  | 111 224 530 1001 |
| M32    | EMC.W24B-SE-4B-M32  | 111 224 530 1002 |
| PG21   | EMC.W24B-SE-4B-PG21 | 111 224 530 1003 |



## Hoods, side entry, high construction




| Thread | Designation                             | Order No.        |
|--------|-----------------------------------------|------------------|
| ---    | EMC.W24B-BEH-4B                         | 111 224 930 5004 |
| M32    | EMC.W24B-SEH-4B-M32                     | 111 224 530 5008 |
| M40    | EMC.W24B-SEH-4B-M40                     | 111 224 530 5009 |
| PG21   | EMC.W24B-SEH-4B-PG21                    | 111 224 530 5006 |
| PG29   | EMC.W24B-SEH-4B-PG29                    | 111 224 530 5010 |
|        | with sleeve                             |                  |
| M32    | EMC.W24B-SEH-4B-M32 <a href="#">WS</a>  | 111 124 535 5501 |
| PG21   | EMC.W24B-SEH-4B-PG21 <a href="#">WS</a> | 111 224 535 5001 |
| PG29   | EMC.W24B-SEH-4B-PG29 <a href="#">WS</a> | 111 124 535 5013 |



## Hoods, top entry




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | EMC.W24B-TE-4B-M25  | 111 224 430 1001 |
| M32    | EMC.W24B-TE-4B-M32  | 111 224 430 1002 |
| PG21   | EMC.W24B-TE-4B-PG21 | 111 224 430 1003 |
| PG29   | EMC.W24B-TE-4B-PG29 | 111 224 430 1004 |



## Hoods, top entry, high construction



| Thread | Designation                             | Order No.        |
|--------|-----------------------------------------|------------------|
| ---    | EMC.W24B-BEH-4B                         | 111 224 930 5004 |
| M32    | EMC.W24B-TEH-4B-M32                     | 111 224 430 5009 |
| M40    | EMC.W24B-TEH-4B-M40                     | 111 224 430 5010 |
| PG21   | EMC.W24B-TEH-4B-PG21                    | 111 224 430 5001 |
| PG29   | EMC.W24B-TEH-4B-PG29                    | 111 224 430 5011 |
|        | with sleeve                             |                  |
| M32    | EMC.W24B-TEH-4B-M32 <a href="#">WS</a>  | 111 124 435 5501 |
| PG21   | EMC.W24B-TEH-4B-PG21 <a href="#">WS</a> | 111 124 435 5502 |
| PG29   | EMC.W24B-TEH-4B-PG29 <a href="#">WS</a> | 111 124 435 5015 |




## Bulkhead mounted housings



| Thread | Designation                         | Order No.        |
|--------|-------------------------------------|------------------|
| ---    | EMC1.W24B-BK-2L/ <a href="#">SC</a> | 111 124 341 1001 |

Please refer to page 15-02 for choosing proper model of lock.



## 24B Pressure tight hoods/housings


Degree of protection: IP67 Remark: SPQ is 1pc

W version

## Hoods, side entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M25    | HP24B-SEH-2S-M25  | 115 024 520 5103 |
| M32    | HP24B-SEH-2S-M32  | 115 024 520 5104 |
| M40    | HP24B-SEH-2S-M40  | 115 024 520 5105 |
| PG21   | HP24B-SEH-2S-PG21 | 115 024 520 5111 |
| PG29   | HP24B-SEH-2S-PG29 | 115 024 520 5112 |



## Hoods, top entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M25    | HP24B-TEH-2S-M25  | 115 024 420 5103 |
| M32    | HP24B-TEH-2S-M32  | 115 024 420 5104 |
| M40    | HP24B-TEH-2S-M40  | 115 024 420 5105 |
| M50    | HP24B-TEH-2S-M50  | 115 024 420 5106 |
| PG21   | HP24B-TEH-2S-PG21 | 115 024 420 5111 |
| PG29   | HP24B-TEH-2S-PG29 | 115 024 420 5112 |
| PG36   | HP24B-TEH-2S-PG36 | 115 024 420 5113 |



## Surface mounted housings, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M25    | HP24B-SFH-2H-M25  | 115 024 220 5003 |
| M32    | HP24B-SFH-2H-M32  | 115 024 220 5004 |
| M40    | HP24B-SFH-2H-M40  | 115 024 220 5005 |
| PG21   | HP24B-SFH-2H-PG21 | 115 024 220 5011 |
| PG29   | HP24B-SFH-2H-PG29 | 115 024 220 5012 |



## Bulkhead mounted housings




| Thread | Designation | Order No.        |
|--------|-------------|------------------|
| ---    | HP24B-BK-2H | 115 024 320 1001 |



## Bulkhead mounted housings




| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HP24B-BK/S-2H | 115 024 320 1101 |



## Protection covers, plastic



| Connect way | Designation   | Order No.        |
|-------------|---------------|------------------|
| ---         | HP24B-CV-2S/2 | 115 024 020 8002 |



24B Pressure tight hoods/housings


Degree of protection: IP68/IP69K    Remark: SPQ is 1pc

W version

Protection covers, plastic,  
for hoods



| Connect way | Designation   | Order No.        |
|-------------|---------------|------------------|
| ---         | HP24B-CV-2H/1 | 115 024 020 8500 |



## 24B Pressure tight hoods/housings


Degree of protection: IP68/IP69K Remark: SPQ is 1pc

W version

Hoods, side entry, high construction



| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M50    | HP24B-SEHH-2S-M50 | 115 024 520 5106 |



## 24B Pressure tight hoods/housings

Degree of protection: IP68/IP69K


Remark: SPQ is 1pc

H version

Hoods, side entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
|        | Screw locking       |                  |
| M25    | HP24B/H-SEH-2S-M25  | 113 624 520 5003 |
| M32    | HP24B/H-SEH-2S-M32  | 113 624 520 5004 |
| M40    | HP24B/H-SEH-2S-M40  | 113 624 520 5005 |
| M50    | HP24B/H-SEH-2S-M50  | 113 624 520 5006 |
| PG21   | HP24B/H-SEH-2S-PG21 | 113 624 520 5011 |
| PG29   | HP24B/H-SEH-2S-PG29 | 113 624 520 5012 |
| PG36   | HP24B/H-SEH-2S-PG36 | 113 624 520 5013 |
|        | Toggle locking      |                  |
| M25    | HP24B/H-SEH-2T-M25  | 113 624 540 5003 |
| M32    | HP24B/H-SEH-2T-M32  | 113 624 540 5004 |
| M40    | HP24B/H-SEH-2T-M40  | 113 624 540 5005 |
| M50    | HP24B/H-SEH-2T-M50  | 113 624 540 5006 |
| PG21   | HP24B/H-SEH-2T-PG21 | 113 624 540 5011 |
| PG29   | HP24B/H-SEH-2T-PG29 | 113 624 540 5012 |
| PG36   | HP24B/H-SEH-2T-PG36 | 113 624 540 5013 |



Hoods, top entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
|        | Screw locking       |                  |
| M25    | HP24B/H-TEH-2S-M25  | 113 624 420 5003 |
| M32    | HP24B/H-TEH-2S-M32  | 113 624 420 5004 |
| M40    | HP24B/H-TEH-2S-M40  | 113 624 420 5005 |
| M50    | HP24B/H-TEH-2S-M50  | 113 624 420 5006 |
| PG21   | HP24B/H-TEH-2S-PG21 | 113 624 420 5011 |
| PG29   | HP24B/H-TEH-2S-PG29 | 113 624 420 5012 |
| PG36   | HP24B/H-TEH-2S-PG36 | 113 624 420 5013 |
|        | Toggle locking      |                  |
| M25    | HP24B/H-TEH-2T-M25  | 113 624 440 5003 |
| M32    | HP24B/H-TEH-2T-M32  | 113 624 440 5004 |
| M40    | HP24B/H-TEH-2T-M40  | 113 624 440 5005 |
| M50    | HP24B/H-TEH-2T-M50  | 113 624 440 5006 |
| PG21   | HP24B/H-TEH-2T-PG21 | 113 624 440 5011 |
| PG29   | HP24B/H-TEH-2T-PG29 | 113 624 440 5012 |
| PG36   | HP24B/H-TEH-2T-PG36 | 113 624 440 5013 |



Hoods, top entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
|        | Screw locking      |                  |
| M63    | HP24B/H-TEH-2S-M63 | 113 624 420 5007 |
|        | Toggle locking     |                  |
| M63    | HP24B/H-TEH-2T-M63 | 113 624 440 5007 |



Bulkhead mounted housings



| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
|        | Screw locking     |                  |
| ---    | HP24B/H-BK-2H     | 113 624 320 1001 |
|        | Toggle locking    |                  |
| ---    | HP24B/H-BK-2T     | 113 624 340 1001 |
|        | with metal cover  |                  |
|        | Screw locking     |                  |
| ---    | HP24B/H-BK-2H-MCV | 113 624 360 1001 |
|        | Toggle locking    |                  |
| ---    | HP24B/H-BK-2T-MCV | 113 624 370 1001 |





## 24B Pressure tight hoods/housings

Degree of protection: IP68/IP69K

Remark: SPQ is 1pc


H version

Hoods, side entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M40    | HP24B/H-SEH-2S-1L/C-M40 | 113 624 520 5509 |


Other outlet hole threads available



Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | HP24B/H-BK-2H-2B/C | 113 624 320 1509 |



H

## 24B Pressure tight hoods/housings

Degree of protection: IP68/IP69K


Remark: SPQ is 1pc

H version

Surface mounted housings, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
|        | Screw locking       |                  |
| M25    | HP24B/H-SFH-2H-M25  | 113 624 220 5003 |
| M32    | HP24B/H-SFH-2H-M32  | 113 624 220 5004 |
| M40    | HP24B/H-SFH-2H-M40  | 113 624 220 5005 |
| 2M40   | HP24B/H-SFH-2H-2M40 | 113 624 220 5025 |
| PG21   | HP24B/H-SFH-2H-PG21 | 113 624 220 5011 |
| PG29   | HP24B/H-SFH-2H-PG29 | 113 624 220 5012 |
| PG36   | HP24B/H-SFH-2H-PG36 | 113 624 220 5013 |
|        | Toggle locking      |                  |
| M25    | HP24B/H-SFH-2T-M25  | 113 624 240 5003 |
| M32    | HP24B/H-SFH-2T-M32  | 113 624 240 5004 |
| M40    | HP24B/H-SFH-2T-M40  | 113 624 240 5005 |
| 2M40   | HP24B/H-SFH-2T-2M40 | 113 624 240 5025 |
| PG21   | HP24B/H-SFH-2T-PG21 | 113 624 240 5011 |
| PG29   | HP24B/H-SFH-2T-PG29 | 113 624 240 5012 |
| PG36   | HP24B/H-SFH-2T-PG36 | 113 624 240 5013 |



Surface mounted housings




| Thread | Designation           | Order No.        |
|--------|-----------------------|------------------|
|        | Screw locking         |                  |
| 3M25   | HP24B/H-BK-SE-2H-3M25 | 113 624 920 1036 |
|        | Toggle locking        |                  |
| 3M25   | HP24B/H-BK-SE-2T-3M25 | 113 624 940 1036 |



Protection covers,for housings




| Connect way | Designation    | Order No.        |
|-------------|----------------|------------------|
|             | Screw locking  |                  |
|             | HP24B/H-MCV-2S | 113 624 020 8101 |
|             | Toggle locking |                  |
|             | HP24B/H-MCV-2T | 113 624 040 8103 |



Protection covers,for hoods



| Connect way | Designation      | Order No.        |
|-------------|------------------|------------------|
|             | Screw locking    |                  |
|             | HP24B/H-MCV-2H/1 | 113 624 020 8111 |
|             | Toggle locking   |                  |
|             | HP24B/H-MCV-2T/1 | 113 624 040 8101 |




Protection covers, for housings(IP5X)

Remark: SPQ is 10pcs



| Connect way | Designation  | Order No.        |
|-------------|--------------|------------------|
| ---         | HP24B/H-CV/C | 113 024 900 8001 |



## 24B Pressure tight hoods/housings

Degree of protection: IP68/IP69K

The following hoods/housings comply with the standards for rail transport industry in China.


Remark: SPQ is 1pc

H version

## Hoods, side entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | HP24B/H-SEH-4S-M25  | 113 624 530 5003 |
| M32    | HP24B/H-SEH-4S-M32  | 113 624 530 5004 |
| M40    | HP24B/H-SEH-4S-M40  | 113 624 530 5005 |
| PG21   | HP24B/H-SEH-4S-PG21 | 113 624 530 5011 |
| PG29   | HP24B/H-SEH-4S-PG29 | 113 624 530 5012 |



## Hoods, top entry, high construction




| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | HP24B/H-TEH-4S-M25  | 113 624 430 5003 |
| M32    | HP24B/H-TEH-4S-M32  | 113 624 430 5004 |
| M40    | HP24B/H-TEH-4S-M40  | 113 624 430 5005 |
| M50    | HP24B/H-TEH-4S-M50  | 113 624 430 5006 |
| PG21   | HP24B/H-TEH-4S-PG21 | 113 624 430 5011 |
| PG29   | HP24B/H-TEH-4S-PG29 | 113 624 430 5012 |
| PG36   | HP24B/H-TEH-4S-PG36 | 113 624 430 5013 |



## Hoods, top entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| 3M32   | HP24B/H-TEHH-4S-3M32 | 113 624 430 5037 |



## Hoods, top entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M63    | HP24B/H-TEH-4S-M63 | 113 624 430 5007 |



## Bulkhead mounted housings



| Connect way | Designation   | Order No.        |
|-------------|---------------|------------------|
| ---         | HP24B/H-BK-4H | 113 624 330 1001 |



Remark: 1).When mached the HC650 insert, the size is 45


## 24B Pressure tight hoods/housings

Degree of protection: IP68/IP69K Remark: SPQ is 1pc

## Hoods, side entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M32    | HC24B-SEH-2S-M32  | 114 024 520 5004 |
| M40    | HC24B-SEH-2S-M40  | 114 024 520 5005 |
| PG21   | HC24B-SEH-2S-PG21 | 114 024 520 5011 |
| PG29   | HC24B-SEH-2S-PG29 | 114 024 520 5012 |



## Hoods, side entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HC24B-SEHH-2S-M32  | 130 024 520 1003 |
| M40    | HC24B-SEHH-2S-M40  | 130 024 520 1005 |
| M50    | HC24B-SEHH-2S-M50  | 130 024 520 1001 |
| PG21   | HC24B-SEHH-2S-PG21 | 130 024 520 1007 |
| PG29   | HC24B-SEHH-2S-PG29 | 130 024 520 1009 |



## Hoods, top entry, high construction




| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M32    | HC24B-TEH-2S-M32  | 114 024 420 5004 |
| M40    | HC24B-TEH-2S-M40  | 114 024 420 5005 |
| PG21   | HC24B-TEH-2S-PG21 | 114 024 420 5011 |
| PG29   | HC24B-TEH-2S-PG29 | 114 024 420 5012 |



## Hoods, top entry, high construction




| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| M32    | HC24B-TEHH-2S-M32  | 130 024 420 1003 |
| M40    | HC24B-TEHH-2S-M40  | 130 024 420 1005 |
| M50    | HC24B-TEHH-2S-M50  | 130 024 420 1001 |
| PG21   | HC24B-TEHH-2S-PG21 | 130 024 420 1007 |
| PG29   | HC24B-TEHH-2S-PG29 | 130 024 420 1009 |



## Mounting flange




| Applications            | Designation | Order No.        |
|-------------------------|-------------|------------------|
| for integral type hoods | APT-C       | 114 000 000 1001 |




## Protection covers, plastic

Degree of protection: IP65



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HC24B-CV-2S/2 | 130 024 020 8001 |



## 24B Pressure tight hoods/housings


Degree of protection: IP68/IP69K Remark: SPQ is 1pc

EMC Pressure tight hoods/housings

## Hoods, top entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | EMC.W24B-TEH-4S-M32  | 111 124 430 5012 |
| M32    | EMC.W24B-TEH-4S-M40  | 111 224 430 1005 |
| PG21   | EMC.W24B-TEH-4S-PG21 | 111 224 430 1006 |
| PG29   | EMC.W24B-TEH-4S-PG29 | 111 224 430 1007 |



## Hoods, side entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | EMC.W24B-SEH-4S-M32  | 111 224 530 5002 |
| M32    | EMC.W24B-SEH-4S-M40  | 111 224 530 5003 |
| PG21   | EMC.W24B-SEH-4S-PG21 | 111 224 530 5004 |
| PG29   | EMC.W24B-SEH-4S-PG29 | 111 224 530 5005 |



## Bulkhead mounted housings



| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | EMC.W24B-BK-4H | 111 224 330 1001 |



## 24B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65

Remark: SPQ is 1pc

### Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | HV24B-SE-2B-M25  | 124 024 515 1003 |
| M32    | HV24B-SE-2B-M32  | 124 024 515 1004 |
| PG21   | HV24B-SE-2B-PG21 | 124 024 515 1011 |



### Hoods, side entry, high construction




| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | WV24B-SEH-2B-M32     | 124 124 510 5001 |
| M40    | WV24B-SEH-2B-M40     | 124 124 510 5002 |
| PG21   | WV24B-SEH-2B-PG21    | 124 124 510 5003 |
| PG29   | WV24B-SEH-2B-PG29    | 124 124 510 5004 |
| M32    | WV24B-SEH-2B-M32 WS  | 124 124 515 5004 |
| PG21   | WV24B-SEH-2B-PG21 WS | 124 124 515 5011 |
| PG29   | WV24B-SEH-2B-PG29 WS | 124 124 515 5012 |



### Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | HV24B-TE-2B-M25  | 124 024 415 1003 |
| M32    | HV24B-TE-2B-M32  | 124 024 415 1004 |
| PG21   | HV24B-TE-2B-PG21 | 124 024 415 1011 |



### Hoods, top entry, high construction



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M32    | WV24B-TEH-2B-M32     | 124 124 410 5001 |
| M40    | WV24B-TEH-2B-M40     | 124 124 410 5002 |
| PG21   | WV24B-TEH-2B-PG21    | 124 124 410 5003 |
| PG29   | WV24B-TEH-2B-PG29    | 124 124 410 5004 |
| M32    | WV24B-TEH-2B-M32 WS  | 124 124 415 5004 |
| PG21   | WV24B-TEH-2B-PG21 WS | 124 124 415 5011 |
| PG29   | WV24B-TEH-2B-PG29 WS | 124 124 415 5012 |




### Housings, cable to cable



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | HV24B-CCT-1L/SC-M25  | 124 024 721 1003 |
| PG21   | HV24B-CCT-1L/SC-PG21 | 124 024 721 1011 |

Please refer to page 15-02 for choosing proper model of lock.




### Housings, cable to cable, high construction



| Thread | Designation              | Order No.        |
|--------|--------------------------|------------------|
| M32    | WV24B-CCTH-1L/SC-M32     | 124 124 721 5001 |
| M40    | WV24B-CCTH-1L/SC-M40     | 124 124 721 5002 |
| PG21   | WV24B-CCTH-1L/SC-PG21    | 124 124 721 5003 |
| PG29   | WV24B-CCTH-1L/SC-PG29    | 124 124 721 5004 |
| M32    | WV24B-CCTH-1L/SC-M32 WS  | 124 124 721 5005 |
| PG21   | WV24B-CCTH-1L/SC-PG21 WS | 124 124 721 5011 |
| PG29   | WV24B-CCTH-1L/SC-PG29 WS | 124 124 721 5012 |


Please refer to page 15-02 for choosing proper model of lock.



## 24B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65 Remark: SPQ is 1pc

### Bulkhead mounted housings



| Thread             | Designation        | Order No.        |
|--------------------|--------------------|------------------|
| ---                | HV24B-BK-1L/SC     | 124 024 321 1001 |
| with plastic cover |                    |                  |
| ---                | HV24B-BK-1L/SC-CV  | 124 024 361 1001 |
| with metal cover   |                    |                  |
| ---                | HV24B-BK-1L/SC-MCV | 124 024 361 1101 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | HV24B-SF-1L/SC-M25   | 124 024 221 1003 |
| 2M25   | HV24B-SF-1L/SC-2M25  | 124 024 221 1023 |
| PG21   | HV24B-SF-1L/SC-PG21  | 124 024 221 1011 |
| 2PG21  | HV24B-SF-1L/SC-2PG21 | 124 024 221 1031 |

|                    |                          |                  |
|--------------------|--------------------------|------------------|
| with plastic cover |                          |                  |
| M25                | HV24B-SF-1L/SC-CV-M25    | 124 024 261 1003 |
| 2M25               | HV24B-SF-1L/SC-CV-2M25   | 124 024 261 1023 |
| PG21               | HV24B-SF-1L/SC-CV-PG21   | 124 024 261 1011 |
| 2PG21              | HV24B-SF-1L/SC-CV-2PG21  | 124 024 261 1031 |
| with metal cover   |                          |                  |
| M25                | HV24B-SF-1L/SC-MCV-M25   | 124 024 261 1103 |
| 2M25               | HV24B-SF-1L/SC-MCV-2M25  | 124 024 261 1123 |
| PG21               | HV24B-SF-1L/SC-MCV-PG21  | 124 024 261 1111 |
| 2PG21              | HV24B-SF-1L/SC-MCV-2PG21 | 124 024 261 1131 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings, high construction



| Thread | Designation           | Order No.        |
|--------|-----------------------|------------------|
| M32    | HV24B-SFH-1L/SC-M32   | 124 024 221 5004 |
| 2M32   | HV24B-SFH-1L/SC-2M32  | 124 024 221 5024 |
| PG21   | HV24B-SFH-1L/SC-PG21  | 124 024 221 5011 |
| 2PG21  | HV24B-SFH-1L/SC-2PG21 | 124 024 221 5031 |
| PG29   | HV24B-SFH-1L/SC-PG29  | 124 024 221 5012 |
| 2PG29  | HV24B-SFH-1L/SC-2PG29 | 124 024 221 5032 |

|                    |                           |                  |
|--------------------|---------------------------|------------------|
| with plastic cover |                           |                  |
| M32                | HV24B-SFH-1L/SC-CV-M32    | 124 024 261 5004 |
| 2M32               | HV24B-SFH-1L/SC-CV-2M32   | 124 024 261 5024 |
| PG21               | HV24B-SFH-1L/SC-CV-PG21   | 124 024 261 5011 |
| 2PG21              | HV24B-SFH-1L/SC-CV-2PG21  | 124 024 261 5031 |
| PG29               | HV24B-SFH-1L/SC-CV-PG29   | 124 024 261 5012 |
| 2PG29              | HV24B-SFH-1L/SC-CV-2PG29  | 124 024 261 5032 |
| with metal cover   |                           |                  |
| M32                | HV24B-SFH-1L/SC-MCV-M32   | 124 024 261 5104 |
| 2M32               | HV24B-SFH-1L/SC-MCV-2M32  | 124 024 261 5124 |
| PG21               | HV24B-SFH-1L/SC-MCV-PG21  | 124 024 261 5111 |
| 2PG21              | HV24B-SFH-1L/SC-MCV-2PG21 | 124 024 261 5131 |
| PG29               | HV24B-SFH-1L/SC-MCV-PG29  | 124 024 261 5112 |
| 2PG29              | HV24B-SFH-1L/SC-MCV-2PG29 | 124 024 261 5132 |

Please refer to page 15-02 for choosing proper model of lock.




24B Metal hoods/housings  
- for high voltage inserts(HVE Series)

Degree of protection: IP65    Remark: SPQ is 1pc

Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | HV24B-SE-4B-M25  | 124 024 530 1003 |
| M32    | HV24B-SE-4B-M32  | 124 024 530 1004 |
| PG21   | HV24B-SE-4B-PG21 | 124 024 530 1011 |



Hoods, side entry, high construction




| Thread | Designation                          | Order No.        |
|--------|--------------------------------------|------------------|
| M32    | WV24B-SEH-4B-M32                     | 124 124 530 5001 |
| M40    | WV24B-SEH-4B-M40                     | 124 124 530 5002 |
| PG21   | WV24B-SEH-4B-PG21                    | 124 124 530 5003 |
| PG29   | WV24B-SEH-4B-PG29                    | 124 124 530 5004 |
|        | with sleeve                          |                  |
| M32    | WV24B-SEH-4B-M32 <a href="#">WS</a>  | 124 124 530 5007 |
| PG21   | WV24B-SEH-4B-PG21 <a href="#">WS</a> | 124 124 530 5011 |
| PG29   | WV24B-SEH-4B-PG29 <a href="#">WS</a> | 124 124 530 5012 |



Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | HV24B-TE-4B-M25  | 124 024 430 1003 |
| M32    | HV24B-TE-4B-M32  | 124 024 430 1004 |
| PG21   | HV24B-TE-4B-PG21 | 124 024 430 1011 |



Hoods, top entry, high construction



| Thread | Designation                          | Order No.        |
|--------|--------------------------------------|------------------|
| M32    | WV24B-TEH-4B-M32                     | 124 124 430 5001 |
| M40    | WV24B-TEH-4B-M40                     | 124 124 430 5002 |
| PG21   | WV24B-TEH-4B-PG21                    | 124 124 430 5003 |
| PG29   | WV24B-TEH-4B-PG29                    | 124 124 430 5004 |
|        | with sleeve                          |                  |
| M32    | WV24B-TEH-4B-M32 <a href="#">WS</a>  | 124 124 430 5008 |
| PG21   | WV24B-TEH-4B-PG21 <a href="#">WS</a> | 124 124 430 5011 |
| PG29   | WV24B-TEH-4B-PG29 <a href="#">WS</a> | 124 124 430 5012 |





## 24B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65 Remark: SPQ is 1pc

### Bulkhead mounted housings



| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | HV24B-BK-2L/SC | 124 024 341 1001 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | HV24B-SF-2L/SC-M25   | 124 024 241 1003 |
| 2M25   | HV24B-SF-2L/SC-2M25  | 124 024 241 1023 |
| PG21   | HV24B-SF-2L/SC-PG21  | 124 024 241 1011 |
| 2PG21  | HV24B-SF-2L/SC-2PG21 | 124 024 241 1031 |

Please refer to page 15-02 for choosing proper model of lock.




### Surface mounted housings, high construction



| Thread | Designation           | Order No.        |
|--------|-----------------------|------------------|
| M32    | HV24B-SFH-2L/SC-M32   | 124 024 241 5004 |
| 2M32   | HV24B-SFH-2L/SC-2M32  | 124 024 241 5024 |
| PG21   | HV24B-SFH-2L/SC-PG21  | 124 024 241 5011 |
| 2PG21  | HV24B-SFH-2L/SC-2PG21 | 124 024 241 5031 |
| PG29   | HV24B-SFH-2L/SC-PG29  | 124 024 241 5012 |
| 2PG29  | HV24B-SFH-2L/SC-2PG29 | 124 024 241 5032 |

Please refer to page 15-02 for choosing proper model of lock.




### Housings, cable to cable



| Thread | Designation          | Order No.        |
|--------|----------------------|------------------|
| M25    | HV24B-CCT-2L/SC-M25  | 124 024 741 1003 |
| PG21   | HV24B-CCT-2L/SC-PG21 | 124 024 741 1011 |

Please refer to page 15-02 for choosing proper model of lock.



24B Metal hoods/housings  
- for high voltage inserts(HVE Series)


Degree of protection: IP65    Remark: SPQ is 1pc

Housings, cable to cable, high construction



| Thread | Designation              | Order No.        |
|--------|--------------------------|------------------|
| M32    | WV24B-CCTH-2L/SC-M32     | 124 124 741 5001 |
| M40    | WV24B-CCTH-2L/SC-M40     | 124 124 741 5002 |
| PG21   | WV24B-CCTH-2L/SC-PG21    | 124 124 741 5003 |
| PG29   | WV24B-CCTH-2L/SC-PG29    | 124 124 741 5004 |
|        | with sleeve              |                  |
| M32    | WV24B-CCTH-2L/SC-M32 WS  | 124 124 741 5005 |
| PG21   | WV24B-CCTH-2L/SC-PG21 WS | 124 124 741 5011 |
| PG29   | WV24B-CCTH-2L/SC-PG29 WS | 124 124 741 5012 |

Please refer to page 15-02 for choosing proper model of lock.




Protection covers, plastic

H



Remark: SPQ is 10pcs

| Connect way | Applications | Designation | Order No.        |
|-------------|--------------|-------------|------------------|
| ---         | for hoods    | H24B-CV-4C  | 111 024 090 8009 |




Protection covers, plastic



Remark: SPQ is 10pcs

| Connect way | Applications                                       | Designation  | Order No.        |
|-------------|----------------------------------------------------|--------------|------------------|
|             | for Housings, cable to cable                       | H24B-CV-4B/1 | 111 024 030 8001 |
|             | for Housings, bulkhead mounting / surface mounting | H24B-CV-4B/2 | 111 024 030 8002 |



## 24B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65 **Remark: SPQ is 1pc**

### Hoods, side entry



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | HV24B-SE-2L/SC-M25  | 124 024 541 1003 |
| M32    | HV24B-SE-2L/SC-M32  | 124 024 541 1004 |
| PG21   | HV24B-SE-2L/SC-PG21 | 124 024 541 1011 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, side entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | WV24B-SEH-2L/SC-M32     | 124 124 541 5001 |
| M40    | WV24B-SEH-2L/SC-M40     | 124 124 541 5002 |
| PG21   | WV24B-SEH-2L/SC-PG21    | 124 124 541 5003 |
| PG29   | WV24B-SEH-2L/SC-PG29    | 124 124 541 5004 |
|        | with sleeve             |                  |
| M32    | WV24B-SEH-2L/SC-M32 WS  | 124 124 541 5005 |
| PG21   | WV24B-SEH-2L/SC-PG21 WS | 124 124 541 5011 |
| PG29   | WV24B-SEH-2L/SC-PG29 WS | 124 124 541 5012 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, top entry



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | HV24B-TE-2L/SC-M25  | 124 024 441 1003 |
| PG21   | HV24B-TE-2L/SC-PG21 | 124 024 441 1011 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, top entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | WV24B-TEH-2L/SC-M32     | 124 124 441 5001 |
| M40    | WV24B-TEH-2L/SC-M40     | 124 124 441 5002 |
| PG21   | WV24B-TEH-2L/SC-PG21    | 124 124 441 5003 |
| PG29   | WV24B-TEH-2L/SC-PG29    | 124 124 441 5004 |
|        | with sleeve             |                  |
| M32    | WV24B-TEH-2L/SC-M32 WS  | 124 124 441 5005 |
| PG21   | WV24B-TEH-2L/SC-PG21 WS | 124 124 441 5011 |
| PG29   | WV24B-TEH-2L/SC-PG29 WS | 124 124 441 5012 |


Please refer to page 15-02 for choosing proper model of lock.



### Bulkhead mounted housings



| Thread | Designation        | Order No.        |
|--------|--------------------|------------------|
| ---    | HV24B-BK-4B        | 124 024 330 1001 |
|        | with plastic cover |                  |
| ---    | HV24B-BK-4B-CV     | 124 024 370 1001 |
|        | with metal cover   |                  |
| ---    | HV24B-BK-4B-MCV    | 124 024 370 1101 |




## 24B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP65 Remark: SPQ is 1pc

### Surface mounted housings




| Thread             | Designation           | Order No.        |
|--------------------|-----------------------|------------------|
| M25                | HV24B-SF-4B-M25       | 124 024 230 1003 |
| 2M25               | HV24B-SF-4B-2M25      | 124 024 230 1023 |
| PG21               | HV24B-SF-4B-PG21      | 124 024 230 1011 |
| 2PG21              | HV24B-SF-4B-2PG21     | 124 024 230 1031 |
| with plastic cover |                       |                  |
| M25                | HV24B-SF-4B-CV-M25    | 124 024 270 1003 |
| 2M25               | HV24B-SF-4B-CV-2M25   | 124 024 270 1023 |
| PG21               | HV24B-SF-4B-CV-PG21   | 124 024 270 1011 |
| 2PG21              | HV24B-SF-4B-CV-2PG21  | 124 024 270 1031 |
| with metal cover   |                       |                  |
| M25                | HV24B-SF-4B-MCV-M25   | 124 024 270 1103 |
| 2M25               | HV24B-SF-4B-MCV-2M25  | 124 024 270 1123 |
| PG21               | HV24B-SF-4B-MCV-PG21  | 124 024 270 1111 |
| 2PG21              | HV24B-SF-4B-MCV-2PG21 | 124 024 270 1131 |



### Surface mounted housings, high construction




| Thread             | Designation            | Order No.        |
|--------------------|------------------------|------------------|
| M32                | HV24B-SFH-4B-M32       | 124 024 230 5004 |
| 2M32               | HV24B-SFH-4B-2M32      | 124 024 230 5024 |
| PG21               | HV24B-SFH-4B-PG21      | 124 024 230 5011 |
| 2PG21              | HV24B-SFH-4B-2PG21     | 124 024 230 5031 |
| PG29               | HV24B-SFH-4B-PG29      | 124 024 230 5012 |
| 2PG29              | HV24B-SFH-4B-2PG29     | 124 024 230 5032 |
| with plastic cover |                        |                  |
| M32                | HV24B-SFH-4B-CV-M32    | 124 024 270 5004 |
| 2M32               | HV24B-SFH-4B-CV-2M32   | 124 024 270 5024 |
| PG21               | HV24B-SFH-4B-CV-PG21   | 124 024 270 5011 |
| 2PG21              | HV24B-SFH-4B-CV-2PG21  | 124 024 270 5031 |
| PG29               | HV24B-SFH-4B-CV-PG29   | 124 024 270 5012 |
| 2PG29              | HV24B-SFH-4B-CV-2PG29  | 124 024 270 5032 |
| with metal cover   |                        |                  |
| M32                | HV24B-SFH-4B-MCV-M32   | 124 024 270 5104 |
| 2M32               | HV24B-SFH-4B-MCV-2M32  | 124 024 270 5124 |
| PG21               | HV24B-SFH-4B-MCV-PG21  | 124 024 270 5111 |
| 2PG21              | HV24B-SFH-4B-MCV-2PG21 | 124 024 270 5131 |
| PG29               | HV24B-SFH-4B-MCV-PG29  | 124 024 270 5112 |
| 2PG29              | HV24B-SFH-4B-MCV-2PG29 | 124 024 270 5132 |



### Protection covers, metal




| Connect way | Applications                  | Designation    | Order No.        |
|-------------|-------------------------------|----------------|------------------|
|             | for hoods                     | H24B-MCV-4B/1S | 111 024 030 8103 |
|             | for housings, without sealing | H24B-MCV-4B/2  | 111 024 030 8102 |



### Protection covers, metal



| Connect way | Applications | Designation       | Order No.        |
|-------------|--------------|-------------------|------------------|
|             | for hoods    | H24B-MCV-2L/SC.1S | 111 024 041 8101 |
|             | or housings  | H24B-MCV-2L/SC.2  | 111 024 041 8102 |



Please refer to page 15-02 for choosing proper model of lock.

## 24B Metal hoods/housings


### - for high voltage inserts(HVE Series)

Degree of protection: IP65 Remark: SPQ is 1pc

#### Hoods, side entry, high construction




| Thread | Designation            | Order No.        |
|--------|------------------------|------------------|
| M32    | WV24B-SEH-1L/C-M32     | 124 124 550 5001 |
| PG29   | WV24B-SEH-1L/C-PG29    | 124 124 550 5002 |
|        | with sleeve            |                  |
| M32    | WV24B-SEH-1L/C-M32 WS  | 124 124 555 5004 |
| PG21   | WV24B-SEH-1L/C-PG21 WS | 124 124 550 5003 |
| PG29   | WV24B-SEH-1L/C-PG29 WS | 124 124 555 5012 |



#### Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HV24B-BK-2B/C | 124 024 355 1001 |




HV24B Metal hoods/housings  
- for high voltage inserts(HVE Series)

Degree of protection: IP65    Remark: SPQ is 1pc

Hoods, side entry, high construction




| Thread | Designation                            | Order No.        |
|--------|----------------------------------------|------------------|
| M32    | WV24B-SEH-1L/B-M32                     | 124 124 529 5001 |
| PG29   | WV24B-SEH-1L/B-PG29                    | 124 124 529 5002 |
|        | with sleeve                            |                  |
| M32    | WV24B-SEH-1L/B-M32 <a href="#">WS</a>  | 124 124 525 5004 |
| PG21   | WV24B-SEH-1L/B-PG21 <a href="#">WS</a> | 124 124 525 5013 |
| PG29   | WV24B-SEH-1L/B-PG29 <a href="#">WS</a> | 124 124 525 5012 |



Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | HV24B-BK-2B/B | 124 024 315 1001 |




# HV24B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP67      Remark: SPQ is 1pc

## Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | WV24B-SE-2B-M25  | 124 124 510 1001 |
| M32    | WV24B-SE-2B-M32  | 124 124 510 1002 |
| PG21   | WV24B-SE-2B-PG21 | 124 124 510 1003 |



## Hoods, side entry, high construction




| Thread | Designation                          | Order No.        |
|--------|--------------------------------------|------------------|
| M32    | WV24B-SEH-2B-M32                     | 124 124 510 5001 |
| M40    | WV24B-SEH-2B-M40                     | 124 124 510 5002 |
| PG21   | WV24B-SEH-2B-PG21                    | 124 124 510 5003 |
| PG29   | WV24B-SEH-2B-PG29                    | 124 124 510 5004 |
|        | with sleeve                          |                  |
| M32    | WV24B-SEH-2B-M32 <a href="#">WS</a>  | 124 124 515 5004 |
| PG21   | WV24B-SEH-2B-PG21 <a href="#">WS</a> | 124 124 515 5011 |
| PG29   | WV24B-SEH-2B-PG29 <a href="#">WS</a> | 124 124 515 5012 |



## Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | WV24B-TE-2B-M25  | 124 124 410 1001 |
| M32    | WV24B-TE-2B-M32  | 124 124 410 1002 |
| PG21   | WV24B-TE-2B-PG21 | 124 124 410 1003 |



## Hoods, top entry, high construction



| Thread | Designation                          | Order No.        |
|--------|--------------------------------------|------------------|
| M32    | WV24B-TEH-2B-M32                     | 124 124 410 5001 |
| M40    | WV24B-TEH-2B-M40                     | 124 124 410 5002 |
| PG21   | WV24B-TEH-2B-PG21                    | 124 124 410 5003 |
| PG29   | WV24B-TEH-2B-PG29                    | 124 124 410 5004 |
|        | with sleeve                          |                  |
| M32    | WV24B-TEH-2B-M32 <a href="#">WS</a>  | 124 124 415 5004 |
| PG21   | WV24B-TEH-2B-PG21 <a href="#">WS</a> | 124 124 415 5011 |
| PG29   | WV24B-TEH-2B-PG29 <a href="#">WS</a> | 124 124 415 5012 |








## 24B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP67 Remark: SPQ is 1pc

### Hoods, side entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | WV24B-SE-4B-M25  | 124 124 530 1001 |
| M32    | WV24B-SE-4B-M32  | 124 124 530 1002 |
| PG21   | WV24B-SE-4B-PG21 | 124 124 530 1003 |



### Hoods, side entry, high construction



| Thread | Designation                                            | Order No.        |
|--------|--------------------------------------------------------|------------------|
| M32    | WV24B-SEH-4B-M32                                       | 124 124 530 5001 |
| M40    | WV24B-SEH-4B-M40                                       | 124 124 530 5002 |
| PG21   | WV24B-SEH-4B-PG21                                      | 124 124 530 5003 |
| PG29   | WV24B-SEH-4B-PG29                                      | 124 124 530 5004 |
|        | with sleeve                                            |                  |
| M32    | WV24B-SEH-4B-M32 <span style="color: blue;">WS</span>  | 124 124 530 5007 |
| PG21   | WV24B-SEH-4B-PG21 <span style="color: blue;">WS</span> | 124 124 530 5011 |
| PG29   | WV24B-SEH-4B-PG29 <span style="color: blue;">WS</span> | 124 124 530 5012 |




### Hoods, side entry, high construction



| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M50    | WV24B-SEH-4B-M50  | 124 124 530 5005 |
| PG36   | WV24B-SEH-4B-PG36 | 124 124 530 5006 |


Suitable for cable with maximum OD  $\Phi$ 32mm



### Hoods, top entry




| Thread | Designation      | Order No.        |
|--------|------------------|------------------|
| M25    | WV24B-TE-4B-M25  | 124 124 430 1001 |
| M32    | WV24B-TE-4B-M32  | 124 124 430 1002 |
| PG21   | WV24B-TE-4B-PG21 | 124 124 430 1003 |



### Hoods, top entry, high construction



| Thread | Designation                                            | Order No.        |
|--------|--------------------------------------------------------|------------------|
| M32    | WV24B-TEH-4B-M32                                       | 124 124 430 5001 |
| M40    | WV24B-TEH-4B-M40                                       | 124 124 430 5002 |
| PG21   | WV24B-TEH-4B-PG21                                      | 124 124 430 5003 |
| PG29   | WV24B-TEH-4B-PG29                                      | 124 124 430 5004 |
|        | with sleeve                                            |                  |
| M32    | WV24B-TEH-4B-M32 <span style="color: blue;">WS</span>  | 124 124 430 5008 |
| PG21   | WV24B-TEH-4B-PG21 <span style="color: blue;">WS</span> | 124 124 430 5011 |
| PG29   | WV24B-TEH-4B-PG29 <span style="color: blue;">WS</span> | 124 124 430 5012 |




### Hoods, top entry, high construction



| Thread | Designation       | Order No.        |
|--------|-------------------|------------------|
| M50    | WV24B-TEH-4B-M50  | 124 124 430 5005 |
| PG36   | WV24B-TEH-4B-PG36 | 124 124 430 5006 |

Suitable for cable with maximum OD  $\Phi$ 32mm



24B Metal hoods/housings  
- for high voltage inserts(HVE Series)


Degree of protection: IP67      Remark: SPQ is 1pc

Bulkhead mounted housings



| Thread | Designation    | Order No.        |
|--------|----------------|------------------|
| ---    | WV24B-BK-2L/SC | 124 124 341 1101 |

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable



| Thread | Designation           | Order No.        |
|--------|-----------------------|------------------|
| M25    | WV24B-CCTH-2L/SC-M25  | 124 124 741 1001 |
| PG21   | WV24B-CCTH-2L/SC-PG21 | 124 124 741 1002 |

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



| Thread | Designation              | Order No.        |
|--------|--------------------------|------------------|
| M32    | WV24B-CCTH-2L/SC-M32     | 124 124 741 5001 |
| M40    | WV24B-CCTH-2L/SC-M40     | 124 124 741 5002 |
| PG21   | WV24B-CCTH-2L/SC-PG21    | 124 124 741 5003 |
| PG29   | WV24B-CCTH-2L/SC-PG29    | 124 124 741 5004 |
|        | with sleeve              |                  |
| M32    | WV24B-CCTH-2L/SC-M32 WS  | 124 124 741 5005 |
| PG21   | WV24B-CCTH-2L/SC-PG21 WS | 124 124 741 5011 |
| PG29   | WV24B-CCTH-2L/SC-PG29 WS | 124 124 741 5012 |

Please refer to page 15-02 for choosing proper model of lock.



## 24B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP67 Remark: SPQ is 1pc

### Hoods, side entry



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | WV24B-SE-2L/SC-M25  | 124 124 541 1001 |
| M32    | WV24B-SE-2L/SC-M32  | 124 124 541 1002 |
| PG21   | WV24B-SE-2L/SC-PG21 | 124 124 541 1003 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, side entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | WV24B-SEH-2L/SC-M32     | 124 124 541 5001 |
| M40    | WV24B-SEH-2L/SC-M40     | 124 124 541 5002 |
| PG21   | WV24B-SEH-2L/SC-PG21    | 124 124 541 5003 |
| PG29   | WV24B-SEH-2L/SC-PG29    | 124 124 541 5004 |
|        | with sleeve             |                  |
| M32    | WV24B-SEH-2L/SC-M32 WS  | 124 124 541 5005 |
| PG21   | WV24B-SEH-2L/SC-PG21 WS | 124 124 541 5011 |
| PG29   | WV24B-SEH-2L/SC-PG29 WS | 124 124 541 5012 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, top entry



| Thread | Designation         | Order No.        |
|--------|---------------------|------------------|
| M25    | WV24B-TE-2L/SC-M25  | 124 124 441 1001 |
| PG21   | WV24B-TE-2L/SC-PG21 | 124 124 441 1002 |

Please refer to page 15-02 for choosing proper model of lock.




### Hoods, top entry, high construction



| Thread | Designation             | Order No.        |
|--------|-------------------------|------------------|
| M32    | WV24B-TEH-2L/SC-M32     | 124 124 441 5001 |
| M40    | WV24B-TEH-2L/SC-M40     | 124 124 441 5002 |
| PG21   | WV24B-TEH-2L/SC-PG21    | 124 124 441 5003 |
| PG29   | WV24B-TEH-2L/SC-PG29    | 124 124 441 5004 |
|        | with sleeve             |                  |
| M32    | WV24B-TEH-2L/SC-M32 WS  | 124 124 441 5005 |
| PG21   | WV24B-TEH-2L/SC-PG21 WS | 124 124 441 5011 |
| PG29   | WV24B-TEH-2L/SC-PG29 WS | 124 124 441 5012 |


Please refer to page 15-02 for choosing proper model of lock.



### Bulkhead mounted housings



| Thread | Designation | Order No.        |
|--------|-------------|------------------|
| ---    | WV24B-BK-4B | 124 124 330 1101 |




24B Metal hoods/housings  
- for high voltage inserts(HVE Series)

Degree of protection: IP67      Remark: SPQ is 1pc

Hoods, side entry, high construction




| Thread | Designation                            | Order No.        |
|--------|----------------------------------------|------------------|
| M32    | WV24B-SEH-1L/C-M32                     | 124 124 550 5001 |
| PG29   | WV24B-SEH-1L/C-PG29                    | 124 124 550 5002 |
|        | with sleeve                            |                  |
| M32    | WV24B-SEH-1L/C-M32 <a href="#">WS</a>  | 124 124 555 5004 |
| PG21   | WV24B-SEH-1L/C-PG21 <a href="#">WS</a> | 124 124 550 5003 |
| PG29   | WV24B-SEH-1L/C-PG29 <a href="#">WS</a> | 124 124 555 5012 |



Bulkhead mounted housings



| Thread | Designation   | Order No.        |
|--------|---------------|------------------|
| ---    | WV24B-BK-2B/C | 124 124 350 1101 |



24B Metal hoods/housings  
- for high voltage inserts(HVE Series)

Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry, high construction



| Thread | Designation                                                 | Order No.        |
|--------|-------------------------------------------------------------|------------------|
| M32    | WV24B-SEH-1L/B-M32                                          | 124 124 529 5001 |
| PG29   | WV24B-SEH-1L/B-PG29                                         | 124 124 529 5002 |
|        | with sleeve                                                 |                  |
| M32    | WV24B-SEH-1L/B-M32 <span style="color: #00AEEF;">WS</span>  | 124 124 525 5004 |
| PG21   | WV24B-SEH-1L/B-PG21 <span style="color: #00AEEF;">WS</span> | 124 124 525 5013 |
| PG29   | WV24B-SEH-1L/B-PG29 <span style="color: #00AEEF;">WS</span> | 124 124 525 5012 |

