

Hood&Housing

H



サイズ
6B 10B
16B 24B

Rectangular connector-Hoods/Housings Contents

Size	Type	Page
3A	Hoods/Housings(Plastic,Standard,EMC,Corrosion Resistance)	P15-06~P15-16.1
10A	Metal Hoods/Housings	P15-17~P15-18.1
16A	Metal Hoods/Housings	P15-19~P15-20
32A	Metal Hoods/Housings	P15-21~P15-24
6B	Hoods/Housings(Plastic,Metal,Corrosion Resistance)	P15-25~ P15-38.2
10B	Hoods/Housings(Plastic,Metal,suitable for harsh environment,Corrosion Resistance,Pressure Tight)	P15-39~P15-69
16B	Hoods/Housings(Plastic,Metal,suitable for harsh environment,EMC,Corrosion Resistance,Pressure Tight)	P15-70~P15-107.1
24B	Hoods/Housings(Plastic,Metal,suitable for harsh environment,Corrosion Resistance,Pressure Tight)	P15-108~P15-150
32B	Hoods/Housings(Metal,Pressure Tight)	P~P15-159
48B	Hoods/Housings(Metal,Pressure Tight)	P15-160~P15-162
HC	Metal Hoods/Housings	P15-163~P15-168
Thickned seal part	(H series BK housing)	P15-169~P15-170

Levers for option

	Identify	Main material	Description	Designation Example
	L/SC	Stainless steel+TPR	high-strength locking, device with rubber cover, Suitable for harsh environment (anti-corrosion)	H24B-SF-1L/SC-M25
	L/PSE	PC+Stainless steel	removable locking device, suitable for general industrial environment	H24B-SF-1L/PSE-M25

Rectangular connector-Hoods/Housings Contents

the examples of products

	identify	The definition of Corrosion Class, on the basis of ISO12944	The neutral salt spray test ISO7253 /h	The examples of typical environments in temperate climates (for reference only)	models examples
	/480	C3 High	480	The urban and industrial atmospheres, moderate sulfur dioxide pollution, and low salinity coastal areas	W10B-TEH-4B-M32/480
	/720	C4 High	720	The industrial and coastal areas with moderate salinity	W10B-TEH-4B-M32/720
	/1440	C5 High	1440	The industrial areas with high humidity and harsh atmosphere and coastal areas with high salinity	W10B-TEH-4B-M32/1440

*The metal casings such as the housing and the base of the connector can be corrosive to different degrees. The models in the table are only for the purpose of making the product model naming rules clearer for customers. More models are welcome to consult.


Dear customer:

Thank you very much for your continued trust in our products and your support for our company.

During the course of development, WAIN has always been trying to improve and enrich its products. To meet the customer's need for connectors between IP65 and IP68, we develop brand-new IP67 metal shells. Affected models include 6B、10B、16B、24B、32B、32A (3A、10A、16A and 48B are not included at present) . These new shells can endure harsher environments especially outdoor operating environments, such as tower crane infrastructure、road construction、construction vehicles、outdoor cabinets、mining machinery and so on.

IP67 shells are named W series products, their designations begin with the letter " W ", such as W6B、W10B、W16B、W24B、W32B、W32A. We redesign the appearance、seal flatness and manufacturing technique, while the size remains the same. W series products are compatible with H series products, as well as all standard inserts、modular frames、cable glands and so on.


The differences between W series products and H series products (take 24B for example):



While promoting the W series products, the present H series products are also continued to be supplied, in other words we will supply IP65、IP67、IP68、IP69K products at the same time. (For specific technical parameters of W series products, please kindly refer to our catalogue). Through redesigning these shells, we wish to demonstrate WAIN's innovative spirit and the ability of independent development. We appreciate your understanding and support in this matter, and we hope that you will like our redesigned shells. We will offer more products and innovations continuously.

Should you have any questions, please do not hesitate to contact us.

Illustration for IP65 or IP67 under different matches between W series shells and H series metal shells
(take high construction hood+ bulkhead mounted housing for example)



*For the definition and requirements of IP grade, please kindly refer to IEC 60529-2013

Technical characteristics

Size 3A Plastic Hoods & Housings IP65	
Material	polycarbonate
Colour	light grey (RAL 7032)
	black (RAL 9005)
Locking element	
-Lever type	plastic elastic pressing
-Material	polyamide
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	IP65

Size 3A Metal Hoods & Housings IP65	
Material	zinc die-cast
Colour	grey
Locking element	
-Lever type	metal elastic pressing
-Material	metal galvanized/ nickel plating
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	IP65

3A Pressure tight Hoods & Housings IP68/IP69k	
Surface	Epoxy powder coating
Material	zinc die-cast
Colour	black or grey
Locking element	
-Lever type	screw locking
-Material	stainless steel
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	IP68/IP69K

EMC Electromagnetic Compatibility Hoods & Housings IP65	
Material	zinc die-cast(3A)
	aluminium die-cast(Type B)
Surface	electrical conductive
Locking element	
-Lever type	metal elastic pressing/screw locking
-Material	see15-02
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	H version IP65 / W version IP67

HC Metal Hoods & Housings IP65	
Surface	Epoxy powder coating/nickeling
Colour	zinc die-cast
Locking element	black/brushed nickel
Locking element	
-Lever type	metal elastic pressing
-Material	stainless steel
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	IP65

Plastic Hoods & Housings IP65	
Material	polyamide
Colour	RAL 9005 (black)
Locking element	
-Lever type	plastic elastic pressing
-Material	polyamide
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	IP65

Metal Hoods & Housings IP65	
Material	aluminium die-cast
Colour	grey
Locking element	
-Lever type	metal elastic pressing
-Material	see P15-02
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	H version IP65 / W version IP67

Hoods/Housings for higher environmental requirements IP65	
Material	zinc die-cast(3A), aluminium die-cast,
Colour	RAL 9005 (black)
Surface- Top coat	epoxy powder paint
Locking element	
-Lever type	metal elastic pressing
-Material	stainless steel
Hoods/Housings seal	FPM
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	H version IP65 / W version IP67

Pressure tight Hoods & Housings IP68/IP69k	
Material	aluminium die-cast, corrosion resistant
Colour	black or grey
Locking element	
-Lever type	screw locking
-Material	stainless steel
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	IP68/IP69K

HC Plastic Hoods & Housings IP65	
Material	polycarbonate
Colour	RAL 9005 (black)
Locking element	
-Lever type	plastic elastic pressing
-Material	polyamide
Hoods/Housings seal	NBR
Limiting temperatures	-40...+125°C
Flammability acc. to UL 94	V0
Degree of protection acc.to DIN EN	
60 529 for coupled connector	IP65


6B Plastic hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	H6B.P-SEH-4B-M25	117 006 530 5003
M32	H6B.P-SEH-4B-M32	117 006 530 5004



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	H6B.P-TEH-4B-M25	117 006 430 5003
M32	H6B.P-TEH-4B-M32	117 006 430 5004



Bulkhead mounted housings




Thread	Designation	Order No.
---	H6B.P-BK-2L	117 006 347 1001



Surface mounted housings, high construction




Thread	Designation	Order No.
M25	H6B.P-SFH-2L-M25	117 006 247 5003
2M25	H6B.P-SFH-2L-2M25	117 006 247 5023
M32	H6B.P-SFH-2L-M32	117 006 247 5004
2M32	H6B.P-SFH-2L-2M32	117 006 247 5024



Protection covers, for housings




Connect way	Designation	Order No.
---	H6B.P-CV-4B/2	117 006 030 8002



Protection covers, for hoods



Connect way	Designation	Order No.
---	H6B.P-CV-2L/1	117 006 047 8001



Degree of protection: IP65


Remark: SPQ is 1pc



Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	H6B.P-CCTH-2L-M25	117 006 747 5501
M32	H6B.P-CCTH-2L-M32	117 006 747 5500



6B Modular type plastic hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Only applicable to HM module Number of modules: 3

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	HM6B.P-TEH-4B-M25	129 006 437 1500
M32	HM6B.P-TEH-4B-M32	129 006 430 1500



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	HM6B.P-SEH-4B-M25	129 006 537 1500
M32	HM6B.P-SEH-4B-M32	129 006 530 1500



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	HM6B.P-TEH-2L-M25	129 006 447 1501
M32	HM6B.P-TEH-2L-M32	129 006 447 1500



Hoods, side entry, high construction



Thread	Designation	Order No.
M25	HM6B.P-SEH-2L-M25	129 006 547 1501
M32	HM6B.P-SEH-2L-M32	129 006 547 1500




6B Modular type plastic hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc Only applicable to HM module Number of modules: 3

Bulkhead mounted housings




Thread	Designation	Order No.
---	HM6B.P-BK-2L	129 006 347 1500



Bulkhead mounted housings




Thread	Designation	Order No.
---	HM6B.P-BK-4B	129 006 337 1500



Protection covers, for housings




Connect way	Designation	Order No.
---	HM6B.P-CV-4B/2	129 106 000 8500



Protection covers, for hoods



Connect way	Designation	Order No.
---	HM6B.P-CV-2L/1	129 006 047 8500




6B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	H6B-SE-2B-M20	111 006 510 1002
M25	H6B-SE-2B-M25	111 006 510 1003
PG13.5	H6B-SE-2B-PG13.5	111 006 510 1009
PG16	H6B-SE-2B-PG16	111 006 510 1010



Hoods, side entry ,high construction




Thread	Designation	Order No.
---	W6B-BEH-2B	111 106 910 5001
M25	W6B-SEH-2B-M25	111 106 510 5001
M32	W6B-SEH-2B-M32	111 106 510 5002
PG21	W6B-SEH-2B-PG21	111 106 510 5003
PG29	W6B-SEH-2B-PG29	111 106 510 5004



Hoods, top entry




Thread	Designation	Order No.
M20	H6B-TE-2B-M20	111 006 410 1002
M25	H6B-TE-2B-M25	111 006 410 1003
PG13.5	H6B-TE-2B-PG13.5	111 006 410 1009
PG16	H6B-TE-2B-PG16	111 006 410 1010



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W6B-BEH-2B	111 106 910 5001
M25	W6B-TEH-2B-M25	111 106 410 5001
M32	W6B-TEH-2B-M32	111 106 410 5002
PG21	W6B-TEH-2B-PG21	111 106 410 5003
PG29	W6B-TEH-2B-PG29	111 106 410 5004




Housings, cable to cable



Thread	Designation	Order No.
M20	H6B-CCT-1L/SC-M20	111 006 721 1002
M25	H6B-CCT-1L/SC-M25	111 006 721 1001
PG13.5	H6B-CCT-1L/SC-PG13.5	111 006 721 1009
PG16	H6B-CCT-1L/SC-PG16	111 006 721 1010

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable ,high construction



Thread	Designation	Order No.
M25	W6B-CCTH-1L/SC-M25	111 106 721 5001
M32	W6B-CCTH-1L/SC-M32	111 106 721 5002
PG21	W6B-CCTH-1L/SC-PG21	111 106 721 5003
PG29	W6B-CCTH-1L/SC-PG29	111 106 721 5004

Please refer to page 15-02 for choosing proper model of lock.



6B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Housings, cable to cable ,high construction, Under-shell through-board installation



Thread	Designation	Order No.
M25	W6B-CCTH/BK-1L/SC-M25	111 106 721 5510
M32	W6B-CCTH/BK-1L/SC-M32	111 106 721 5505
PG21	W6B-CCTH/BK-1L/SC-PG21	111 106 721 5511
PG29	W6B-CCTH/BK-1L/SC-PG29	111 106 721 5512

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead mounted housings



Thread	Designation	Order No.
---	H6B-BK-1L/SC	111 006 321 1001
---	with plastic cover	
---	H6B-BK-1L/SC-CV	111 006 361 1001
---	with metal cover	
---	H6B-BK-1L/SC-MCV	111 006 361 1101


Please refer to page 15-02 for choosing proper model of lock.



BK hole cover plate



Thread	Designation	Order No.
---	6B-BK/MCV	111 006 300 8001



6B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Surface mounted housings

Structure 1



Structure 2



Thread	Designation	Order No.
M20	H6B-SF-1L/SC-M20	111 006 221 1002
2M20	H6B-SF-1L/SC-2M20	111 006 221 1022
M25	H6B-SF-1L/SC-M25 ¹⁾	111 006 221 1003
2M25	H6B-SF-1L/SC-2M25 ¹⁾	111 006 221 1023
PG16	H6B-SF-1L/SC-PG16 ¹⁾	111 006 221 1010
2PG16	H6B-SF-1L/SC-2PG16 ¹⁾	111 006 221 1030
with plastic cover		
M20	H6B-SF-1L/SC-CV-M20	111 006 261 1002
2M20	H6B-SF-1L/SC-CV-2M20	111 006 261 1022
M25	H6B-SF-1L/SC-CV-M25 ¹⁾	111 006 261 1003
2M25	H6B-SF-1L/SC-CV-2M25 ¹⁾	111 006 261 1023
PG16	H6B-SF-1L/SC-CV-PG16 ¹⁾	111 006 261 1010
2PG16	H6B-SF-1L/SC-CV-2PG16 ¹⁾	111 006 261 1030
with metal cover		
M20	H6B-SF-1L/SC-MCV-M20	111 006 261 1102
2M20	H6B-SF-1L/SC-MCV-2M20	111 006 261 1122
M25	H6B-SF-1L/SC-MCV-M25 ¹⁾	111 006 261 1103
2M25	H6B-SF-1L/SC-MCV-2M25 ¹⁾	111 006 261 1123
PG16	H6B-SF-1L/SC-MCV-PG16 ¹⁾	111 006 261 1110
2PG16	H6B-SF-1L/SC-MCV-2PG16 ¹⁾	111 006 261 1130


Please refer to page 15-02 for choosing proper model of lock.

Surface mounted housings, high construction




Thread	Designation	Order No.
M25	H6B-SFH-1L/SC-M25	111 006 221 5003
2M25	H6B-SFH-1L/SC-2M25	111 006 221 5023
M32	H6B-SFH-1L/SC-M32	111 006 221 5004
2M32	H6B-SFH-1L/SC-2M32	111 006 221 5024
PG21	H6B-SFH-1L/SC-PG21	111 006 221 5011
2PG21	H6B-SFH-1L/SC-2PG21	111 006 221 5031
PG29	H6B-SFH-1L/SC-PG29	111 006 221 5012
2PG29	H6B-SFH-1L/SC-2PG29	111 006 221 5032
with plastic cover		
M25	H6B-SFH-1L/SC-CV-M25	111 006 261 5003
2M25	H6B-SFH-1L/SC-CV-2M25	111 006 261 5023
M32	H6B-SFH-1L/SC-CV-M32	111 006 261 5004
2M32	H6B-SFH-1L/SC-CV-2M32	111 006 261 5024
PG21	H6B-SFH-1L/SC-CV-PG21	111 006 261 5011
2PG21	H6B-SFH-1L/SC-CV-2PG21	111 006 261 5031
PG29	H6B-SFH-1L/SC-CV-PG29	111 006 261 5012
2PG29	H6B-SFH-1L/SC-CV-2PG29	111 006 261 5032
with metal cover		
M25	H6B-SFH-1L/SC-MCV-M25	111 006 261 5103
2M25	H6B-SFH-1L/SC-MCV-2M25	111 006 261 5123
M32	H6B-SFH-1L/SC-MCV-M32	111 006 261 5104
2M32	H6B-SFH-1L/SC-MCV-2M32	111 006 261 5124
PG21	H6B-SFH-1L/SC-MCV-PG21	111 006 261 5111
2PG21	H6B-SFH-1L/SC-MCV-2PG21	111 006 261 5131
PG29	H6B-SFH-1L/SC-MCV-PG29	111 006 261 5112
2PG29	H6B-SFH-1L/SC-MCV-2PG29	111 006 261 5132


Please refer to page 15-02 for choosing proper model of lock.



1) : Structure 1 (*M/PG=M25/PG16 Using Structure 1)



Structure 2: M=M20 Using Structure 2




6B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Protection covers




Connect way	Applications	Designation	Order No.
---	for hoods	H6B-CV-2C	111 006 000 8009



Protection covers, metal




Connect way	Applications	Designation	Order No.
	for cable to cable housing	H6B-MCV-2B/1	111 006 010 8101
	for housings	H6B-MCV-2B/2	111 006 010 8102



Protection covers, plastics



Connect way	Applications	Designation	Order No.
	for cable to cable housing	H6B-CV-2B/1	111 006 010 8503
	for housings	H6B-CV-2B/2	111 006 010 8504




Protection covers(IP5X)



Remark: SPQ is 10pcs


Connect way	Applications	Designation	Order No.
---	for housings	H6B-CV/C	111 006 000 8002



Protection covers




Connect way	Applications	Designation	Order No.
	for hoods	H6B-MCV-1L/SC.1S	111 006 021 8101



Hoods, side entry ,high construction




Thread	Designation	Order No.
M25	W6B-SEH-1L/C-M25	111 106 550 5001
M32	W6B-SEH-1L/C-M32	111 106 550 5003
PG21	W6B-SEH-1L/C-PG21	111 106 550 5004
PG29	W6B-SEH-1L/C-PG29	111 106 550 5005



Bulkhead mounted housings



Thread	Designation	Order No.
---	H6B-BK-2B/C	111 006 350 1003



6B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	H6B-MSE-2B-M20	112 006 510 1002
M25	H6B-MSE-2B-M25	112 006 510 1003
PG13.5	H6B-MSE-2B-PG13.5	112 006 510 1009
PG16	H6B-MSE-2B-PG16	112 006 510 1010



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W6B-MSEH-2B-M25	112 106 510 5006
M32	W6B-MSEH-2B-M32	112 106 510 5004
PG21	W6B-MSEH-2B-PG21	112 106 510 5007
PG29	W6B-MSEH-2B-PG29	112 106 510 5008



Hoods, top entry




Thread	Designation	Order No.
M20	H6B-MTE-2B-M20	112 006 410 1002
M25	H6B-MTE-2B-M25	112 006 410 1504
PG13.5	H6B-MTE-2B-PG13.5	112 006 410 1009
PG16	H6B-MTE-2B-PG16	112 006 410 1010



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	W6B-MTEH-2B-M25	112 106 410 5006
M32	W6B-MTEH-2B-M32	112 106 410 5008
PG21	W6B-MTEH-2B-PG21	112 106 410 5011
PG29	W6B-MTEH-2B-PG29	112 106 410 5005



Housings, cable to cable



Thread	Designation	Order No.
M20	H6B-MCCT-1L/SC-M20	112 006 721 1011
PG13.5	H6B-MCCT-1L/SC-PG13.5	112 006 721 1009
PG16	H6B-MCCT-1L/SC-PG16	112 006 721 1008



6B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65 Remark: SPQ is 1pc

Bulkhead mounted housings



Thread	Designation	Order No.
---	H6B-MBK-1L/SC	112 006 321 1001
---	with metal cover	
---	H6B-MBK-1L/SC-MMCV	112 006 361 1101




Surface mounted housings

Structure 1



Thread	Designation	Order No.
M20	H6B-MSF-1L/SC-M20	112 006 221 1002
2M20	H6B-MSF-1L/SC-2M20	112 006 221 1022
M25	H6B-MSF-1L/SC-M25 ¹⁾	112 006 221 1003
2M25	H6B-MSF-1L/SC-2M25 ¹⁾	112 006 221 1001
PG16	H6B-MSF-1L/SC-PG16 ¹⁾	112 006 221 1004
2PG16	H6B-MSF-1L/SC-2PG16 ¹⁾	112 006 221 1005




1) : Structure 1 (*M/PG=M25/PG16 Uses Structure 1)

Structure 2



	with metal cover	
M20	H6B-MSF-1L/SC-MMCV-M20	112 006 221 8001
2M20	H6B-MSF-1L/SC-MMCV-2M20	112 006 221 8002
M25	H6B-MSF-1L/SC-MMCV-M25 ¹⁾	112 006 221 8003
2M25	H6B-MSF-1L/SC-MMCV-2M25 ¹⁾	112 006 221 8004
PG16	H6B-MSF-1L/SC-MMCV-PG16 ¹⁾	112 006 221 8009
2PG16	H6B-MSF-1L/SC-MMCV-2PG16 ¹⁾	112 006 221 8010



Structure 2: M=M20 Uses Structure 2

Please refer to page 15-02 for choosing proper model of lock.


Surface mounted housings, high construction



Thread	Designation	Order No.
M25	H6B-MSFH-1L/SC-M25	112 006 221 5001
2M25	H6B-MSFH-1L/SC-2M25	112 006 221 5002
M32	H6B-MSFH-1L/SC-M32	112 006 221 5003
2M32	H6B-MSFH-1L/SC-2M32	112 006 221 5004
PG21	H6B-MSFH-1L/SC-PG21	112 006 221 1006
2PG21	H6B-MSFH-1L/SC-2PG21	112 006 221 1007
PG29	H6B-MSFH-1L/SC-PG29	112 006 221 1008
2PG29	H6B-MSFH-1L/SC-2PG29	112 006 221 1009

	with metal cover	
M25	H6B-MSFH-1L/SC-MMCV-M25	112 006 221 8005
2M25	H6B-MSFH-1L/SC-MMCV-2M25	112 006 221 8006
M32	H6B-MSFH-1L/SC-MMCV-M32	112 006 221 8007
2M32	H6B-MSFH-1L/SC-MMCV-2M32	112 006 221 8008
PG21	H6B-MSFH-1L/SC-MMCV-PG21	112 006 221 8011
2PG21	H6B-MSFH-1L/SC-MMCV-2PG21	112 006 221 8012
PG29	H6B-MSFH-1L/SC-MMCV-PG29	112 006 221 8013
2PG29	H6B-MSFH-1L/SC-MMCV-2PG29	112 006 221 8014

Please refer to page 15-02 for choosing proper model of lock.




6B Metal hoods/housings
-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65 Remark: SPQ is 1pc

Protection covers



Connect way	Designation	Order No.
	H6B-MMCV-2B/1	112 006 010 8001
	H6B-MMCV-2B/2	112 006 010 8002




Protection covers



Connect way	Applications	Designation	Order No.
	for hoods	H6B-MMCV-1L/SC.1S	112 006 021 8001

Please refer to page 15-02 for choosing proper model of lock.




6B Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	W6B-SE-2B-M20	111 106 510 1001
M25	W6B-SE-2B-M25	111 106 510 1002
PG13.5	W6B-SE-2B-PG13.5	111 106 510 1003
PG16	W6B-SE-2B-PG16	111 106 510 1004



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W6B-BEH-2B	111 106 910 5001
M25	W6B-SEH-2B-M25	111 106 510 5001
M32	W6B-SEH-2B-M32	111 106 510 5002
PG21	W6B-SEH-2B-PG21	111 106 510 5003
PG29	W6B-SEH-2B-PG29	111 106 510 5004



Hoods, top entry




Thread	Designation	Order No.
M20	W6B-TE-2B-M20	111 106 410 1001
M25	W6B-TE-2B-M25	111 106 410 1002
PG13.5	W6B-TE-2B-PG13.5	111 106 410 1003
PG16	W6B-TE-2B-PG16	111 106 410 1004



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W6B-BEH-2B	111 106 910 5001
M25	W6B-TEH-2B-M25	111 106 410 5001
M32	W6B-TEH-2B-M32	111 106 410 5002
PG21	W6B-TEH-2B-PG21	111 106 410 5003
PG29	W6B-TEH-2B-PG29	111 106 410 5004




Housings, cable to cable



Thread	Designation	Order No.
M20	W6B-CCT-1L/SC-M20	111 106 721 1005
M25	W6B-CCT-1L/SC-M25	111 106 721 1008
PG13.5	W6B-CCT-1L/SC-PG13.5	111 106 721 1006
PG16	W6B-CCT-1L/SC-PG16	111 106 721 1007

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	W6B-CCTH-1L/SC-M25	111 106 721 5001
M32	W6B-CCTH-1L/SC-M32	111 106 721 5002
PG21	W6B-CCTH-1L/SC-PG21	111 106 721 5003
PG29	W6B-CCTH-1L/SC-PG29	111 106 721 5004

Please refer to page 15-02 for choosing proper model of lock.




6B Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

Housings, cable to cable ,high construction, Under-shell through-board installation



Thread	Designation	Order No.
M25	W6B-CCTH/BK-1L/SC-M25	111 106 721 5510
M32	W6B-CCTH/BK-1L/SC-M32	111 106 721 5505
PG21	W6B-CCTH/BK-1L/SC-PG21	111 106 721 5511
PG29	W6B-CCTH/BK-1L/SC-PG29	111 106 721 5512




Please refer to page 15-02 for choosing proper model of lock.

H

Bulkhead mounted housings



Thread	Designation	Order No.
---	W6B-BK-1L/SC	111 106 321 1002
---	with plastic cover	
---	W6B-BK-1L/SC-CV	111 106 321 8001
---	with metal cover	
---	W6B-BK-1L/SC-MCV	111 106 321 8002




Please refer to page 15-02 for choosing proper model of lock.

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W6B-SEH-1L/C-M25	111 106 550 5001
M32	W6B-SEH-1L/C-M32	111 106 550 5003
PG21	W6B-SEH-1L/C-PG21	111 106 550 5004
PG29	W6B-SEH-1L/C-PG29	111 106 550 5005



Bulkhead mounted housings



Thread	Designation	Order No.
---	W6B-BK-2B/C	111 106 350 1001



6B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP67 **Remark: SPQ is 1pc**

Hoods, side entry




Thread	Designation	Order No.
M20	W6B-MSE-2B-M20	112 106 510 1001
M25	W6B-MSE-2B-M25	112 106 510 1004
PG13.5	W6B-MSE-2B-PG13.5	112 106 510 1002
PG16	W6B-MSE-2B-PG16	112 106 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W6B-MSEH-2B-M25	112 106 510 5006
M32	W6B-MSEH-2B-M32	112 106 510 5004
PG21	W6B-MSEH-2B-PG21	112 106 510 5007
PG29	W6B-MSEH-2B-PG29	112 106 510 5008



Hoods, top entry




Thread	Designation	Order No.
M20	W6B-MTE-2B-M20	112 106 410 1001
M25	W6B-MTE-2B-M25	112 106 410 1004
PG13.5	W6B-MTE-2B-PG13.5	112 106 410 1002
PG16	W6B-MTE-2B-PG16	112 106 410 1003



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	W6B-MTEH-2B-M25	112 106 410 5006
M32	W6B-MTEH-2B-M32	112 106 410 5008
PG21	W6B-MTEH-2B-PG21	112 106 410 5011
PG29	W6B-MTEH-2B-PG29	112 106 410 5005



Housings, cable to cable




Thread	Designation	Order No.
M20	W6B-MCCT-1L/SC-M20	112 106 721 1001
M25	W6B-MCCT-1L/SC-M25	112 106 721 1004
PG13.5	W6B-MCCT-1L/SC-PG13.5	112 106 721 1002
PG16	W6B-MCCT-1L/SC-PG16	112 106 721 1003



Housings, cable to cable, high construction




Thread	Designation	Order No.
M25	W6B-MCCTH-1L/SC-M25	112 106 721 5001
M32	W6B-MCCTH-1L/SC-M32	112 106 721 5002
PG21	W6B-MCCTH-1L/SC-PG21	112 106 721 5003
PG29	W6B-MCCTH-1L/SC-PG29	112 106 721 5004



Bulkhead mounted housings



Thread	Designation	Order No.
---	W6B-MBK-1L/SC	112 106 321 1001
---	W6B-MBK-1L/SC-MMCV	112 106 321 8001




6B EMC Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	EMC.W6B-SE-2B-M20	111 206 510 1004
M25	EMC.W6B-SE-2B-M25	111 206 510 1001
PG13.5	EMC.W6B-SE-2B-PG13.5	111 206 510 1002
PG16	EMC.W6B-SE-2B-PG16	111 206 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	EMC.W6B-SEH-2B-M25	111 206 510 5001
M32	EMC.W6B-SEH-2B-M32	111 206 510 5002
PG21	EMC.W6B-SEH-2B-PG21	111 206 510 5003
PG29	EMC.W6B-SEH-2B-PG29	111 206 510 5004



Hoods, top entry




Thread	Designation	Order No.
M20	EMC.W6B-TE-2B-M20	111 206 410 1001
M25	EMC.W6B-TE-2B-M25	111 206 410 1002
PG13.5	EMC.W6B-TE-2B-PG13.5	111 206 410 1003
PG16	EMC.W6B-TE-2B-PG16	111 206 410 1004



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	EMC.W6B-TEH-2B-M25	111 206 410 5001
M32	EMC.W6B-TEH-2B-M32	111 206 410 5002
PG21	EMC.W6B-TEH-2B-PG21	111 206 410 5003
PG29	EMC.W6B-TEH-2B-PG29	111 206 410 5004



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC1.W6B-BK-1L/SC	111 106 321 1001



6B EMC Metal hoods/housings


Degree of protection: IP65

Remark: SPQ is 1pc

Hoods, top entry




Thread	Designation	Order No.
M20	EMC.H6B-SF-1L/SC-M20	111 606 221 1500
2M20	EMC.H6B-SF-1L/SC-2M20	111 606 221 1501
PG16	EMC.H6B-SF-1L/SC-PG16	111 606 221 1502
2PG16	EMC.H6B-SF-1L/SC-2PG16	111 606 221 1503



Hoods, side entry, high construction



Thread	Designation	Order No.
M25	EMC.H6B-SFH-1L/SC-M25	111 606 221 5501
M32	EMC.H6B-SFH-1L/SC-2M25	111 606 221 5502
PG21	EMC.H6B-SFH-1L/SC-M32	111 606 221 5503
PG29	EMC.H6B-SFH-1L/SC-2M32	111 606 221 5504
PG21	EMC.H6B-SFH-1L/SC-PG21	111 606 221 5505
2PG21	EMC.H6B-SFH-1L/SC-2PG21	111 606 221 5506
PG29	EMC.H6B-SFH-1L/SC-PG29	111 606 221 5507
2PG29	EMC.H6B-SFH-1L/SC-2PG29	111 606 221 5508




6B Pressure tight hoods/housings


Degree of protection: IP68/IP69K Remark: SPQ is 1pc

W version

Hoods, side entry, high construction




Thread	Designation	Order No.
M20	HP6B-SEH-2S-M20	115 006 520 5102
M25	HP6B-SEH-2S-M25	115 006 520 5103
M32	HP6B-SEH-2S-M32	115 006 520 5104
PG16	HP6B-SEH-2S-PG16	115 006 520 5110
PG21	HP6B-SEH-2S-PG21	115 006 520 5111



Hoods, side entry, high construction




Thread	Designation	Order No.
M20	HP6B-TEH-2S-M20	115 006 420 5102
M25	HP6B-TEH-2S-M25	115 006 420 5103
M32	HP6B-TEH-2S-M32	115 006 420 5104
PG16	HP6B-TEH-2S-PG16	115 006 420 5110
PG21	HP6B-TEH-2S-PG21	115 006 420 5111
PG29	HP6B-TEH-2S-PG29	115 006 420 5112



Surface mounted housings, high construction




Thread	Designation	Order No.
M20	HP6B-SFH-2H-M20	115 006 220 5002
M25	HP6B-SFH-2H-M25	115 006 220 5003
M32	HP6B-SFH-2H-M32	115 006 220 5004
PG16	HP6B-SFH-2H-PG16	115 006 220 5010
PG21	HP6B-SFH-2H-PG21	115 006 220 5011



Bulkhead mounted housings




Thread	Designation	Order No.
---	HP6B-BK-2H	115 006 320 1001



Protection covers, plastic



Connect way	Designation	Order No.
---	HP6B-CV-2S/2	115 006 020 8002



WP6B/R Pressure tight hoods/housings


Degree of protection: IP68/IP69K Remark: SPQ is 1pc

W version

Hoods, top entry, high construction




Thread	Designation	Order No.
M20	WP6B/R-TEH-2S-M20	111 106 420 1002
M25	WP6B/R-TEH-2S-M25	111 106 420 1001



Through-wall housing, high construction



Thread	Designation	Order No.
M20	WP6B/R-CCT/BK-2H-M20	111 106 720 1001
M25	WP6B/R-CCT/BK-2H-M25	111 106 720 1002



6B Pressure tight hoods/housings


Degree of protection: IP68/IP69K Remark: SPQ is 1pc

H version

Hoods, side entry, high construction




Thread	Designation	Order No.
	Screw locking	
M20	HP6B/H-SEH-2S-M20	113 606 520 5002
M25	HP6B/H-SEH-2S-M25	113 606 520 5003
M32	HP6B/H-SEH-2S-M32	113 606 520 5004
M40	HP6B/H-SEH-2S-M40	113 606 520 5005
PG16	HP6B/H-SEH-2S-PG16	113 606 520 5010
PG21	HP6B/H-SEH-2S-PG21	113 606 520 5011
PG29	HP6B/H-SEH-2S-PG29	113 606 520 5012
	Toggle locking	
M20	HP6B/H-SEH-2T-M20	113 606 540 5002
M25	HP6B/H-SEH-2T-M25	113 606 540 5003
M32	HP6B/H-SEH-2T-M32	113 606 540 5004
M40	HP6B/H-SEH-2T-M40	113 606 540 5005
PG16	HP6B/H-SEH-2T-PG16	113 606 540 5010
PG21	HP6B/H-SEH-2T-PG21	113 606 540 5011
PG29	HP6B/H-SEH-2T-PG29	113 606 540 5012



Hoods, top entry, high construction




Thread	Designation	Order No.
	Screw locking	
M20	HP6B/H-TEH-2S-M20	113 606 420 5002
M25	HP6B/H-TEH-2S-M25	113 606 420 5003
M32	HP6B/H-TEH-2S-M32	113 606 420 5004
PG16	HP6B/H-TEH-2S-PG16	113 606 420 5010
PG21	HP6B/H-TEH-2S-PG21	113 606 420 5011
PG29	HP6B/H-TEH-2S-PG29	113 606 420 5012
	Toggle locking	
M20	HP6B/H-TEH-2T-M20	113 606 440 5002
M25	HP6B/H-TEH-2T-M25	113 606 440 5003
M32	HP6B/H-TEH-2T-M32	113 606 440 5004
PG16	HP6B/H-TEH-2T-PG16	113 606 440 5010
PG21	HP6B/H-TEH-2T-PG21	113 606 440 5011
PG29	HP6B/H-TEH-2T-PG29	113 606 440 5012



Housing, side entry, high construction




Thread	Designation	Order No.
	Screw locking	
M20	HP6B/H-SFH-2H-M20	113 606 220 5002
M25	HP6B/H-SFH-2H-M25	113 606 220 5003
M32	HP6B/H-SFH-2H-M32	113 606 220 5004
PG16	HP6B/H-SFH-2H-PG16	113 606 220 5010
PG21	HP6B/H-SFH-2H-PG21	113 606 220 5011
PG29	HP6B/H-SFH-2H-PG29	113 606 220 5012
	Toggle locking	
M20	HP6B/H-SFH-2T-M20	113 606 240 5002
M25	HP6B/H-SFH-2T-M25	113 606 240 5003
M32	HP6B/H-SFH-2T-M32	113 606 240 5004
PG16	HP6B/H-SFH-2T-PG16	113 606 240 5010
PG21	HP6B/H-SFH-2T-PG21	113 606 240 5011
PG29	HP6B/H-SFH-2T-PG29	113 606 240 5012



Bulkhead mounted housings



Thread	Designation	Order No.
	Screw locking	
---	HP6B/H-BK-2H	113 606 320 1001
	Toggle locking	
---	HP6B/H-BK-2T	113 606 340 1001
	with metal cover	
	Screw locking	
---	HP6B/H-BK-2H-MCV	113 606 360 1001
	Toggle locking	
---	HP6B/H-BK-2T-MCV	113 606 370 1001



6B Pressure tight hoods/housings

Degree of protection: IP68/IP69K


Remark: SPQ is 1pc

H version

Surface mounted housings




Thread	Designation	Order No.
	Toggle locking	
M25	HP6B/H-BK-SE-2H-M25	113 606 920 1501
M25	HP6B/H-BK-SE-2T-M25	113 606 940 1500



Protection covers, for housings




Connect way	Designation	Order No.
	Screw locking	
	HP6B/H-MCV-2S	113 606 020 8101
	Toggle locking	
	HP6B/H-MCV-2T	113 606 040 8103



Protection covers, for hoods



Connect way	Designation	Order No.
	Screw locking	
	HP6B/H-MCV-2H/1	113 606 020 8111
	Toggle locking	
	HP6B/H-MCV-2T/1	113 606 040 8101




Protection covers, for housings(IP5X)

Remark: SPQ is 10pcs



Connect way	Designation	Order No.
---	HP6B/H-CV/C	113 006 900 8002



6B Pressure tight hoods/housings

Degree of protection: IP68/IP69K

The following hoods/housings comply with the standards for rail transport industry in China.


Remark: SPQ is 1pc

H version

Hoods, top entry, high construction




Thread	Designation	Order No.
M20	HP6B/H-SEH-4S-M20	113 606 530 5002
M25	HP6B/H-SEH-4S-M25	113 606 530 5003
M32	HP6B/H-SEH-4S-M32	113 606 530 5004
M40	HP6B/H-SEH-4S-M40	113 606 530 5005
PG16	HP6B/H-SEH-4S-PG16	113 606 530 5010
PG21	HP6B/H-SEH-4S-PG21	113 606 530 5011



Hoods, top entry, high construction




Thread	Designation	Order No.
M20	HP6B/H-TEH-4S-M20	113 606 430 5002
M25	HP6B/H-TEH-4S-M25	113 606 430 5003
M32	HP6B/H-TEH-4S-M32	113 606 430 5004
M40	HP6B/H-TEH-4S-M40	113 606 430 5005
PG16	HP6B/H-TEH-4S-PG16	113 606 430 5010
PG21	HP6B/H-TEH-4S-PG21	113 606 430 5011
PG29	HP6B/H-TEH-4S-PG29	113 606 430 5012



Bulkhead mounted housings




Thread	Designation	Order No.
---	HP6B/H-BK-4H	113 606 330 1001



Surface mounted housings



Thread	Designation	Order No.
	Toggle locking	
M25	HP6B/H-BK-SE-4H-M25	113 606 930 1500



6B Pressure tight hoods/housings/EMC Pressure tight hoods/housings


Degree of protection: IP68/IP69K

Remark: SPQ is 1pc

Hoods, side entry, high construction




Thread	Designation	Order No.
M20	HC6B-SEH-2S-M20	114 006 520 5002
M25	HC6B-SEH-2S-M25	114 006 520 5003
PG16	HC6B-SEH-2S-PG16	114 006 520 5010
PG21	HC6B-SEH-2S-PG21	114 006 520 5011



Hoods, top entry, high construction




Thread	Designation	Order No.
M20	HC6B-TEH-2S-M20	114 006 420 5002
M25	HC6B-TEH-2S-M25	114 006 420 5003
PG16	HC6B-TEH-2S-PG16	114 006 420 5010
PG21	HC6B-TEH-2S-PG21	114 006 420 5011



Mounting flange




Applications	Designation	Order No.
for integral type hoods	APT-C	114 000 000 1001



Protection covers, plastic



Thread	Designation	Order No.
---	HC6B-CV-2S/2	111 006 020 8001



6B Pressure tight hoods/housings/EMC Pressure tight hoods/housings

Degree of protection: IP68/IP69K


Remark: SPQ is 1pc

EMC Pressure tight hoods/housings

Hoods, top entry, high construction




Thread	Designation	Order No.
M20	EMC.W6B-TEH-4S-M20	111 106 430 5003
M25	EMC.W6B-TEH-4S-M25	111 106 430 5001
M32	EMC.W6B-TEH-4S-M32	111 106 430 5002
PG21	EMC.W6B-TEH-4S-PG21	111 106 430 5004
PG29	EMC.W6B-TEH-4S-PG29	111 106 430 5005



Hoods, side entry, high construction




Thread	Designation	Order No.
M20	EMC.W6B-SEH-4S-M20	111 206 530 5001
M25	EMC.W6B-SEH-4S-M25	111 206 530 5002
M32	EMC.W6B-SEH-4S-M32	111 206 530 5003
PG21	EMC.W6B-SEH-4S-PG21	111 206 530 5004
PG29	EMC.W6B-SEH-4S-PG29	111 206 530 5005



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC.W6B-BK-4H	111 206 330 1001




10B Plastic hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	H10B.P-SEH-4B-M25	117 010 530 5003
M32	H10B.P-SEH-4B-M32	117 010 530 5004



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	H10B.P-TEH-4B-M25	117 010 430 5003
M32	H10B.P-TEH-4B-M32	117 010 430 5004



Bulkhead mounted housings




Thread	Designation	Order No.
---	H10B.P-BK-2L	117 010 340 1001



Surface mounted housings, high construction




Thread	Designation	Order No.
M25	H10B.P-SFH-2L-M25	117 010 247 5003
2M25	H10B.P-SFH-2L-2M25	117 010 247 5023
M32	H10B.P-SFH-2L-M32	117 010 247 5004
2M32	H10B.P-SFH-2L-2M32	117 010 247 5024



Protection covers, for housings




Connect way	Designation	Order No.
---	H10B.P-CV-4B/2	117 010 030 8002



Protection covers, for hoods



Connect way	Designation	Order No.
---	H10B.P-CV-2L/1	117 010 040 8001



10B Modular type plastic hoods/housings

Degree of protection: IP65 *Remark: SPQ is 1pc*


Only suitable for HM series.

Number of modules: 4

Hoods, top entry, high construction




Thread	Designation	Order No.
M32	HM10B.P-TEH-4B-M32	129 010 430 5500
M40	HM10B.P-TEH-4B-M40	129 010 430 5001



Hoods, side entry, high construction




Thread	Designation	Order No.
M32	HM10B.P-SEH-4B-M32	129 010 537 1500
M40	HM10B.P-SEH-4B-M40	129 010 530 5001



Hoods, side entry, high construction



Thread	Designation	Order No.
M40	HM10B.P-SEHH-4B-M40/30A	129 110 530 5500




Please refer to page 28 for product

Hoods, top entry, high construction




Thread	Designation	Order No.
M32	HM10B.P-TEH-2L-M32	129 010 447 1500
M40	HM10B.P-TEH-2L-M40	129 010 440 5001



Hoods, side entry, high construction



Thread	Designation	Order No.
M32	HM10B.P-SEH-2L-M32	129 010 547 1500
M40	HM10B.P-SEH-2L-M40	129 010 540 5001



10B Modular type plastic hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc


Only suitable for HM series.

Number of modules: 4

Bulkhead mounted housings




Thread	Designation	Order No.
---	HM10B.P-BK-2L	129 010 340 1001



Bulkhead mounted housings




Thread	Designation	Order No.
---	HM10B.P-BK-4B	129 010 330 1001



Protection covers, for housings




Connect way	Designation	Order No.
	HM10B.P-CV-4B/2	129 110 000 8500



Protection covers, for hoods



Connect way	Designation	Order No.
	HM10B.P-CV-2L/1	129 010 047 8500




10B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	H10B-SE-2B-M20	111 010 515 1002
M25	H10B-SE-2B-M25	111 010 515 1003
PG16	H10B-SE-2B-PG16	111 010 515 1010



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W10B-BEH-2B	111 110 910 5001
M25	W10B-SEH-2B-M25	111 110 510 5001
M32	W10B-SEH-2B-M32	111 110 510 5002
PG21	W10B-SEH-2B-PG21	111 110 510 5003
PG29	W10B-SEH-2B-PG29	111 110 510 5004
with sleeve		
M25	W10B-SEH-2B-M25 WS	111 110 515 5103
M32	W10B-SEH-2B-M32 WS	111 110 515 5104
PG21	W10B-SEH-2B-PG21 WS	111 110 515 5111
PG29	W10B-SEH-2B-PG29 WS	111 110 515 5112



Hoods, top entry




Thread	Designation	Order No.
M20	H10B-TE-2B-M20	111 010 415 1002
M25	H10B-TE-2B-M25	111 010 415 1003
PG16	H10B-TE-2B-PG16	111 010 415 1010



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W10B-BEH-2B	111 110 910 5001
M25	W10B-TEH-2B-M25	111 110 410 5001
M32	W10B-TEH-2B-M32	111 110 410 5002
PG21	W10B-TEH-2B-PG21	111 110 410 5003
PG29	W10B-TEH-2B-PG29	111 110 410 5004
with sleeve		
M25	W10B-TEH-2B-M25 WS	111 110 415 5103
M32	W10B-TEH-2B-M32 WS	111 110 415 5104
PG21	W10B-TEH-2B-PG21 WS	111 110 415 5111
PG29	W10B-TEH-2B-PG29 WS	111 110 415 5112




Housings, cable to cable



Thread	Designation	Order No.
M20	H10B-CCT-1L/SC-M20	111 010 721 1002
M25	H10B-CCT-1L/SC-M25	111 010 721 1003
PG16	H10B-CCT-1L/SC-PG16	111 010 721 1010

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	W10B-CCTH-1L/SC-M25	111 110 721 5001
M32	W10B-CCTH-1L/SC-M32	111 110 721 5002
PG21	W10B-CCTH-1L/SC-PG21	111 110 721 5003
PG29	W10B-CCTH-1L/SC-PG29	111 110 721 5004
with sleeve		
M25	W10B-CCTH-1L/SC-M25 WS	111 110 721 5103
M32	W10B-CCTH-1L/SC-M32 WS	111 110 721 5104
PG21	W10B-CCTH-1L/SC-PG21 WS	111 110 721 5111
PG29	W10B-CCTH-1L/SC-PG29 WS	111 110 721 5112

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Bulkhead mounted housings



Thread	Designation	Order No.
---	H10B-BK-SE-1L/SC(82-68-4.5)	111 010 921 1001
---	H10B-BK-SE-1L/SC(82-70-4.5)	111 010 921 1002
---	H10B-BK-SE-1L/SC(85-73-4.5)	111 010 921 1003
---	H10B-BK-SE-1L/SC(85-73-5.5)	111 010 921 1004
---	H10B-BK-SE-1L/SC(92-70-4.1)	111 010 921 1005
---	H10B-BK-SE-1L/SC(92-70-4.3)	111 010 921 1006
---	H10B-BK-SE-1L/SC(92-77-4.3)	111 010 921 1007
---	H10B-BK-SE-1L/SC(92-80-5.1)	111 010 921 1008
---	H10B-BK-SE-1L/SC(98-68-4.5)	111 010 921 1009
---	H10B-BK-SE-1L/SC(98-70-4.3)	111 010 921 1010

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead mounted housings



Thread	Designation	Order No.
---	H10B-BK-1L/SC	111 010 321 1001
---	with plastic cover	
---	H10B-BK-1L/SC-CV	111 010 361 1001
---	with metal cover	
---	H10B-BK-1L/SC-MCV	111 010 361 1101


Please refer to page 15-02 for choosing proper model of lock.



BK hole cover plate



Applications	Designation	Order No.
---	10B-BK/MCV	111 010 390 8001



10B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Surface mounted housings

Structure 1



Thread	Designation	Order No.
M20	H10B-SF-1L/SC-M20	111 010 221 1002
2M20	H10B-SF-1L/SC-2M20	111 010 221 1022
M25	H10B-SF-1L/SC-M25 ¹⁾	111 010 221 1003
2M25	H10B-SF-1L/SC-2M25 ¹⁾	111 010 221 1023
PG16	H10B-SF-1L/SC-PG16	111 010 221 1010
2PG16	H10B-SF-1L/SC-2PG16	111 010 221 1030

with plastic cover


M20	H10B-SF-1L/SC-CV-M20	111 010 261 1002
2M20	H10B-SF-1L/SC-CV-2M20	111 010 261 1022
M25	H10B-SF-1L/SC-CV-M25 ¹⁾	111 010 261 1003
2M25	H10B-SF-1L/SC-CV-2M25 ¹⁾	111 010 261 1023
PG16	H10B-SF-1L/SC-CV-PG16	111 010 261 1010
2PG16	H10B-SF-1L/SC-CV-2PG16	111 010 261 1030

with metal cover


M20	H10B-SF-1L/SC-MCV-M20	111 010 261 1102
2M20	H10B-SF-1L/SC-MCV-2M20	111 010 261 1122
M25	H10B-SF-1L/SC-MCV-M25 ¹⁾	111 010 261 1103
2M25	H10B-SF-1L/SC-MCV-2M25 ¹⁾	111 010 261 1123
PG16	H10B-SF-1L/SC-MCV-PG16	111 010 261 1110
2PG16	H10B-SF-1L/SC-MCV-2PG16	111 010 261 1130

Please refer to page 15-02 for choosing proper model of lock.

Structure 2



1) : Structure 1 (M=M25 Using Structure 1)



Structure 2: M/PG=M20/PG16 Using Structure 2

Surface mounted housings, high construction



Thread	Designation	Order No.
M25	H10B-SFH-1L/SC-M25	111 010 221 5003
2M25	H10B-SFH-1L/SC-2M25	111 010 221 5023
M32	H10B-SFH-1L/SC-M32	111 010 221 5004
2M32	H10B-SFH-1L/SC-2M32	111 010 221 5024
PG21	H10B-SFH-1L/SC-PG21	111 010 221 5011
2PG21	H10B-SFH-1L/SC-2PG21	111 010 221 5031
PG29	H10B-SFH-1L/SC-PG29	111 010 221 5012
2PG29	H10B-SFH-1L/SC-2PG29	111 010 221 5032


with plastic cover

M25	H10B-SFH-1L/SC-CV-M25	111 010 261 5003
2M25	H10B-SFH-1L/SC-CV-2M25	111 010 261 5023
M32	H10B-SFH-1L/SC-CV-M32	111 010 261 5004
2M32	H10B-SFH-1L/SC-CV-2M32	111 010 261 5024
PG21	H10B-SFH-1L/SC-CV-PG21	111 010 261 5011
2PG21	H10B-SFH-1L/SC-CV-2PG21	111 010 261 5031
PG29	H10B-SFH-1L/SC-CV-PG29	111 010 261 5012
2PG29	H10B-SFH-1L/SC-CV-2PG29	111 010 261 5032

with metal cover

M25	H10B-SFH-1L/SC-MCV-M25	111 010 261 5103
2M25	H10B-SFH-1L/SC-MCV-2M25	111 010 261 5123
M32	H10B-SFH-1L/SC-MCV-M32	111 010 261 5104
2M32	H10B-SFH-1L/SC-MCV-2M32	111 010 261 5124
PG21	H10B-SFH-1L/SC-MCV-PG21	111 010 261 5111
2PG21	H10B-SFH-1L/SC-MCV-2PG21	111 010 261 5131
PG29	H10B-SFH-1L/SC-MCV-PG29	111 010 261 5112
2PG29	H10B-SFH-1L/SC-MCV-2PG29	111 010 261 5132

Please refer to page 15-02 for choosing proper model of lock.




10B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	H10B-SE-4B-M20	111 010 530 1002
M25	H10B-SE-4B-M25	111 010 530 1003
PG16	H10B-SE-4B-PG16	111 010 530 1010



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W10B-BEH-4B	111 110 930 5003
M25	W10B-SEH-4B-M25	111 110 530 5001
M32	W10B-SEH-4B-M32	111 110 530 5002
PG21	W10B-SEH-4B-PG21	111 110 530 5003
PG29	W10B-SEH-4B-PG29	111 110 530 5004
	with sleeve	
M25	W10B-SEH-4B-M25 WS	111 110 530 5103
M32	W10B-SEH-4B-M32 WS	111 110 530 5104
PG21	W10B-SEH-4B-PG21 WS	111 110 530 5111
PG29	W10B-SEH-4B-PG29 WS	111 110 530 5112



Hoods, top entry




Thread	Designation	Order No.
M20	H10B-TE-4B-M20	111 010 430 1002
M25	H10B-TE-4B-M25	111 010 430 1003
PG16	H10B-TE-4B-PG16	111 010 430 1010



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W10B-BEH-4B	111 110 930 5003
M25	W10B-TEH-4B-M25	111 110 430 5001
M32	W10B-TEH-4B-M32	111 110 430 5004
PG21	W10B-TEH-4B-PG21	111 110 430 5005
PG29	W10B-TEH-4B-PG29	111 110 430 5006
	with sleeve	
M25	W10B-TEH-4B-M25 WS	111 110 430 5103
M32	W10B-TEH-4B-M32 WS	111 110 430 5104
PG21	W10B-TEH-4B-PG21 WS	111 110 430 5111
PG29	W10B-TEH-4B-PG29 WS	111 110 430 5112




Bulkhead mounted housings



Thread	Designation	Order No.
---	H10B-BK-2L/SC	111 010 341 1001

Please refer to page 15-02 for choosing proper model of lock.




Surface mounted housings

Structure 1



Thread	Designation	Order No.
M20	H10B-SF-2L/SC-M20	111 010 241 1002
2M20	H10B-SF-2L/SC-2M20	111 010 241 1022
M25	H10B-SF-2L/SC-M25 ¹⁾	111 010 241 1003
2M25	H10B-SF-2L/SC-2M25 ¹⁾	111 010 241 1023
PG16	H10B-SF-2L/SC-PG16	111 010 241 1010
2PG16	H10B-SF-2L/SC-2PG16	111 010 241 1030




1) : Structure 1 (M=M25 Uses Structure 1)

Structure 2



Please refer to page 15-02 for choosing proper model of lock.



Structure 2: M/PG=M20/PG16 Uses Structure 2

10B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Surface mounted housings, high construction



Thread	Designation	Order No.
M25	H10B-SFH-2L/SC-M25	111 010 241 5003
2M25	H10B-SFH-2L/SC-2M25	111 010 241 5023
M32	H10B-SFH-2L/SC-M32	111 010 241 5004
2M32	H10B-SFH-2L/SC-2M32	111 010 241 5024
PG21	H10B-SFH-2L/SC-PG21	111 010 241 5011
2PG21	H10B-SFH-2L/SC-2PG21	111 010 241 5031
PG29	H10B-SFH-2L/SC-PG29	111 010 241 5012
2PG29	H10B-SFH-2L/SC-2PG29	111 010 241 5032

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable



Thread	Designation	Order No.
M20	H10B-CCT-2L/SC-M20	111 010 741 1002
M25	H10B-CCT-2L/SC-M25	111 010 741 1003
PG16	H10B-CCT-2L/SC-PG16	111 010 741 1010

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	W10B-CCTH-2L/SC-M25	111 110 741 5001
M32	W10B-CCTH-2L/SC-M32	111 110 741 5002
PG21	W10B-CCTH-2L/SC-PG21	111 110 741 5003
PG29	W10B-CCTH-2L/SC-PG29	111 110 741 5004
	with sleeve	
M25	W10B-CCTH-2L/SC-M25 WS	111 110 741 5103
M32	W10B-CCTH-2L/SC-M32 WS	111 110 741 5104
PG21	W10B-CCTH-2L/SC-PG21 WS	111 110 741 5111
PG29	W10B-CCTH-2L/SC-PG29 WS	111 110 741 5112


Please refer to page 15-02 for choosing proper model of lock.



Protection covers, plastic




Connect way	Applications	Designation	Order No.
---	for hoods	H10B-CV-4C	111 010 090 8009



Protection covers, plastic



Connect way	Applications	Designation	Order No.
	for Housings, cable to cable	H10B-CV-4B/1	111 010 030 8001
	for Housings, bulkhead mounting / surface mounting	H10B-CV-4B/2	111 010 030 8002



10B Metal hoods/housings


Degree of protection: IP65 Remark: SPQ is 1pc

Housings, cable to cable ,high construction, Under-shell through-board installation



Thread	Designation	Order No.
M25	W10B-CCTH/BK-2L/SC-M25	111 110 741 5506
M32	W10B-CCTH/BK-2L/SC-M32	111 110 741 5504
PG21	W10B-CCTH/BK-2L/SC-PG21	111 110 741 5507
PG29	W10B-CCTH/BK-2L/SC-PG29	111 110 741 5508

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Surface mounted housings

Structure 1



Thread	Designation	Order No.
M20	H10B-SF-4B-M20	111 010 230 1002
2M20	H10B-SF-4B-2M20	111 010 230 1022
M25	H10B-SF-4B-M25 ¹⁾	111 010 230 1003
2M25	H10B-SF-4B-2M25 ¹⁾	111 010 230 1023
PG16	H10B-SF-4B-PG16	111 010 230 1010
2PG16	H10B-SF-4B-2PG16	111 010 230 1030


with plastic cover

M20	H10B-SF-4B-CV-M20	111 010 270 1002
2M20	H10B-SF-4B-CV-2M20	111 010 270 1022
M25	H10B-SF-4B-CV-M25 ¹⁾	111 010 270 1003
2M25	H10B-SF-4B-CV-2M25 ¹⁾	111 010 270 1023
PG16	H10B-SF-4B-CV-PG16	111 010 270 1010
2PG16	H10B-SF-4B-CV-2PG16	111 010 270 1030


with metal cover

M20	H10B-SF-4B-MCV-M20	111 010 270 1102
2M20	H10B-SF-4B-MCV-2M20	111 010 270 1122
M25	H10B-SF-4B-MCV-M25 ¹⁾	111 010 270 1103
2M25	H10B-SF-4B-MCV-2M25 ¹⁾	111 010 270 1123
PG16	H10B-SF-4B-MCV-PG16	111 010 270 1110
2PG16	H10B-SF-4B-MCV-2PG16	111 010 270 1130

Structure 2



1) : Structure 1 (M=M25 Uses Structure 1)



Structure 2: M/PG=M20/PG16 Uses Structure 2

Surface mounted housings, high construction




Thread	Designation	Order No.
M25	H10B-SFH-4B-M25	111 010 230 5003
2M25	H10B-SFH-4B-2M25	111 010 230 5023
M32	H10B-SFH-4B-M32	111 010 230 5004
2M32	H10B-SFH-4B-2M32	111 010 230 5024
PG21	H10B-SFH-4B-PG21	111 010 230 5011
2PG21	H10B-SFH-4B-2PG21	111 010 230 5031
PG29	H10B-SFH-4B-PG29	111 010 230 5012
2PG29	H10B-SFH-4B-2PG29	111 010 230 5032

with plastic cover

M25	H10B-SFH-4B-CV-M25	111 010 270 5003
2M25	H10B-SFH-4B-CV-2M25	111 010 270 5023
M32	H10B-SFH-4B-CV-M32	111 010 270 5004
2M32	H10B-SFH-4B-CV-2M32	111 010 270 5024
PG21	H10B-SFH-4B-CV-PG21	111 010 270 5011
2PG21	H10B-SFH-4B-CV-2PG21	111 010 270 5031
PG29	H10B-SFH-4B-CV-PG29	111 010 270 5012
2PG29	H10B-SFH-4B-CV-2PG29	111 010 270 5032

with metal cover

M25	H10B-SFH-4B-MCV-M25	111 010 270 5103
2M25	H10B-SFH-4B-MCV-2M25	111 010 270 5123
M32	H10B-SFH-4B-MCV-M32	111 010 270 5104
2M32	H10B-SFH-4B-MCV-2M32	111 010 270 5124
PG21	H10B-SFH-4B-MCV-PG21	111 010 270 5111
2PG21	H10B-SFH-4B-MCV-2PG21	111 010 270 5131
PG29	H10B-SFH-4B-MCV-PG29	111 010 270 5112
2PG29	H10B-SFH-4B-MCV-2PG29	111 010 270 5132




10B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H10B-MCV-4B/1S	111 010 030 8103
	for housings, without sealing	H10B-MCV-4B/2	111 010 030 8102




Protection covers, metal



Connect way	Application	Designation	Order No.
	for hoods	H10B-MCV-2L/SC.1S	111 010 041 8101
	for housings	H10B-MCV-2L/SC.2	111 010 041 8102

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings

Degree of protection: IP65 Remark: SPQ is 1pc

Protection covers, metal



Connect way	Applications	Designation	Order No.
-------------	--------------	-------------	-----------




for hoods

H10B-MCV-1L/SC.1S

111 010 021 8001

Please refer to page 15-02 for choosing proper model of lock.



Protection covers(IP5X)




Thread	Applications	Designation	Order No.
--------	--------------	-------------	-----------

for housings

H10B-CV/C

111 010 000 8002



Hoods, side entry, high construction



Thread	Designation	Order No.
--------	-------------	-----------

M25


W10B-SEH-1L/C-M25

111 110 550 5002

M32

W10B-SEH-1L/C-M32

111 110 550 5001




Bulkhead mounted housings



Thread	Designation	Order No.
--------	-------------	-----------

H10B-BK-2B/C

111 010 350 1001



10B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	H10B-MSE-4B-M20	112 010 530 1002
M25	H10B-MSE-4B-M25	112 010 530 1003
PG16	H10B-MSE-4B-PG16	112 010 530 1010



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W10B-MSEH-4B-M25	112 110 530 5001
M32	W10B-MSEH-4B-M32	112 110 530 5007
PG21	W10B-MSEH-4B-PG21	112 110 530 5011
PG29	W10B-MSEH-4B-PG29	112 110 530 5012



Hoods, top entry




Thread	Designation	Order No.
M20	H10B-MTE-4B-M20	112 010 430 1002
M25	H10B-MTE-4B-M25	112 010 430 1003
PG16	H10B-MTE-4B-PG16	112 010 430 1010



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	W10B-MTEH-4B-M25	112 110 430 5003
M32	W10B-MTEH-4B-M32	112 110 430 5001
PG21	W10B-MTEH-4B-PG21	112 110 430 5011
PG29	W10B-MTEH-4B-PG29	112 110 430 5012



Housings, cable to cable




Thread	Designation	Order No.
M20	H10B-MCCT-2L/SC-M20	112 010 741 1002
M25	H10B-MCCT-2L/SC-M25	112 010 741 1003
PG16	H10B-MCCT-2L/SC-PG16	112 010 741 1010



Bulkhead mounted housings



Thread	Designation	Order No.
---	H10B-MBK-2L/SC	112 010 341 1001



10B Metal hoods/housings

-Suitable for harsh environment(anti-corrosion)


Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry

Structure 1




Thread	Designation	Order No.
M20	H10B-MSF-2L/SC-M20	112 010 241 1002
2M20	H10B-MSF-2L/SC-2M20	112 010 241 1022
M25	H10B-MSF-2L/SC-M25 ¹⁾	112 010 241 1003
2M25	H10B-MSF-2L/SC-2M25 ¹⁾	112 010 241 1023
PG16	H10B-MSF-2L/SC-PG16	112 010 241 1010
2PG16	H10B-MSF-2L/SC-2PG16	112 010 241 1030



1) : Structure 1 (M=M25 Uses Structure 1)

Structure 2




Structure 2: M/PG=M20/PG16 Uses Structure 2

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	H10B-MSFH-2L/SC-M25	112 010 241 5003
2M25	H10B-MSFH-2L/SC-2M25	112 010 241 5023
M32	H10B-MSFH-2L/SC-M32	112 010 241 5004
2M32	H10B-MSFH-2L/SC-2M32	112 010 241 5024
PG21	H10B-MSFH-2L/SC-PG21	112 010 241 5011
2PG21	H10B-MSFH-2L/SC-2PG21	112 010 241 5031
PG29	H10B-MSFH-2L/SC-PG29	112 010 241 5012
2PG29	H10B-MSFH-2L/SC-2PG29	112 010 241 5032



Protection covers




Connect way	Designation	Order No.
	H10B-MMCV-2L/SC.1S	112 010 041 8001



Protection covers



Connect way	Designation	Order No.
	H10B-MMCV-4B/2	112 010 030 8002



10B Metal hoods/housings


Degree of protection: IP67

Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	W10B-SE-2B-M20	111 110 510 1001
M25	W10B-SE-2B-M25	111 110 510 1002
PG16	W10B-SE-2B-PG16	111 110 510 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W10B-BEH-2B	111 110 910 5001
M25	W10B-SEH-2B-M25	111 110 510 5001
M32	W10B-SEH-2B-M32	111 110 510 5002
PG21	W10B-SEH-2B-PG21	111 110 510 5003
PG29	W10B-SEH-2B-PG29	111 110 510 5004
	with sleeve	
M25	W10B-SEH-2B-M25 WS	111 110 515 5103
M32	W10B-SEH-2B-M32 WS	111 110 515 5104
PG21	W10B-SEH-2B-PG21 WS	111 110 515 5111
PG29	W10B-SEH-2B-PG29 WS	111 110 515 5112



Hoods, top entry




Thread	Designation	Order No.
M20	W10B-TE-2B-M20	111 110 410 1001
M25	W10B-TE-2B-M25	111 110 410 1002
PG16	W10B-TE-2B-PG16	111 110 410 1003



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W10B-BEH-2B	111 110 910 5001
M25	W10B-TEH-2B-M25	111 110 410 5001
M32	W10B-TEH-2B-M32	111 110 410 5002
PG21	W10B-TEH-2B-PG21	111 110 410 5003
PG29	W10B-TEH-2B-PG29	111 110 410 5004
	with sleeve	
M25	W10B-TEH-2B-M25 WS	111 110 415 5103
M32	W10B-TEH-2B-M32 WS	111 110 415 5104
PG21	W10B-TEH-2B-PG21 WS	111 110 415 5111
PG29	W10B-TEH-2B-PG29 WS	111 110 415 5112



10B Metal hoods/housings


Degree of protection: IP67 Remark: SPQ is 1pc

Housings, cable to cable



Thread	Designation	Order No.
M20	W10B-CCT-1L/SC-M20	111 110 721 1002
M25	W10B-CCT-1L/SC-M25	111 110 721 1003
PG16	W10B-CCT-1L/SC-PG16	111 110 721 1004

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	W10B-CCTH-1L/SC-M25	111 110 721 5001
M32	W10B-CCTH-1L/SC-M32	111 110 721 5002
PG21	W10B-CCTH-1L/SC-PG21	111 110 721 5003
PG29	W10B-CCTH-1L/SC-PG29	111 110 721 5004
	with sleeve	
M25	W10B-CCTH-1L/SC-M25 WS	111 110 721 5103
M32	W10B-CCTH-1L/SC-M32 WS	111 110 721 5104
PG21	W10B-CCTH-1L/SC-PG21 WS	111 110 721 5111
PG29	W10B-CCTH-1L/SC-PG29 WS	111 110 721 5112

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead mounted housings



Thread	Designation	Order No.
---	W10B-BK-1L/SC	111 110 321 1001
	with plastic cover	
---	W10B-BK-1L/SC-CV	111 110 321 8001
	with metal cover	
---	W10B-BK-1L/SC-MCV	111 110 321 8002

Please refer to page 15-02 for choosing proper model of lock.




10B Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	W10B-SE-4B-M20	111 110 530 1005
M25	W10B-SE-4B-M25	111 110 530 1006
PG16	W10B-SE-4B-PG16	111 110 530 1007



Hoods, side entry, high construction




Thread	Designation	Order No.
---	W10B-BEH-4B	111 110 930 5003
M25	W10B-SEH-4B-M25	111 110 530 5001
M32	W10B-SEH-4B-M32	111 110 530 5002
PG21	W10B-SEH-4B-PG21	111 110 530 5003
PG29	W10B-SEH-4B-PG29	111 110 530 5004
	with sleeve	
M25	W10B-SEH-4B-M25 WS	111 110 530 5103
M32	W10B-SEH-4B-M32 WS	111 110 530 5104
PG21	W10B-SEH-4B-PG21 WS	111 110 530 5111
PG29	W10B-SEH-4B-PG29 WS	111 110 530 5112



Hoods, top entry




Thread	Designation	Order No.
M20	W10B-TE-4B-M20	111 110 430 1005
M25	W10B-TE-4B-M25	111 110 430 1006
PG16	W10B-TE-4B-PG16	111 110 430 1007



Hoods, top entry, high construction



Thread	Designation	Order No.
---	W10B-BEH-4B	111 110 930 5003
M25	W10B-TEH-4B-M25	111 110 430 5001
M32	W10B-TEH-4B-M32	111 110 430 5004
PG21	W10B-TEH-4B-PG21	111 110 430 5005
PG29	W10B-TEH-4B-PG29	111 110 430 5006
	with sleeve	
M25	W10B-TEH-4B-M25 WS	111 110 430 5103
M32	W10B-TEH-4B-M32 WS	111 110 430 5104
PG21	W10B-TEH-4B-PG21 WS	111 110 430 5111
PG29	W10B-TEH-4B-PG29 WS	111 110 430 5112




Bulkhead mounted housings



Thread	Designation	Order No.
---	W10B-BK-2L/SC	111 110 341 1002

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings


Degree of protection: IP67 Remark: SPQ is 1pc

Housings, cable to cable



Thread	Designation	Order No.
M20	W10B-CCT-2L/SC-M20	111 110 741 1002
M25	W10B-CCT-2L/SC-M25	111 110 741 1003
PG16	W10B-CCT-2L/SC-PG16	111 110 741 1004

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	W10B-CCTH-2L/SC-M25	111 110 741 5001
M32	W10B-CCTH-2L/SC-M32	111 110 741 5002
PG21	W10B-CCTH-2L/SC-PG21	111 110 741 5003
PG29	W10B-CCTH-2L/SC-PG29	111 110 741 5004
	with sleeve	
M25	W10B-CCTH-2L/SC-M25 WS	111 110 741 5103
M32	W10B-CCTH-2L/SC-M32 WS	111 110 741 5104
PG21	W10B-CCTH-2L/SC-PG21 WS	111 110 741 5111
PG29	W10B-CCTH-2L/SC-PG29 WS	111 110 741 5112

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings


Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry



Thread	Designation	Order No.
M20	W10B-SE-2L/SC-M20	111 110 541 1001
M25	W10B-SE-2L/SC-M25	111 110 541 1003
PG16	W10B-SE-2L/SC-PG16	111 110 541 1002

Please refer to page 15-02 for choosing proper model of lock.




Hoods, side entry, high construction



Thread	Designation	Order No.
M25	W10B-SEH-2L/SC-M25	111 110 541 5001
M32	W10B-SEH-2L/SC-M32	111 110 541 5002
PG21	W10B-SEH-2L/SC-PG21	111 110 541 5003
PG29	W10B-SEH-2L/SC-PG29	111 110 541 5004
	with sleeve	
M25	W10B-SEH-2L/SC-M25 WS	111 110 541 5103
M32	W10B-SEH-2L/SC-M32 WS	111 110 541 5104
PG21	W10B-SEH-2L/SC-PG21 WS	111 110 541 5111
PG29	W10B-SEH-2L/SC-PG29 WS	111 110 541 5112

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry



Thread	Designation	Order No.
M20	W10B-TE-2L/SC-M20	111 110 441 1001
M25	W10B-TE-2L/SC-M25	111 110 441 1003
PG16	W10B-TE-2L/SC-PG16	111 110 441 1002

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry, high construction



Thread	Designation	Order No.
M25	W10B-TEH-2L/SC-M25	111 110 441 5001
M32	W10B-TEH-2L/SC-M32	111 110 441 5002
PG21	W10B-TEH-2L/SC-PG21	111 110 441 5003
PG29	W10B-TEH-2L/SC-PG29	111 110 441 5004
	with sleeve	
M25	W10B-TEH-2L/SC-M25 WS	111 110 441 5103
M32	W10B-TEH-2L/SC-M32 WS	111 110 441 5104
PG21	W10B-TEH-2L/SC-PG21 WS	111 110 441 5111
PG29	W10B-TEH-2L/SC-PG29 WS	111 110 441 5112


Please refer to page 15-02 for choosing proper model of lock.



Bulkhead mounted housings



Thread	Designation	Order No.
---	W10B-BK-4B	111 110 330 1001
---	W10B-BK-4B-CV	111 110 330 8001
---	W10B-BK-4B-MCV	111 110 330 8002



10B Metal hoods/housings


Degree of protection: IP67 Remark: SPQ is 1pc

Housings, cable to cable ,high construction, Under-shell through-board installation



Thread	Designation	Order No.
M25	W10B-CCTH/BK-2L/SC-M25	111 110 741 5506
M32	W10B-CCTH/BK-2L/SC-M32	111 110 741 5504
PG21	W10B-CCTH/BK-2L/SC-PG21	111 110 741 5507
PG29	W10B-CCTH/BK-2L/SC-PG29	111 110 741 5508

Please refer to page 15-02 for choosing proper model of lock.




10B Metal hoods/housings

Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W10B-SEH-1L/C-M25	111 110 550 5002
M32	W10B-SEH-1L/C-M32	111 110 550 5001
PG21	W10B-SEH-1L/C-PG21	111 110 555 5001
PG29	W10B-SEH-1L/C-PG29	111 110 550 5003



Bulkhead mounted housings



Thread	Designation	Order No.
---	W10B-BK-2B/C	111 110 350 1001



10B Metal hoods/housings


-Suitable for harsh environment(anti-corrosion)

Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	W10B-MSE-4B-M20	112 110 530 1001
M25	W10B-MSE-4B-M25	112 110 530 1003
PG16	W10B-MSE-4B-PG16	112 110 530 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	W10B-MSEH-4B-M25	112 110 530 5001
M32	W10B-MSEH-4B-M32	112 110 530 5007
PG21	W10B-MSEH-4B-PG21	112 110 530 5011
PG29	W10B-MSEH-4B-PG29	112 110 530 5012



Hoods, top entry




Thread	Designation	Order No.
M20	W10B-MTE-4B-M20	112 110 430 1001
M25	W10B-MTE-4B-M25	112 110 430 1003
PG16	W10B-MTE-4B-PG16	112 110 430 1002



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	W10B-MTEH-4B-M25	112 110 430 5003
M32	W10B-MTEH-4B-M32	112 110 430 5001
PG21	W10B-MTEH-4B-PG21	112 110 430 5011
PG29	W10B-MTEH-4B-PG29	112 110 430 5012



Housings, cable to cable




Thread	Designation	Order No.
M20	W10B-MCCT-2L/SC-M20	112 110 741 1002
M25	W10B-MCCT-2L/SC-M25	112 110 741 1003
PG16	W10B-MCCT-2L/SC-PG16	112 110 741 1001



Housings, cable to cable, high construction




Thread	Designation	Order No.
M25	W10B-MCCTH-2L/SC-M25	112 110 741 5003
M32	W10B-MCCTH-2L/SC-M32	112 110 741 5004
PG21	W10B-MCCTH-2L/SC-PG21	112 110 741 5011
PG29	W10B-MCCTH-2L/SC-PG29	112 110 741 5012



Bulkhead mounted housings



Thread	Designation	Order No.
---	W10B-MBK-2L/SC	112 110 341 1001



10B EMC Metal hoods/housings


Degree of protection: IP67

Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M25	EMC.W10B-SE-4B-M20	111 210 530 1001
M32	EMC.W10B-SE-4B-M25	111 210 530 1002
PG29	EMC.W10B-SE-4B-PG16	111 210 530 1003



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	EMC.W10B-SEH-4B-M25	111 210 530 5001
M32	EMC.W10B-SEH-4B-M32	111 210 530 5002
PG21	EMC.W10B-SEH-4B-PG21	111 210 530 5003
PG29	EMC.W10B-SEH-4B-PG29	111 210 530 5004



Hoods, top entry




Thread	Designation	Order No.
M25	EMC.W10B-TE-4B-M20	111 210 430 1001
M32	EMC.W10B-TE-4B-M25	111 210 430 1002
PG29	EMC.W10B-TE-4B-PG16	111 210 430 1003



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	EMC.W10B-TEH-4B-M25	111 210 430 5001
M32	EMC.W10B-TEH-4B-M32	111 210 430 5002
PG21	EMC.W10B-TEH-4B-PG21	111 210 430 5003
PG29	EMC.W10B-TEH-4B-PG29	111 210 430 5004



Bulkhead mounted housings



Thread	Designation	Order No.
---	EMC1.W10B-BK-2L/SC	111 110 341 1001



10B EMC Metal hoods/housings


Degree of protection: IP65

Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	EMC.H10B-SF-2L/SC-M20	111 610 241 1502
2M20	EMC.H10B-SF-2L/SC-2M20	111 610 241 1503
PG16	EEMC.H10B-SF-2L/SC-PG16	111 610 241 1504
2PG16	EMC.H10B-SF-2L/SC-2PG16	111 610 241 1505



Hoods, side entry, high construction



Thread	Designation	Order No.
M25	EMC.H10B-SFH-2L/SC-M25	111 610 241 5500
M32	EMC.H10B-SFH-2L/SC-2M25	111 610 241 5501
PG21	EMC.H10B-SFH-2L/SC-M32	111 610 241 5502
PG29	EMC.H10B-SFH-2L/SC-2M32	111 610 241 5503
PG21	EMC.H10B-SFH-2L/SC-PG21	111 610 241 5504
2PG21	EMC.H10B-SFH-2L/SC-2PG21	111 610 241 5505
PG29	EMC.H10B-SFH-2L/SC-PG29	111 610 241 5506
2PG29	EMC.H10B-SFH-2L/SC-2PG29	111 610 241 5507



H

10B Pressure tight hoods/housings


Degree of protection: IP68/IP69K Remark: SPQ is 1pc

W version

Hoods, side entry, high construction




Thread	Designation	Order No.
M20	HP10B-SEH-2S-M20	115 010 520 5002
M25	HP10B-SEH-2S-M25	115 010 520 5103
M32	HP10B-SEH-2S-M32	115 010 520 5104
PG16	HP10B-SEH-2S-PG16	115 010 520 5110
PG21	HP10B-SEH-2S-PG21	115 010 520 5111



Hoods, top entry, high construction




Thread	Designation	Order No.
M20	HP10B-TEH-2S-M20	115 010 420 5002
M25	HP10B-TEH-2S-M25	115 010 420 5103
M32	HP10B-TEH-2S-M32	115 010 420 5104
PG16	HP10B-TEH-2S-PG16	115 010 420 5110
PG21	HP10B-TEH-2S-PG21	115 010 420 5111
PG29	HP10B-TEH-2S-PG29	115 010 420 5012



Surface mounted housings, high construction




Thread	Designation	Order No.
M20	HP10B-SFH-2H-M20	115 010 220 5002
M25	HP10B-SFH-2H-M25	115 010 220 5003
M32	HP10B-SFH-2H-M32	115 010 220 5004
PG16	HP10B-SFH-2H-PG16	115 010 220 5010
PG21	HP10B-SFH-2H-PG21	115 010 220 5011



Bulkhead mounted housings




Thread	Designation	Order No.
---	HP10B-BK-2H	115 010 320 1001



Protection covers, plastic



Thread	Designation	Order No.
---	HP10B-CV-2S/2	115 010 020 8002



10B Pressure tight hoods/housings

Degree of protection: IP68/IP69K


Remark: SPQ is 1pc

H version

Hoods, side entry, high construction




Thread	Designation	Order No.
	Screw locking	
M20	HP10B/H-SEH-2S-M20	113 610 520 5002
M25	HP10B/H-SEH-2S-M25	113 610 520 5003
M32	HP10B/H-SEH-2S-M32	113 610 520 5004
PG16	HP10B/H-SEH-2S-PG16	113 610 520 5010
PG21	HP10B/H-SEH-2S-PG21	113 610 520 5011
	Toggle locking	
M20	HP10B/H-SEH-2T-M20	113 610 540 5002
M25	HP10B/H-SEH-2T-M25	113 610 540 5003
M32	HP10B/H-SEH-2T-M32	113 610 540 5004
PG16	HP10B/H-SEH-2T-PG16	113 610 540 5010
PG21	HP10B/H-SEH-2T-PG21	113 610 540 5011



Hoods, top entry, high construction




Thread	Designation	Order No.
	Screw locking	
M20	HP10B/H-TEH-2S-M20	113 610 420 5002
M25	HP10B/H-TEH-2S-M25	113 610 420 5003
M32	HP10B/H-TEH-2S-M32	113 610 420 5004
PG16	HP10B/H-TEH-2S-PG16	113 610 420 5010
PG21	HP10B/H-TEH-2S-PG21	113 610 420 5011
PG29	HP10B/H-TEH-2S-PG29	113 610 420 5012
	Toggle locking	
M20	HP10B/H-TEH-2T-M20	113 610 440 5002
M25	HP10B/H-TEH-2T-M25	113 610 440 5003
M32	HP10B/H-TEH-2T-M32	113 610 440 5004
PG16	HP10B/H-TEH-2T-PG16	113 610 440 5010
PG21	HP10B/H-TEH-2T-PG21	113 610 440 5011
PG29	HP10B/H-TEH-2T-PG29	113 610 440 5012



Surface mounted housings, high construction




Thread	Designation	Order No.
	Screw locking	
M20	HP10B/H-SFH-2H-M20	113 610 220 5002
M25	HP10B/H-SFH-2H-M25	113 610 220 5003
M32	HP10B/H-SFH-2H-M32	113 610 220 5004
PG16	HP10B/H-SFH-2H-PG16	113 610 220 5010
PG21	HP10B/H-SFH-2H-PG21	113 610 220 5011
	Toggle locking	
M20	HP10B/H-SFH-2T-M20	113 610 240 5002
M25	HP10B/H-SFH-2T-M25	113 610 240 5003
M32	HP10B/H-SFH-2T-M32	113 610 240 5004
PG16	HP10B/H-SFH-2T-PG16	113 610 240 5010
PG21	HP10B/H-SFH-2T-PG21	113 610 240 5011



Bulkhead mounted housings



Thread	Designation	Order No.
	Screw locking	
---	HP10B/H-BK-2H	113 610 320 1001
	Toggle locking	
---	HP10B/H-BK-2T	113 610 340 1001
	with metal cover	
---	Screw locking	
	HP10B/H-BK-2H-MCV	113 610 360 1001
---	Toggle locking	
	HP10B/H-BK-2T-MCV	113 610 370 1001



10B Pressure tight hoods/housings

Degree of protection: IP68/IP69K


Remark: SPQ is 1pc

H version

Protection covers,for housings




Connect way	Designation	Order No.
	Screw locking	
	HP10B/H-MCV-2S	113 610 020 8101
	Toggle locking	
	HP10B/H-MCV-2T	113 610 040 8103



Protection covers,for hoods



Connect way	Designation	Order No.
	Screw locking	
	HP10B/H-MCV-2H/1	113 610 020 8111
	Toggle locking	
	HP10B/H-MCV-2T/1	113 610 040 8101




Protection covers, for housings(IP5X)

Remark: SPQ is 10pcs



Connect way	Designation	Order No.
---	HP10B/H-CV/C	113 610 900 8001



Degree of protection: IP68/IP69K


The following hoods/housings comply with the standards for rail transport industry in China.

H version

Hoods, side entry, high construction




Thread	Designation	Order No.
M20	HP10B/H-SEH-4S-M20	113 610 530 5002
M25	HP10B/H-SEH-4S-M25	113 610 530 5003
M32	HP10B/H-SEH-4S-M32	113 610 530 5004
M40	HP10B/H-SEH-4S-M40	113 610 530 5005
PG16	HP10B/H-SEH-4S-PG16	113 610 530 5010
PG21	HP10B/H-SEH-4S-PG21	113 610 530 5011



Hoods, top entry, high construction




Thread	Designation	Order No.
M20	HP10B/H-TEH-4S-M20	113 610 430 5002
M25	HP10B/H-TEH-4S-M25	113 610 430 5003
M32	HP10B/H-TEH-4S-M32	113 610 430 5004
M40	HP10B/H-TEH-4S-M40	113 610 430 5005
PG16	HP10B/H-TEH-4S-PG16	113 610 430 5010
PG21	HP10B/H-TEH-4S-PG21	113 610 430 5011
PG29	HP10B/H-TEH-4S-PG29	113 610 430 5012



Bulkhead mounted housings



Thread	Designation	Order No.
---	HP10B/H-BK-4H	113 610 330 1001



10B Pressure tight hoods/housings


Degree of protection: IP68/IP69K

Remark: SPQ is 1pc

Hoods, side entry, high construction




Thread	Designation	Order No.
M25	HC10B-SEH-2S-M25	114 010 520 5003
M32	HC10B-SEH-2S-M32	114 010 520 5004
PG16	HC10B-SEH-2S-PG16	114 010 520 5010
PG21	HC10B-SEH-2S-PG21	114 010 520 5011



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	HC10B-TEH-2S-M25	114 010 420 5003
M32	HC10B-TEH-2S-M32	114 010 420 5004
PG16	HC10B-TEH-2S-PG16	114 010 420 5010
PG21	HC10B-TEH-2S-PG21	114 010 420 5011



Mounting flange




Applications	Designation	Order No.
for integral type hoods	APT-C	114 000 000 1001



Protection covers, plastic



Thread	Designation	Order No.
---	HC10B-CV-2S/2	111 010 020 8001



HV10B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65

Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	HV10B-SE-2B-M20	124 010 515 1002
PG16	HV10B-SE-2B-PG16	124 010 515 1010



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	WV10B-SEH-2B-M25	124 110 510 5001
M32	WV10B-SEH-2B-M32	124 110 510 5002
PG21	WV10B-SEH-2B-PG21	124 110 510 5003
PG29	WV10B-SEH-2B-PG29	124 110 510 5004
	with sleeve	
M25	WV10B-SEH-2B-M25 WS	124 110 515 5103
M32	WV10B-SEH-2B-M32 WS	124 110 515 5104
PG21	WV10B-SEH-2B-PG21 WS	124 110 515 5111
PG29	WV10B-SEH-2B-PG29 WS	124 110 515 5112



Hoods, top entry




Thread	Designation	Order No.
M20	HV10B-TE-2B-M20	124 010 415 1002
PG16	HV10B-TE-2B-PG16	124 010 415 1010



Hoods, top entry, high construction



Thread	Designation	Order No.
M25	WV10B-TEH-2B-M25	124 110 410 5001
M32	WV10B-TEH-2B-M32	124 110 410 5002
PG21	WV10B-TEH-2B-PG21	124 110 410 5003
PG29	WV10B-TEH-2B-PG29	124 110 410 5004
	with sleeve	
M25	WV10B-TEH-2B-M25 WS	124 110 415 5103
M32	WV10B-TEH-2B-M32 WS	124 110 415 5104
PG21	WV10B-TEH-2B-PG21 WS	124 110 415 5111
PG29	WV10B-TEH-2B-PG29 WS	124 110 415 5112




Housings, cable to cable



Thread	Designation	Order No.
M20	HV10B-CCT-1L/SC-M20	124 010 721 1002
PG16	HV10B-CCT-1L/SC-PG16	124 010 721 1010

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	WV10B-CCTH-1L/SC-M25	124 110 721 5001
M32	WV10B-CCTH-1L/SC-M32	124 110 721 5002
PG21	WV10B-CCTH-1L/SC-PG21	124 110 721 5003
PG29	WV10B-CCTH-1L/SC-PG29	124 110 721 5004
	with sleeve	
M25	WV10B-CCTH-1L/SC-M25 WS	124 110 721 5103
M32	WV10B-CCTH-1L/SC-M32 WS	124 110 721 5104
PG21	WV10B-CCTH-1L/SC-PG21 WS	124 110 721 5111
PG29	WV10B-CCTH-1L/SC-PG29 WS	124 110 721 5112

Please refer to page 15-02 for choosing proper model of lock.



HV10B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65 Remark: SPQ is 1pc

Bulkhead mounted housings



Thread	Designation	Order No.
---	HV10B-BK-1L/SC	124 010 321 1001
---	with plastic cover	
---	HV10B-BK-1L/SC-CV	124 010 361 1001
---	with metal cover	
---	HV10B-BK-1L/SC-MCV	124 010 361 1101

Please refer to page 15-02 for choosing proper model of lock.



Surface mounted housings

Structure 1



Thread	Designation	Order No.
M20	HV10B-SF-1L/SC-M20	124 010 221 1002
2M20	HV10B-SF-1L/SC-2M20	124 010 221 1022
M25	HV10B-SF-1L/SC-M25 ¹⁾	124 010 221 1003
2M25	HV10B-SF-1L/SC-2M25 ¹⁾	124 010 221 1023
PG16	HV10B-SF-1L/SC-PG16	124 010 221 1010
2PG16	HV10B-SF-1L/SC-2PG16	124 010 221 1030


with plastic cover

M20	HV10B-SF-1L/SC-CV-M20	124 010 261 1002
2M20	HV10B-SF-1L/SC-CV-2M20	124 010 261 1022
M25	HV10B-SF-1L/SC-CV-M25 ¹⁾	124 010 261 1003
2M25	HV10B-SF-1L/SC-CV-2M25 ¹⁾	124 010 261 1023
PG16	HV10B-SF-1L/SC-CV-PG16	124 010 261 1010
2PG16	HV10B-SF-1L/SC-CV-2PG16	124 010 261 1030

with metal cover

M20	HV10B-SF-1L/SC-MCV-M20	124 010 261 1102
2M20	HV10B-SF-1L/SC-MCV-2M20	124 010 261 1122
M25	HV10B-SF-1L/SC-MCV-M25 ¹⁾	124 010 261 1103
2M25	HV10B-SF-1L/SC-MCV-2M25 ¹⁾	124 010 261 1123
PG16	HV10B-SF-1L/SC-MCV-PG16	124 010 261 1110
2PG16	HV10B-SF-1L/SC-MCV-2PG16	124 010 261 1130

Please refer to page 15-02 for choosing proper model of lock.



1) : Structure 1 (M=M25 Uses Structure 1)

Structure 2



Thread	Designation	Order No.
M25	HV10B-SFH-1L/SC-M25	124 010 221 5003
2M25	HV10B-SFH-1L/SC-2M25	124 010 221 5023
M32	HV10B-SFH-1L/SC-M32	124 010 221 5004
2M32	HV10B-SFH-1L/SC-2M32	124 010 221 5024
PG21	HV10B-SFH-1L/SC-PG21	124 010 221 5011
2PG21	HV10B-SFH-1L/SC-2PG21	124 010 221 5031
PG29	HV10B-SFH-1L/SC-PG29	124 010 221 5012
2PG29	HV10B-SFH-1L/SC-2PG29	124 010 221 5032


with plastic cover

M25	HV10B-SFH-1L/SC-CV-M25	124 010 261 5003
2M25	HV10B-SFH-1L/SC-CV-2M25	124 010 261 5023
M32	HV10B-SFH-1L/SC-CV-M32	124 010 261 5004
2M32	HV10B-SFH-1L/SC-CV-2M32	124 010 261 5024
PG21	HV10B-SFH-1L/SC-CV-PG21	124 010 261 5011
2PG21	HV10B-SFH-1L/SC-CV-2PG21	124 010 261 5031
PG29	HV10B-SFH-1L/SC-CV-PG29	124 010 261 5012
2PG29	HV10B-SFH-1L/SC-CV-2PG29	124 010 261 5032

with metal cover


M25	HV10B-SFH-1L/SC-MCV-M25	124 010 261 5103
2M25	HV10B-SFH-1L/SC-MCV-2M25	124 010 261 5123
M32	HV10B-SFH-1L/SC-MCV-M32	124 010 261 5104
2M32	HV10B-SFH-1L/SC-MCV-2M32	124 010 261 5124
PG21	HV10B-SFH-1L/SC-MCV-PG21	124 010 261 5111
2PG21	HV10B-SFH-1L/SC-MCV-2PG21	124 010 261 5131
PG29	HV10B-SFH-1L/SC-MCV-PG29	124 010 261 5112
2PG29	HV10B-SFH-1L/SC-MCV-2PG29	124 010 261 5132

Please refer to page 15-02 for choosing proper model of lock.



Structure 2: M/PG=M20/PG16 Uses Structure 2

Surface mounted housings, high construction




HV10B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	HV10B-SE-4B-M20	124 010 530 1002
PG16	HV10B-SE-4B-PG16	124 010 530 1010



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	WV10B-SEH-4B-M25	124 110 530 5001
M32	WV10B-SEH-4B-M32	124 110 530 5002
PG21	WV10B-SEH-4B-PG21	124 110 530 5003
PG29	WV10B-SEH-4B-PG29	124 110 530 5004
	with sleeve	
M25	WV10B-SEH-4B-M25 WS	124 110 530 5103
M32	WV10B-SEH-4B-M32 WS	124 110 530 5104
PG21	WV10B-SEH-4B-PG21 WS	124 110 530 5111
PG29	WV10B-SEH-4B-PG29 WS	124 110 530 5112



Hoods, top entry




Thread	Designation	Order No.
M20	HV10B-TE-4B-M20	124 010 430 1002
PG16	HV10B-TE-4B-PG16	124 010 430 1010



Hoods, top entry, high construction



Thread	Designation	Order No.
M25	WV10B-TEH-4B-M25	124 110 430 5001
M32	WV10B-TEH-4B-M32	124 110 430 5002
PG21	WV10B-TEH-4B-PG21	124 110 430 5003
PG29	WV10B-TEH-4B-PG29	124 110 430 5004
	with sleeve	
M25	WV10B-TEH-4B-M25 WS	124 110 430 5103
M32	WV10B-TEH-4B-M32 WS	124 110 430 5104
PG21	WV10B-TEH-4B-PG21 WS	124 110 430 5111
PG29	WV10B-TEH-4B-PG29 WS	124 110 430 5112




Bulkhead mounted housings



Thread	Designation	Order No.
---	HV10B-BK-2L/ SC	124 010 341 1001

Please refer to page 15-02 for choosing proper model of lock.




Surface mounted housings

Structure 1




Thread	Designation	Order No.
M20	HV10B-SF-2L/ SC -M20	124 010 241 1002
2M20	HV10B-SF-2L/ SC -2M20	124 010 241 1022
M25	HV10B-SF-2L/ SC -M25 ¹⁾	124 010 241 1003
2M25	HV10B-SF-2L/ SC -2M25 ¹⁾	124 010 241 1023
2PG16	HV10B-SF-2L/ SC -PG16	124 010 241 1010
2PG16	HV10B-SF-2L/ SC -2PG16	124 010 241 1030



1) : Structure 1 (M=M25 Uses Structure 1)

Structure 2



Structure 2: M/PG=M20/PG16 Uses Structure 2

HV10B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65 Remark: SPQ is 1pc

Surface mounted housings, high construction



Thread	Designation	Order No.
M25	HV10B-SFH-2L/SC-M25	124 010 241 5003
2M25	HV10B-SFH-2L/SC-2M25	124 010 241 5023
M32	HV10B-SFH-2L/SC-M32	124 010 241 5004
2M32	HV10B-SFH-2L/SC-2M32	124 010 241 5024
PG21	HV10B-SFH-2L/SC-PG21	124 010 241 5011
2PG21	HV10B-SFH-2L/SC-2PG21	124 010 241 5031
PG29	HV10B-SFH-2L/SC-PG29	124 010 241 5012
2PG29	HV10B-SFH-2L/SC-2PG29	124 010 241 5032

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable



Thread	Designation	Order No.
M20	HV10B-CCTH-2L/SC-M20	124 010 741 1002
PG16	HV10B-CCT-2L/SC-PG16	124 010 741 1010

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	WV10B-CCTH-2L/SC-M25	124 110 741 5001
M32	WV10B-CCTH-2L/SC-M32	124 110 741 5002
PG21	WV10B-CCTH-2L/SC-PG21	124 110 741 5003
PG29	WV10B-CCTH-2L/SC-PG29	124 110 741 5004
	with sleeve	
M25	WV10B-CCTH-2L/SC-M25 WS	124 110 741 5103
M32	WV10B-CCTH-2L/SC-M32 WS	124 110 741 5104
PG21	WV10B-CCTH-2L/SC-PG21 WS	124 110 741 5111
PG29	WV10B-CCTH-2L/SC-PG29 WS	124 110 741 5112


Please refer to page 15-02 for choosing proper model of lock.



Protection covers, plastic



Connect way	Applications	Designation	Order No.
---	for hoods	H10B-CV-4C	111 010 090 8009




Protection covers, plastic



Remark: SPQ is 10pcs

Connect way	Applications	Designation	Order No.
	for Housings, cable to cable	H10B-CV-4B/1	111 010 030 8001
	for Housings, bulkhead mounting / surface mounting	H10B-CV-4B/2	111 010 030 8002



HV10B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP65 Remark: SPQ is 1pc

Hoods, side entry



Thread	Designation	Order No.
M20	HV10B-SE-2L/SC-M20	124 010 541 1002
PG16	HV10B-SE-2L/SC-PG16	124 010 541 1010

Please refer to page 15-02 for choosing proper model of lock.




Hoods, side entry, high construction



Thread	Designation	Order No.
M25	WV10B-SEH-2L/SC-M25	124 110 541 5001
M32	WV10B-SEH-2L/SC-M32	124 110 541 5002
PG21	WV10B-SEH-2L/SC-PG21	124 110 541 5003
PG29	WV10B-SEH-2L/SC-PG29	124 110 541 5004
	with sleeve	
M25	WV10B-SEH-2L/SC-M25 WS	124 110 541 5103
M32	WV10B-SEH-2L/SC-M32 WS	124 110 541 5104
PG21	WV10B-SEH-2L/SC-PG21 WS	124 110 541 5111
PG29	WV10B-SEH-2L/SC-PG29 WS	124 110 541 5012

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry



Thread	Designation	Order No.
M20	HV10B-TE-2L/SC-M20	124 010 441 1002
PG16	HV10B-TE-2L/SC-PG16	124 010 441 1010

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry, high construction



Thread	Designation	Order No.
M25	WV10B-TEH-2L/SC-M25	124 110 441 5001
M32	WV10B-TEH-2L/SC-M32	124 110 441 5002
PG21	WV10B-TEH-2L/SC-PG21	124 110 441 5003
PG29	WV10B-TEH-2L/SC-PG29	124 110 441 5004
	with sleeve	
M25	WV10B-TEH-2L/SC-M25 WS	124 110 441 5103
M32	WV10B-TEH-2L/SC-M32 WS	124 110 441 5104
PG21	WV10B-TEH-2L/SC-PG21 WS	124 110 441 5111
PG29	WV10B-TEH-2L/SC-PG29 WS	124 110 441 5112


Please refer to page 15-02 for choosing proper model of lock.



Bulkhead mounted housings



Thread	Designation	Order No.
---	HV10B-BK-4B	124 010 330 1001
	with plastic cover	
---	HV10B-BK-4B-CV	124 010 370 1001
	with metal cover	
---	HV10B-BK-4B-MCV	124 010 370 1101



10B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP65 Remark: SPQ is 1pc

Surface mounted housings

Structure 1



Thread	Designation	Order No.
M20	HV10B-SF-4B-M20	124 010 230 1002
2M20	HV10B-SF-4B-2M20	124 010 230 1022
M25	HV10B-SF-4B-M25 ¹⁾	124 010 230 1003
2M25	HV10B-SF-4B-2M25 ¹⁾	124 010 230 1023
PG16	HV10B-SF-4B-PG16	124 010 230 1010
2PG16	HV10B-SF-4B-2PG16	124 010 230 1030


with plastic cover

M20	HV10B-SF-4B-CV-M20	124 010 270 1002
2M20	HV10B-SF-4B-CV-2M20	124 010 270 1022
M25	HV10B-SF-4B-CV-M25 ¹⁾	124 010 270 1003
2M25	HV10B-SF-4B-CV-2M25 ¹⁾	124 010 270 1023
PG16	HV10B-SF-4B-CV-PG16	124 010 270 1010
2PG16	HV10B-SF-4B-CV-2PG16	124 010 270 1030


with metal cover

M20	HV10B-SF-4B-MCV-M20	124 010 270 1102
2M20	HV10B-SF-4B-MCV-2M20	124 010 270 1122
M25	HV10B-SF-4B-MCV-M25 ¹⁾	124 010 270 1103
2M25	HV10B-SF-4B-MCV-2M25 ¹⁾	124 010 270 1123
PG16	HV10B-SF-4B-MCV-PG16	124 010 270 1110
2PG16	HV10B-SF-4B-MCV-2PG16	124 010 270 1130

Structure 2



1) : Structure 1 (M=M25 Uses Structure 1)



Structure 2 : M/PG=M20/PG16 Uses Structure 2

Surface mounted housings, high construction




Thread	Designation	Order No.
M25	HV10B-SFH-4B-M25	124 010 230 5003
2M25	HV10B-SFH-4B-2M25	124 010 230 5023
M32	HV10B-SFH-4B-M32	124 010 230 5004
2M32	HV10B-SFH-4B-2M32	124 010 230 5024
PG21	HV10B-SFH-4B-PG21	124 010 230 5011
2PG21	HV10B-SFH-4B-2PG21	124 010 230 5031
PG29	HV10B-SFH-4B-PG29	124 010 230 5012
2PG29	HV10B-SFH-4B-2PG29	124 010 230 5032

with plastic cover

M25	HV10B-SFH-4B-CV-M25	124 010 270 5003
2M25	HV10B-SFH-4B-CV-2M25	124 010 270 5023
M32	HV10B-SFH-4B-CV-M32	124 010 270 5004
2M32	HV10B-SFH-4B-CV-2M32	124 010 270 5024
PG21	HV10B-SFH-4B-CV-PG21	124 010 270 5011
2PG21	HV10B-SFH-4B-CV-2PG21	124 010 270 5031
PG29	HV10B-SFH-4B-CV-PG29	124 010 270 5012
2PG29	HV10B-SFH-4B-CV-2PG29	124 010 270 5032

with metal cover

M25	HV10B-SFH-4B-MCV-M25	124 010 270 5103
2M25	HV10B-SFH-4B-MCV-2M25	124 010 270 5123
M32	HV10B-SFH-4B-MCV-M32	124 010 270 5104
2M32	HV10B-SFH-4B-MCV-2M32	124 010 270 5124
PG21	HV10B-SFH-4B-MCV-PG21	124 010 270 5111
2PG21	HV10B-SFH-4B-MCV-2PG21	124 010 270 5131
PG29	HV10B-SFH-4B-MCV-PG29	124 010 270 5112
2PG29	HV10B-SFH-4B-MCV-2PG29	124 010 270 5132




10B Metal hoods/housings
- for high voltage inserts(HVE Series)

Degree of protection: IP65 Remark: SPQ is 1pc

Protection covers, metal



Connect way	Applications	Designation	Order No.
	for hoods	H10B-MCV-4B/1S	111 010 030 8103
	for housings, without sealing	H10B-MCV-4B/2	111 010 030 8102




Protection covers, metal



Connect way	Applications	Designation	Order No.
	for hoods	H10B-MCV-2L/SC.1S	111 010 041 8101
	for housings,	H10B-MCV-2L/SC.2	111 010 041 8102

Please refer to page 15-02 for choosing proper model of lock.




10B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	WV10B-SE-2B-M20	124 110 510 1001
PG16	WV10B-SE-2B-PG16	124 110 510 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	WV10B-SEH-2B-M25	124 110 510 5001
M32	WV10B-SEH-2B-M32	124 110 510 5002
PG21	WV10B-SEH-2B-PG21	124 110 510 5003
PG29	WV10B-SEH-2B-PG29	124 110 510 5004
	with sleeve	
M25	WV10B-SEH-2B-M25 WS	124 110 515 5103
M32	WV10B-SEH-2B-M32 WS	124 110 515 5104
PG21	WV10B-SEH-2B-PG21 WS	124 110 515 5111
PG29	WV10B-SEH-2B-PG29 WS	124 110 515 5112



Hoods, top entry




Thread	Designation	Order No.
M20	WV10B-TE-2B-M20	124 110 410 1001
PG16	WV10B-TE-2B-PG16	124 110 410 1002



Hoods, top entry, high construction



Thread	Designation	Order No.
M25	WV10B-TEH-2B-M25	124 110 410 5001
M32	WV10B-TEH-2B-M32	124 110 410 5002
PG21	WV10B-TEH-2B-PG21	124 110 410 5003
PG29	WV10B-TEH-2B-PG29	124 110 410 5004
	with sleeve	
M25	WV10B-TEH-2B-M25 WS	124 110 415 5103
M32	WV10B-TEH-2B-M32 WS	124 110 415 5104
PG21	WV10B-TEH-2B-PG21 WS	124 110 415 5111
PG29	WV10B-TEH-2B-PG29 WS	124 110 415 5112



10B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP67 Remark: SPQ is 1pc

Housings, cable to cable



Thread	Designation	Order No.
M20	WV10B-CCT-1L/SC-M20	124 110 721 1001
PG16	WV10B-CCT-1L/SC-PG16	124 110 721 1002

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	WV10B-CCTH-1L/SC-M25	124 110 721 5001
M32	WV10B-CCTH-1L/SC-M32	124 110 721 5002
PG21	WV10B-CCTH-1L/SC-PG21	124 110 721 5003
PG29	WV10B-CCTH-1L/SC-PG29	124 110 721 5004
	with sleeve	
M25	WV10B-CCTH-1L/SC-M25 WS	124 110 721 5103
M32	WV10B-CCTH-1L/SC-M32 WS	124 110 721 5104
PG21	WV10B-CCTH-1L/SC-PG21 WS	124 110 721 5111
PG29	WV10B-CCTH-1L/SC-PG29 WS	124 110 721 5112

Please refer to page 15-02 for choosing proper model of lock.




Bulkhead mounted housings



Thread	Designation	Order No.
---	WV10B-BK-1L/SC	124 110 361 1101
	with plastic cover	
---	WV10B-BK-1L/SC-CV	111 110 321 8003
	with metal cover	
---	WV10B-BK-1L/SC-MCV	111 110 321 8004

Please refer to page 15-02 for choosing proper model of lock.




10B Metal hoods/housings - for high voltage inserts(HVE Series)

Degree of protection: IP67 Remark: SPQ is 1pc

Hoods, side entry




Thread	Designation	Order No.
M20	WV10B-SE-4B-M20	124 110 530 1001
PG16	WV10B-SE-4B-PG16	124 110 530 1002



Hoods, side entry, high construction




Thread	Designation	Order No.
M25	WV10B-SEH-4B-M25	124 110 530 5001
M32	WV10B-SEH-4B-M32	124 110 530 5002
PG21	WV10B-SEH-4B-PG21	124 110 530 5003
PG29	WV10B-SEH-4B-PG29	124 110 530 5004
	with sleeve	
M25	WV10B-SEH-4B-M25 WS	124 110 530 5103
M32	WV10B-SEH-4B-M32 WS	124 110 530 5104
PG21	WV10B-SEH-4B-PG21 WS	124 110 530 5111
PG29	WV10B-SEH-4B-PG29 WS	124 110 530 5112



Hoods, top entry




Thread	Designation	Order No.
M20	WV10B-TE-4B-M20	124 110 430 1001
PG16	WV10B-TE-4B-PG16	124 110 430 1002



Hoods, top entry, high construction




Thread	Designation	Order No.
M25	WV10B-TEH-4B-M25	124 110 430 5001
M32	WV10B-TEH-4B-M32	124 110 430 5002
PG21	WV10B-TEH-4B-PG21	124 110 430 5003
PG29	WV10B-TEH-4B-PG29	124 110 430 5004
	with sleeve	
M25	WV10B-TEH-4B-M25 WS	124 110 430 5103
M32	WV10B-TEH-4B-M32 WS	124 110 430 5104
PG21	WV10B-TEH-4B-PG21 WS	124 110 430 5111
PG29	WV10B-TEH-4B-PG29 WS	124 110 430 5112



Bulkhead mounted housings



Thread	Designation	Order No.
---	WV10B-BK-2L/ SC	124 110 341 1101



Please refer to page 15-02 for choosing proper model of lock.

10B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP67 Remark: SPQ is 1pc

Housings, cable to cable



Thread	Designation	Order No.
M20	WV10B-CCT-2L/SC-M20	124 110 741 1001
PG16	WV10B-CCT-2L/SC-PG16	124 110 741 1002

Please refer to page 15-02 for choosing proper model of lock.




Housings, cable to cable, high construction



Thread	Designation	Order No.
M25	WV10B-CCTH-2L/SC-M25	124 110 741 5001
M32	WV10B-CCTH-2L/SC-M32	124 110 741 5002
PG21	WV10B-CCTH-2L/SC-PG21	124 110 741 5003
PG29	WV10B-CCTH-2L/SC-PG29	124 110 741 5004
	with sleeve	
M25	WV10B-CCTH-2L/SC-M25 WS	124 110 741 5103
M32	WV10B-CCTH-2L/SC-M32 WS	124 110 741 5104
PG21	WV10B-CCTH-2L/SC-PG21 WS	124 110 741 5111
PG29	WV10B-CCTH-2L/SC-PG29 WS	124 110 741 5112

Please refer to page 15-02 for choosing proper model of lock.



10B Metal hoods/housings - for high voltage inserts(HVE Series)


Degree of protection: IP67 **Remark: SPQ is 1pc**

Hoods, side entry



Thread	Designation	Order No.
M20	WV10B-SE-2L/SC-M20	124 110 541 1001
PG16	WV10B-SE-2L/SC-PG16	124 110 541 1002

Please refer to page 15-02 for choosing proper model of lock.




Hoods, side entry, high construction



Thread	Designation	Order No.
M25	WV10B-SEH-2L/SC-M25	124 110 541 5001
M32	WV10B-SEH-2L/SC-M32	124 110 541 5002
PG21	WV10B-SEH-2L/SC-PG21	124 110 541 5003
PG29	WV10B-SEH-2L/SC-PG29	124 110 541 5004
	with sleeve	
M25	WV10B-SEH-2L/SC-M25 WS	124 110 541 5103
M32	WV10B-SEH-2L/SC-M32 WS	124 110 541 5104
PG21	WV10B-SEH-2L/SC-PG21 WS	124 110 541 5111
PG29	WV10B-SEH-2L/SC-PG29 WS	124 110 541 5012

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry



Thread	Designation	Order No.
M20	WV10B-TE-2L/SC-M20	124 110 441 1001
PG16	WV10B-TE-2L/SC-PG16	124 110 441 1002

Please refer to page 15-02 for choosing proper model of lock.




Hoods, top entry, high construction



Thread	Designation	Order No.
M25	WV10B-TEH-2L/SC-M25	124 110 441 5001
M32	WV10B-TEH-2L/SC-M32	124 110 441 5002
PG21	WV10B-TEH-2L/SC-PG21	124 110 441 5003
PG29	WV10B-TEH-2L/SC-PG29	124 110 441 5004
	with sleeve	
M25	WV10B-TEH-2L/SC-M25 WS	124 110 441 5103
M32	WV10B-TEH-2L/SC-M32 WS	124 110 441 5104
PG21	WV10B-TEH-2L/SC-PG21 WS	124 110 441 5111
PG29	WV10B-TEH-2L/SC-PG29 WS	124 110 441 5112

Please refer to page 15-02 for choosing proper model of lock.



Bulkhead mounted housings



Thread	Designation	Order No.
---	WV10B-BK-4B	124 110 330 1101

